

HPD UNIQUE IDENTIFIER: 1106276245504

CLASSIFICATION: 07 92 13 Elastomeric Joint Sealants

PRODUCT DESCRIPTION: Dymeric® 240FC is a gun-grade, multi-component, chemically-curing, polyurethane sealant that includes a tintable base, curative packet, and a choice of 70 standard colors. A Limestone Pretinted version is also available.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	<i>For all contents above the threshold, the manufacturer has:</i>
☐ Nested Materials Method	☒ 100 ppm	☒ Completed	Characterized ☒ Yes ☐ No
☒ Basic Method	☐ 1,000 ppm	☐ Partially Completed	<i>Provided weight and role.</i>
Threshold Disclosed Per	☐ Per GHS SDS	☐ Not Completed	Screened ☒ Yes ☐ No
☐ Material	☐ Other	Explanation(s) provided :	<i>Provided screening results using HPDC-approved methods.</i>
☒ Product		☒ Yes ☐ No	Identified ☐ Yes ☒ No
			<i>Provided name and CAS RN or other identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

DYMERIC® 240FC [CALCIUM CARBONATE BM-3] EYE
CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE LT-UNK
UNDISCLOSED LT-P1] SKI | EYE | MAM UNDISCLOSED BM-2] SKI |
MAM | EYE UNDISCLOSED LT-P1] END UNDISCLOSED BM-1] CAN |
MAM UNDISCLOSED LT-1] CAN | PBT | MUL | SKI | DEV]

Number of Greenscreen BM-4/BM3 contents ... 1
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...
LT-P1, BM-1, LT-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

HPD generated as basic inventory

*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 5 Regulatory (g/l): < 250
Does the product contain exempt VOCs: No
Are colorants available that do not increase the VOC content of the base paint when tinted: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.
VOC emissions: CDPH Standard Method V1.1 (Section 01350/CHPS) - Zero VOC emissions
VOC content: MAS Certified Green - VOC Content

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.
Pre-checked for LEED v4.1 Option 1.

Third Party Verified?	PREPARER: Self-Prepared	SCREENING DATE: 2025-05-23
☐ Yes	VERIFIER:	PUBLISHED DATE: 2025-05-23
☒ No	VERIFICATION #:	EXPIRY DATE: 2028-05-23

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

DYMERIC® 240FC

PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes
RESIDUALS AND IMPURITIES NOTES: The product is estimated to have no residuals or impurities over 100 ppm based on raw material supplier information.	
OTHER PRODUCT NOTES: -	

CALCIUM CARBONATE				ID: 471-34-1
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-05-23 0:11:43	
?: 40.0000 - 70.0000	GreenScreen: BM-3	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
EYE	GHS - New Zealand		Eye irritation category 2	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: The percentage of the substance used is provided as a range to protect proprietary information. The component's CAS number was used to identify associated hazards.				

CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE				ID: 65997-17-3
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-05-23 0:12:34	
%: 10.0000 - 30.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Tensile strength additive
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
EXEMPT	European Union / European Commission (EU EC)		EU - REACH Exemptions	
			Exempted from REACH Annex V listing due to intrinsic safety	

SUBSTANCE NOTES: The percentage of the substance used is provided as a range to protect proprietary information. The component's CAS number was used to identify associated hazards.

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-05-23 0:16:23	
?: 20.0000 - 30.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]		
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: The percentage of the substance used is provided as a range to protect proprietary information. The component's CAS number was used to identify associated hazards.

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-05-23 0:13:20	
?: 1.0000 - 5.0000	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Scavenger
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]		
SKI	GHS - New Zealand	Skin corrosion category 1C		
EYE	GHS - New Zealand	Serious eye damage category 1		
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]		
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]		
EYE	GHS - Australia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Antimicrobials
SUBSTANCE NOTES: The percentage of the substance used is provided as a range to protect proprietary information. The component's CAS number was used to identify associated hazards.		

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-05-23 0:14:04		
%: 0.1000 - 1.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Water resistance
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: The percentage of the substance used is provided as a range to protect proprietary information. The component's CAS number was used to identify associated hazards.				

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-05-23 0:14:43		
%: 0.1000 - 1.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]		
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]		
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]		
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List		
		Antimicrobials		

SUBSTANCE NOTES: The percentage of the substance used is provided as a range to protect proprietary information. The component's CAS number was used to identify associated hazards.

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-05-23 0:15:31	
%: 0.1000 - 1.0000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence		
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans		
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
CAN	GHS - Australia	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]		
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]		
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]		
DEV	GHS - Australia	H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]		
CAN	EU - REACH Annex XVII CMRs	Carcinogens: Category 1B		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPiI)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022		
		Children's Products		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPiI)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022		
		Formulated Consumer Products		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPiI)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024		
		All Products		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPiI)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024		
		Cosmetics and Personal Care Products		

SUBSTANCE NOTES: The percentage of the substance used is provided as a range to protect proprietary information. The component's CAS number was used to identify associated hazards.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method V1.1 (Section 01350/CHPS) - Zero VOC emissions	
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2019-01-22 00:00:00	CERTIFIER OR LAB: Tremco
APPLICABLE FACILITIES: Stoncor Middle East LLC, Dubai, UAE	EXPIRY DATE:	Incorporated, OH, United States of America
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES: California Department of Public Health (CDPH) Standard Method V1.1-2010		
VOC CONTENT	MAS Certified Green - VOC Content	
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2019-01-22 00:00:00	CERTIFIER OR LAB: Tremco
APPLICABLE FACILITIES: Stoncor Middle East LLC, Dubai, UAE	EXPIRY DATE:	Incorporated
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES: SCAQMD rule 1168		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Basic Uses

Dymeric 240FC's applications range from pre-cast tilt-up concrete, masonry, and exterior insulating and finishing systems (EIFS), to metal curtain walls, and perimeter joints around doors and windows. It can also be used in certain water immersed applications.

Features and Benefits

- Dymeric 240FC is an all-around general-purpose sealant that provides flexible, long life and durable waterproofing for both new construction and restoration projects in a fast curing formulation.
- Dymeric 240FC is formulated to be a lightweight material designed for extremely easy mixing, even in cold temperatures.
- Dymeric 240FC is a solvent-free product that is compliant with all existing VOC regulations.

MANUFACTURER INFORMATION

MANUFACTURER: **Stoncor Middle East LLC**
ADDRESS: **Al Qouz Industrial Area 3**
Dubai, Dubai 3034
COUNTRY: **United Arab Emirates**
LATITUDE: **25.1347000**
LONGITUDE: **55.2178000**

WEBSITE: **www.stoncor-me.com**
CONTACT NAME: **Sridhar Rajaji**
TITLE: **Research & Development Manager**
PHONE: **043470460**
EMAIL: **sridhar.rajaji@stoncor-me.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

