

Acrovyn® Wall Covering Woodgrain, Strata, and Brushed Metal

by Construction Specialties, Inc.

SCREENING DATE: 2026-06-24
PUBLISHED DATE: 2026-07-06
EXPIRY DATE: 2029-06-24
PREPARER: Self-Prepared
VERIFIER: WAP Sustainability
VERIFICATION #: zPr-30172

Health Product Declaration v3.0

created via: HPDC Online Builder



HPD UNIQUE IDENTIFIER: 6985953208320
HPD UNIQUE PRODUCT ID: Not provided.
CLASSIFICATION: 10 26 00 Wall and Door Protection
PRODUCT TYPE: Wall Coverings
Abuse-Resistant Sheet Wall Covering (Wall Protection)
Door And Wall Protector Products

PRODUCT DESCRIPTION: .040" (1.02mm) and .060" (1.52mm) thick Acrovyn wall covering is offered in a variety of woodgrain colors and textures supplied in standard 4' x 8' (1.2m x 2.4m) or 4' x 10' (1.2m x 3.0m) rigid sheets. Available in all wood grain colors, see finish options on product page for more information.

Section 1: Summary Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Residuals/Impurities Evaluation	For all contents above the threshold, the manufacturer has:
→ Basic Method	→ Completed	
Threshold Disclosed Per	Explanation(s) provided :	Characterized Yes
→ Product	Yes	Provided weight and role.
Threshold Level		Screened Yes
→ 100 ppm		Provided screening results using HPDC-approved methods.
		Identified Yes
		Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
ACROVYN® WALL COVERING WOODGRAIN, STRATA, AND BRUSHED METAL [1,4-BENZENEDICARBOXYLIC ACID, POLYMER WITH 1,4-CYCLOHEXANEDIMETHANOL AND 1,2-ETHANEDIOL NoGS TALC UNK] CAN | MAM TITANIUM DIOXIDE BM-1 *] CAN | END | MAM TRIPROPYLENE GLYCOL DIACRYLATE (TRIPROPYLENE GLYCOL DIACRYLATE (TPGDA)) UNK] SKI | MUL | EYE | AQU POLYPROPYLENE LT-UNK BIS-TRIMETHYLBENZOYL PHENYLPHOSPHINE OXIDE (PHENYL BIS(2,4,6-TRIMETHYLBENZOYL)-PHOSPHINE OXIDE) UNK N,N'-ETHYLENE DISTEARYLAMIDE (ETHYLENE BIS(STEARAMIDE)) UNK POLYETHYLENE GLYCOL (BIS(OCTYLOXY)PHOSPHINYL) ETHER (POLY(OXY-1,2-ETHANEDIYL), α-[BIS(OCTYLOXY)PHOSPHINYL]-ω-HYDROXY-) UNK]

Number of Greenscreen BM-4/BM3 contents ... 0
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... None
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD discloses hazards associated with all substances present at or above 100 parts per million (ppm) in the finished product, along with the role and percent weight for each substance. Percentage ranges are used to keep exact formulation proprietary.

*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT
VOC Content data is not applicable for this product category.

COMPLIANCE See Section 3 for additional listings.
VOC emissions: Intertek Clean Air Gold
LCA: Environmental Product Declaration
Multi-attribute: Cradle to Cradle Certified - Silver (V4.1)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4 Option 2.
Pre-checked for LEED v4.1 Option 1.
Pre-checked for LEED v5 Human Health 1.
Pre-checked for LEED v5 Human Health 2.

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: www.hpd-collaborative.org/hpd-3-0-standard

ACROVYN® WALL COVERING WOODGRAIN, STRATA, AND BRUSHED METAL

PRODUCT THRESHOLD: 100 ppm		RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes			
RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were evaluated based on provided supplier data.					
OTHER PRODUCT NOTES:					
1,4-BENZENEDICARBOXYLIC ACID, POLYMER WITH 1,4-CYCLOHEXANEDIMETHANOL AND 1,2-ETHANEDIOL					ID: 25038-91-9
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-24 14:24:17		
?: 80.0000 - 99.0000	GreenScreen: NoGS	RC: PostC	NANO: No	SUBSTANCE ROLE: Polymer species	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: A portion of the PETG in this product is sourced from post-consumer recycled content.					

TALC ID: 14807-96-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-24 12:47:55	
%: 0.0000 - 5.0000	GreenScreen: UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification	
CAN	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route	
CAN	IARC		Group 2a - Agent is probably Carcinogenic to humans	
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]	
MAM	GHS - Japan		H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]	

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Cosmetics & Personal Care Products

SUBSTANCE NOTES:

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2026-06-24 13:54:12

%: 0.0000 - 5.0000

GreenScreen: BM-1

RC: None

NANO: No

SUBSTANCE ROLE: Pigment

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen**
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route**
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources**
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value**
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor**
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels**
CAN	IARC	Group 2b - Possibly carcinogenic to humans**
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemical Ingredients list (SCIL) Colorants - Green Circle (Verified Low Concern)
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Cosmetics and Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Cosmetics & Personal Care Products

SUBSTANCE NOTES: **Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

2-OXEPANONE, POLYMER WITH 2-ETHYL-2-(HYDROXYMETHYL)-1,3-PROPANEDIOL AND 5-ISOCYANATO-1-(ISOCYANATOMETHYL)-1,3,3-TRIMETHYLCYCLOHEXANE, 2-HYDROXYETHYL ACRYLATE-BLOCKED (ACRYLATED ALIPHATIC URETHANE)

ID: 68987-79-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-24 12:47:56	
%: 0.0000 - 2.0000 ALT	GreenScreen: UNK	RC: None	NANO: No	SUBSTANCE ROLE: Ink
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: ALTERNATE: This substance is an alternate substance to Titanium dioxide.				

CHROME RUTILE YELLOW (C.I. PIGMENT BROWN 24)

ID: 68186-90-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-24 12:47:57	
%: 0.0000 - 2.0000 ALT	GreenScreen: UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (GSPI)		GSPI - Six Classes Precautionary List	
			Certain Metals	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)		C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025	
			Children's Toy Products	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)		C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026	
			Children's Toy Products	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)		C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026	
			Cosmetics & Personal Care Products	

SUBSTANCE NOTES: ALTERNATE: This substance is an alternate substance to Titanium dioxide.

C.I. PIGMENT GREEN 50

ID: 68186-85-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2026-06-24 12:47:57

%: 0.0000 - 2.0000 ALT	GreenScreen: UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CAN	IARC	Group 1 - Agent is Carcinogenic to humans		
CAN	CA EPA - Prop 65	Carcinogen		
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen		
CAN	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man		
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization		
GEN	MAK	Germ Cell Mutagen 3a		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List		
		Certain Metals		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025		
		Children's Toy Products		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026		
		Children's Toy Products		

SUBSTANCE NOTES: ALTERNATE: This substance is an alternate substance to Titanium dioxide.

FERRIC OXIDE

ID: 1309-37-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2026-07-06 9:01:21

%: 0.0000 - 1.0000 ALT	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
------------------------	-------------------	----------	----------	-------------------------

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification**
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]**
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: ALTERNATE: This substance is an alternate substance to Titanium dioxide.

**Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

CARBON BLACK

ID: **1333-86-4**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-24 13:52:11	
?: 0.0000 - 1.0000 ALT	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen**		
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification**		
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route**		
CAN	IARC	Group 2b - Possibly carcinogenic to humans**		
EYE	GHS - New Zealand	Eye irritation category 2**		
CAN	GHS - New Zealand	Carcinogenicity category 2**		
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**		
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**		
PHY	GHS - Japan	H251 - Self-heating;; may catch fire [Self-heating substances and mixtures - Category 1]**		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: ALTERNATE: This substance is an alternate substance to Titanium dioxide.

**Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

TRIPROPYLENE GLYCOL DIACRYLATE (TRIPROPYLENE GLYCOL DIACRYLATE (TPGDA))

ID: 42978-66-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-24 12:47:58	
%: 0.0000 - 1.0000	GreenScreen: UNK	RC: None	NANO: No	SUBSTANCE ROLE: Monomer
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization		
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]		
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]		
SKI	GHS - New Zealand	Skin irritation category 2		
EYE	GHS - New Zealand	Eye irritation category 2		
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]		
SKI	GHS - New Zealand	Skin sensitisation category 1		
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 2		
AQU	GHS - Australia	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]		
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]		
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]		
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES:

C.I. PIGMENT RED 22 (PIGMENT RED 22)

ID: 6448-95-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2026-06-24 12:47:59

%: 0.0000 - 0.5000 ALT GreenScreen: UNK RC: None NANO: No SUBSTANCE ROLE: Ink

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: ALTERNATE: This substance is an alternate substance to Titanium dioxide.

C.I. SOLVENT YELLOW 114 (PRIMARY CASRN IS 7576-65-0)
(DISPERSE YELLOW 54)

ID: 12223-85-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2026-06-24 12:47:58

%: 0.0000 - 0.5000 ALT GreenScreen: UNK RC: None NANO: No SUBSTANCE ROLE: Pigment

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: ALTERNATE: This substance is an alternate substance to Titanium dioxide.

9,10-ANTHRACENEDIONE, 1,8-BIS(PHENYLTHIO)- (SOLVENT
YELLOW 163)

ID: 13676-91-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2026-06-24 12:47:58

%: 0.0000 - 0.5000 ALT GreenScreen: UNK RC: None NANO: No SUBSTANCE ROLE: Dye

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: ALTERNATE: This substance is an alternate substance to Titanium dioxide.

POLYPROPYLENE				ID: 9003-07-0	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-24 12:47:57		
%: 0.0000 - 0.5000	GreenScreen: LT-UNK	RC: None	NANO: Unknown	SUBSTANCE ROLE: Coating	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES:					

PIGMENT BLUE 15 (C. I. PIGMENT BLUE 15)				ID: 147-14-8	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-24 12:48:00		
%: 0.0000 - 0.5000 ALT	GreenScreen: UNK	RC: None	NANO: No	SUBSTANCE ROLE: Ink	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
POSITIVE LIST	US Environmental Protection Agency (US EPA)		US EPA - DfE Safer Chemical Ingredients list (SCIL) Colorants - Green Circle (Verified Low Concern)		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)		C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Cosmetics and Personal Care Products		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)		C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Cosmetics & Personal Care Products		
SUBSTANCE NOTES: ALTERNATE: This substance is an alternate substance to Titanium dioxide.					

ULTRAMARINE (PIGMENT) (C.I. PIGMENT BLUE 29)				ID: 57455-37-5	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-24 12:47:56		
%: 0.0000 - 0.5000 ALT	GreenScreen: UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemical Ingredients list (SCIL) Colorants - Green Circle (Verified Low Concern)
SUBSTANCE NOTES: ALTERNATE: This substance is an alternate substance to Titanium dioxide.		

PHTHALOCYANINE GREEN (C.I. PIGMENT GREEN 7)

ID: **1328-53-6**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-06-24 12:47:57		
%: 0.0000 - 0.5000 ALT	GreenScreen: UNK	RC: None	NANO: No	SUBSTANCE ROLE: Ink
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemical Ingredients list (SCIL) Colorants - Green Circle (Verified Low Concern)		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Cosmetics and Personal Care Products		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Cosmetics & Personal Care Products		
SUBSTANCE NOTES: ALTERNATE: This substance is an alternate substance to Titanium dioxide.				

C.I. PIGMENT YELLOW 119

ID: **68187-51-9**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-24 12:47:58	
%: 0.0000 - 0.5000 ALT	GreenScreen: UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: ALTERNATE: This substance is an alternate substance to Titanium dioxide.				

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-24 12:47:59	
%: 0.0000 - 0.5000	GreenScreen: UNK	RC: None	NANO: No	SUBSTANCE ROLE: Photoinitiator
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

C.I. PIGMENT YELLOW 74 (PIGMENT YELLOW 74)

ID: 6358-31-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-24 12:48:00	
%: 0.0000 - 0.5000 ALT	GreenScreen: UNK	RC: None	NANO: No	SUBSTANCE ROLE: Ink
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: ALTERNATE: This substance is an alternate substance to Titanium dioxide.				

9,10-ANTHRACENEDIONE, 1-(CYCLOHEXYLAMINO)-

ID: 1096-48-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-24 12:47:59	
%: 0.0000 - 0.1000 ALT	GreenScreen: UNK	RC: None	NANO: No	SUBSTANCE ROLE: Dye
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: ALTERNATE: This substance is an alternate substance to Titanium dioxide.				

NICKEL RUTILE YELLOW (C.I. PIGMENT YELLOW 53)

ID: 8007-18-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-24 12:48:00	
%: 0.0000 - 0.1000 ALT	GreenScreen: UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Certain Metals
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Children's Toy Products
SUBSTANCE NOTES: ALTERNATE: This substance is an alternate substance to Titanium dioxide.		

DICHRONIUM TRIOXIDE (CHROMIUM OXIDE (CR2O3))

ID: 1308-38-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-24 12:47:58	
%: 0.0000 - 0.1000 ALT	GreenScreen: UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
SKI	MAK		Sensitizing Substance Sh - Danger of skin sensitization	
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)		C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025	
			Children's Toy Products	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)		C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026	
			Children's Toy Products	
SUBSTANCE NOTES: ALTERNATE: This substance is an alternate substance to Titanium dioxide.				

N,N'-ETHYLENE DISTEARYLAMIDE (ETHYLENE BIS(STEARAMIDE))

ID: 110-30-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2026-06-24 12:47:59
---	--

%: 0.0000 - 0.1000 GreenScreen: UNK RC: None NANO: No SUBSTANCE ROLE: Plasticizer		
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

POLYETHYLENE GLYCOL (BIS(OCTYLOXY)PHOSPHINYL) ETHER (POLY(OXY-1,2-ETHANEDIYL), α-[BIS(OCTYLOXY)PHOSPHINYL]-ω-HYDROXY-)

ID: 57344-02-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-24 12:48:00		
%: 0.0000 - 0.1000	GreenScreen: UNK	RC: None	NANO: No	SUBSTANCE ROLE: Residual	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES:					

METHYL 2-[2-(1,5-DIHYDRO-3-METHYL-5-OXO-1-PHENYL-4H-PYRAZOL-4-YLIDENE)ETHYLIDENE]-2,3-DIHYDRO-1,3,3-TRIMETHYL-1H-INDOLE-5-CARBOXYLATE (SOLVENT ORANGE 107)

ID: 5718-26-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-24 12:48:00		
%: 0.0000 - 0.1000 ALT		GreenScreen: UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
MUL	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: ALTERNATE: This substance is an alternate substance to Titanium dioxide.					

C.I. SOLVENT RED 135 (SOLVENT RED 135)

ID: 20749-68-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-24 12:48:01		
--	--	--	---	--	--

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: ALTERNATE: This substance is an alternate substance to Titanium dioxide.		

Section 3: Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Intertek Clean Air Gold	
COMPLIANCE TYPE: Third Party CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: Intertek COMPLIANCE DETAILS: COMPLIANCE SCOPE: APPLICABLE FACILITIES: All Facilities COMPLIANCE URL: https://cosp-p-001-delivery.sitecorecontenthub.cloud/api/public/content/a567bccfa0154367b389b3c79bbf6965?v=3c7925b4 COMPLIANCE NOTES:	ISSUE DATE: 2026-02-16	EXPIRY DATE: 2026-09-14
LCA	Environmental Product Declaration	
COMPLIANCE TYPE: Third Party CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: NSF Certification LLC COMPLIANCE DETAILS: COMPLIANCE SCOPE: APPLICABLE FACILITIES: All Facilities COMPLIANCE URL: https://cosp-p-001-delivery.sitecorecontenthub.cloud/api/public/content/463eb7fbb61b4629a69e8c8ba524ac1b?v=001c263a COMPLIANCE NOTES:	ISSUE DATE: 2025-12-15	EXPIRY DATE: 2030-12-15
MULTI-ATTRIBUTE	Cradle to Cradle Certified - Silver (V4.1)	
COMPLIANCE TYPE: Third-party certification CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: WAP Sustainability COMPLIANCE DETAILS: COMPLIANCE SCOPE: APPLICABLE FACILITIES: All facilities COMPLIANCE URL: https://cdn.c2ccertified.org/certifications/Const_Acrov_Silve_CERT2329_2026-06-22_18547.pdf COMPLIANCE NOTES:	ISSUE DATE: 2026-06-22	EXPIRY DATE: 2029-06-21

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

ACROVYN® INTERIORS HEAVY DUTY WATER-BASED MASTIC ADHESIVE
MANUFACTURER (OR GENERIC): Construction Specialties
HPD URL: No HPD Available ACCESSORY TYPE: Adhesive CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: CS' Adhesive can be used for installation of Acrovyn Wall Covering on a variety of substrates. It's a high-strength adhesive with aggressive initial tack and permanent flexible bond that adheres to Acrovyn. The free-thaw stability allows for shipping all year round. This environmentally friendly option is Red-List free, has a VOC content of 0.0 g/L, and meets CDPH 01350 v1.2 with a TVOC range of > 0.5 – 4.9mg/m3.

ACROVYN® INTERIORS WATER-BASED MASTIC PRIMER
MANUFACTURER (OR GENERIC): **Construction Specialties**

HPD URL: No HPD available
ACCESSORY TYPE: Adhesive
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: CS' Primer is water-based and designed for sealing and priming wallboard and concrete block prior to applying Acrovyn Adhesive for the installation of Acrovyn Wall Covering. This product is PVA-free and has a VOC content of 0.0 g/L.

ALUMINUM TRIMS
MANUFACTURER (OR GENERIC): **Construction Specialties**

HPD URL: No HPD available
ACCESSORY TYPE: Installation Accessory
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Aluminum trims can provide a nice accent for Acrovyn Wall Covering. They come standard in a clear anodized finish, but additional anodized color options are available. Trims work with .040" and .060" sheet thicknesses, can be interchangeable, and available in both flat and radius profiles. Both profiles are available in wainscot, vertical, inside, and outside corner applications. As an all-aluminum product in an anodized finish, they are inherently non-emitting.

COLORFLEX II® ACRYLIC LATEX CAULK
MANUFACTURER (OR GENERIC): **Construction Specialties**

HPD URL: No HPD available
ACCESSORY TYPE: Adhesive
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Caulk is color matched to provide a seamless appearance for the installation of Acrovyn Wall Covering. It has a VOC content of 30 g/L.

ACROVYN® ROLL-ON ADHESIVE
MANUFACTURER (OR GENERIC): **Construction Specialties**

HPD URL: No HPD available
ACCESSORY TYPE: Adhesive
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Acrovyn® Roll-On Adhesive is a time-saving method for installing Acrovyn Wall Covering. The combination of Acrovyn Roll-On Adhesive and Acrovyn Primer allows for an easier, cost-effective and secure installation of Acrovyn Wall Covering.

 Section 5: General Notes

This HPD covers the following products: Acrovyn® Wall Covering in .040" (1.02mm) and .060" (1.52mm) thicknesses in standard 4' x 8' (1.2m x 2.4m) or 4' x 10' (1.2m x 3.0m) rigid sheets and all woodgrain options. The variation among different products accounts for varying proportions of materials in substances due to the same product being available in different sizes, options, and colors.

MANUFACTURER INFORMATION

MANUFACTURER: **Construction Specialties, Inc.**
ADDRESS: **3 Werner Way**
Lebanon, NJ 08833
COUNTRY: **United States**

WEBSITE: **www.c-sgroup.com**
CONTACT NAME: **Anna Keener**
TITLE: **Marketing & Sustainability Coordinator**
PHONE: **570-584-6759**
EMAIL: **LEED@c-sgroup.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.