



HPD UNIQUE IDENTIFIER: 1353262080

CLASSIFICATION: 09 65 19.23 Vinyl Tile Flooring

PRODUCT DESCRIPTION: As a floor covering material manufacturer, we supply resilient vinyl flooring tiles with various wood designs such as modern natural, vintage and antique as well as other designs of concrete, fabric, marble and slate. Our products have features such as easy cleaning and maintenance, anti-slip, water resistance and anti-scratch function by polyurethane (PU) & ceramic coating treatment on product surfaces. Also, the products can be made with various designs and tile sizes upon customer's request. It is very easy to clean and maintain; even marker stains on tile surface are easily removed.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	For all contents above the threshold, the manufacturer has:
☐ Nested Materials Method	☐ 100 ppm	☒ Completed	Characterized ☒ Yes ☐ No
☒ Basic Method	☒ 1,000 ppm	☐ Partially Completed	<i>Provided weight and role.</i>
Threshold Disclosed Per	☐ Per GHS SDS	☐ Not Completed	Screened ☒ Yes ☐ No
☐ Material	☐ Other	Explanation(s) provided :	<i>Provided screening results using HPDC-approved methods.</i>
☒ Product		☒ Yes ☐ No	Identified ☒ Yes ☐ No
			<i>Provided name and CAS RN or other identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
VINYL TILE DRYBACK (2MM~5MM) [LIMESTONE BM-3dg POLYVINYL CHLORIDE LT-P1 MAM BIS(2-ETHYLHEXYL) TEREPHTHALATE BM-3dg TEREPHTHALIC ACID BM-2 MAM CALCIUM CARBONATE BM-3 EYE BIS(2-ETHYLHEXYL) CYCLOHEXANE-1,4-DICARBOXYLATE NoGS CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE LT-UNK HYDROCARBONS, C6-20, POLYMERS, HYDROGENATED LT-P1 MUL EPOXIDIZED SOYBEAN OIL LT-P1 AQU DAKRIL 4B LT-UNK ISOCTYL DIPHENYL PHOSPHITE LT-P1 MUL DIPHENYL ISODECYL PHOSPHITE LT-P1 MUL BARIUM NEODECANOATE LT-UNK C12-18 FATTY ACIDS, BARIUM SALT NoGS 1,3-PROPANEDIOL, 2-ETHYL-2-(HYDROXYMETHYL)-, POLYMER WITH 2,4-DIISOCYANATO-1-METHYLBENZENE LT-UNK SKI | EYE | MAM]

Number of Greenscreen BM-4/BM3 contents ... 3
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Jae Young Chemical Co., Ltd. worked with the HPDC Approved Preparer to confirm that all intentionally added ingredients, residuals and impurities were considered under the preparation of this HPD. This was accomplished by obtaining full formulation disclosure, including residuals and impurities, down to the 1,000 ppm threshold.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: RFCI FloorScore
LCA: Environmental Product Declaration (EPD) by SCS
LCA: ISO 14040:2006 Environmental management -- Life cycle assessment
Formaldehyde emissions: EN 14041:2004 Resilient, textile and laminate floor coverings - Formaldehyde Class E2

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.
Pre-checked for LEED v4.1 Option 1.

☒ Yes
☐ No

VERIFIER: SCS Global Services
VERIFICATION #: qGE-13063

PUBLISHED DATE: 2025-07-17
EXPIRY DATE: 2028-06-26

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

VINYL TILE DRYBACK (2MM~5MM)

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Jae Young Chemical Co., Ltd. worked with the HPDC Approved Preparer to confirm that all residuals and impurities were considered under the preparation of this HPD. This was accomplished by obtaining full formulation disclosure, including residuals and impurities, down to the 1,000 ppm threshold.

OTHER PRODUCT NOTES:

LIMESTONEID: 1317-65-3

HAZARD DATA SOURCE:Pharos Chemical and Materials LibraryHAZARD SCREENING DATE:2025-06-26 18:07:39

%:48.7210 - 54.0000GreenScreen:BM-3dgRC:NoneNANO:NoSUBSTANCE ROLE:Filler

HAZARD TYPELIST NAME AND SOURCEWARNINGS

None foundNo warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGSLIST NAME AND SOURCENOTIFICATION

None foundNo listings found on Additional Hazard Lists

SUBSTANCE NOTES:

POLYVINYL CHLORIDEID: 9002-86-2

HAZARD DATA SOURCE:Pharos Chemical and Materials LibraryHAZARD SCREENING DATE:2025-06-26 18:07:40

%:28.4040 - 37.4570GreenScreen:LT-P1RC:NoneNANO:NoSUBSTANCE ROLE:Structure component

HAZARD TYPELIST NAME AND SOURCEWARNINGS

MAMGHS - JapanH335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]

MAMGHS - JapanH372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]

Vinyl Tile Dryback (2mm~5mm)HPD v2.3 created via HPDC Builder Page 3 of 13

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Core Restrictions
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective February 1, 2025 Red List substances to avoid in Living Building Challenge V4.0 projects
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 Avoidance of Organohalogens and Functionally Related Chemical Classes of Concern

SUBSTANCE NOTES:

BIS(2-ETHYLHEXYL) TEREPHTHALATE

ID: **6422-86-2**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-06-26 18:07:41	
%: 6.1080 - 8.2140	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Plasticizer
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Some Solvents		

SUBSTANCE NOTES: The GreenScreen® Benchmark assessment score of BM-3dg was provided through the HPD 2.3 Builder Tool.

TEREPHTHALIC ACID

ID: **100-21-0**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-07-16 23:57:38	
%: 4.8800 - 6.8450	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Plasticizer

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

CALCIUM CARBONATE

ID: 471-34-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-06-26 18:07:39	
%: 0.0000 - 1.5580	GreenScreen: BM-3	RC: None	NANO: No	SUBSTANCE ROLE: Glass component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
EYE	GHS - New Zealand		Eye irritation category 2	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: The GreenScreen® Benchmark assessment score of BM-3 was provided through the HPD 2.2 Builder Tool.				

BIS(2-ETHYLHEXYL) CYCLOHEXANE-1,4-DICARBOXYLATE

ID: 84731-70-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-06-26 18:07:41	
%: 0.0000 - 0.9790	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Plasticizer
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES:				

CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE

ID: 65997-17-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-06-26 18:07:40	
%: 0.0000 - 0.4010	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Glass component

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions Exempted from REACH Annex V listing due to intrinsic safety
SUBSTANCE NOTES:		

HYDROCARBONS, C6-20, POLYMERS, HYDROGENATEDID: 69430-35-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-06-26 18:07:41		
%: 0.1450 - 0.2220	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Stabilizer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MUL	German FEA - Substances Hazardous to Waters		Class 3 - Severe Hazard to Waters	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

EPOXIDIZED SOYBEAN OILID: 8013-07-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-06-26 18:07:40	
%: 0.1000 - 0.1800	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Stabilizer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
AQU	GHS - New Zealand		Hazardous to the aquatic environment - chronic category 2	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

DAKRIL 4BID: 25852-37-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-07-16 17:58:06		
%: 0.1360 - 0.1780	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Processing regulator

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

ISOOCTYL DIPHENYL PHOSPHITE

ID: 26401-27-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-06-26 18:07:41		
%: 0.0580 - 0.1480	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Stabilizer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MUL	German FEA - Substances Hazardous to Waters		Class 3 - Severe Hazard to Waters	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

DIPHENYL ISODECYL PHOSPHITE

ID: 26544-23-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-06-26 18:07:42		
%: 0.0580 - 0.1110	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Stabilizer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MUL	German FEA - Substances Hazardous to Waters		Class 3 - Severe Hazard to Waters	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

BARIUM NEODECANOATE

ID: 55172-98-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-06-26 18:07:43		
%: 0.0580 - 0.1110	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Stabilizer

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 Children's Toy Products
SUBSTANCE NOTES:		

C12-18 FATTY ACIDS, BARIUM SALT

ID: 68131-57-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-06-26 18:07:43		
%: 0.0580 - 0.1110	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Stabilizer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

1,3-PROPANEDIOL, 2-ETHYL-2-(HYDROXYMETHYL)-, POLYMER WITH 2,4-DIISOCYANATO-1-METHYLBENZENE

ID: 29402-12-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-07-16 17:57:20		
%: 0.0200 - 0.1110	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Coating
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]		
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]		

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS		RFCl FloorScore	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All Facilities CERTIFICATE URL: https://cdn.scs-certified.com/products/cert_pdfs/Jae%20Young%20Chemical%20Co.,%20Ltd._2025_SCS-FS-05299_s.pdf		ISSUE DATE: 2025-02-01 00:00:00 EXPIRY DATE: 2026-01-31 00:00:00	CERTIFIER OR LAB: SCS Global Services
CERTIFICATION AND COMPLIANCE NOTES: Registration # SCS-FS-05299. Indoor air quality is certified to SCS-EC10.3-2014 v4.0 and conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring. Measured concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m3 (in compliance with CDPH/EHLB Standard Method v1.2-2017)			
LCA		Environmental Product Declaration (EPD) by SCS	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All Facilities CERTIFICATE URL: https://www.scs-certified.com/products/cert_pdfs/SCS-EPD-07183_JFlor_071321.pdf		ISSUE DATE: 2021-07-13 00:00:00 EXPIRY DATE: 2026-07-12 00:00:00	CERTIFIER OR LAB: SCS Global Services
CERTIFICATION AND COMPLIANCE NOTES: EPD Number: SCS-EPD-07183. The scope of EPD is cradle-to-grave, including raw material extraction and processing, transportation, product manufacture, product delivery, installation and use, and product disposal.			
LCA		ISO 14040:2006 Environmental management -- Life cycle assessment	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All Facilities CERTIFICATE URL:		ISSUE DATE: 2021-07-09 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: SCS Global Services
CERTIFICATION AND COMPLIANCE NOTES: The primary intended application of this LCA is to support the development of an Environmental Product Declaration (EPD), conformant to ISO 140251, ISO 140442 and ISO 219303. The LCA study scope, methodology, data sources, assumptions, and limitations, used to calculate final indicator results developed for the EPD are described in this report. The following life cycle stages are included: raw material extraction and processing; transport to manufacturer; product manufacturing and packaging; product distribution, use and maintenance; and product disposal.			
FORMALDEHYDE EMISSIONS		EN 14041:2004 Resilient, textile and laminate floor coverings - Formaldehyde Class E2	
CERTIFYING PARTY: Second Party APPLICABLE FACILITIES: All Facilities CERTIFICATE URL:		ISSUE DATE: 2019-03-05 00:00:00 EXPIRY DATE:	CERTIFIER OR LAB: Technical and Test Institute for Construction Prague
CERTIFICATION AND COMPLIANCE NOTES: Determination of free formaldehyde content in air samples taken from the test chamber. Method Number: 100607-03.			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Jae Young Chemical Co., Ltd. worked with the HPDC Approved Preparer to confirm that all intentionally added ingredients, residuals and impurities were considered under the preparation of this HPD. This was accomplished by obtaining full formulation disclosure, including residuals and impurities, down to the 1,000 ppm threshold.

MANUFACTURER INFORMATION

MANUFACTURER: **Jae Young Chemical Co., Ltd.**
 ADDRESS: **41, Jiryegongdan-Gil, Jirye-Myeon**
Gimcheon-Si, Gyeongsangbuk-do 39690
 COUNTRY: **Korea**

WEBSITE: **http://www.jflor.co.kr**
 CONTACT NAME: **Darren Mok**
 TITLE: **Assistant Manager**
 PHONE: **+82-31-948-6600**
 EMAIL: **darrenmok@jflor.co.kr**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold	Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold	Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold	Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

