

HPD UNIQUE IDENTIFIER: 35354558464

CLASSIFICATION: 09 90 00 Painting and Coating

PRODUCT DESCRIPTION: External Filler is ready to use exterior graded filler based on special Nano Emulsion of 100% pure acrylic binder. Can be applied straight to most fair-face surface such as concrete, plasterboard walls and ceilings, brick or block work for exterior and if required can use for interior also. External Filler can be subsequently overcoat with various range of paints finishes.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	<i>For all contents above the threshold, the manufacturer has:</i>
☒ Nested Materials Method	☒ 100 ppm	Completed in 7 of 7 Materials	Characterized ☒ Yes ☐ No
☐ Basic Method	☐ 1,000 ppm	Explanation(s) provided for Residuals/Impurities?	<i>Provided weight and role.</i>
Threshold Disclosed Per	☐ Per GHS SDS	☒ Yes ☐ No	Screened ☒ Yes ☐ No
☐ Material	☐ Other		<i>Provided screening results using HPDC-approved methods.</i>
☒ Product			Identified ☒ Yes ☐ No
			<i>Provided name and CAS RN or other identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

EXTENDER [**LIMESTONE** BM-3dg **QUARTZ** BM-1] CAN | MAM | GEN] **BINDER** [**METHYL METHACRYLATE** LT-P1] END | SKI | PHY | EYE | MAM **BUTYL ACRYLATE** LT-UNK] SKI | EYE | MAM | REP | AQU **2-ETHYLHEXYL ACRYLATE** BM-2] SKI | CAN | MAM | EYE | AQU **2-ACRYLAMIDO-2-METHYLPROPANESULFONATE** LT-UNK] EYE] **WATER** [**WATER** BM-4] **THICKENER** [**HYDROXYETHYL CELLULOSE** LT-P1] END] **ADDITIVE** [**TEXANOL** LT-UNK] CAN | AQU] **BIOCIDE** [**KATHON 886** LT-P1] MUL | SKI | AQU | MAM | EYE **FORMAMIDE** LT-1] END | REP | MUL | DEV | CAN] **BUFFER** [**AMMONIA** LT-P1] END | MUL | MAM | SKI | AQU | EYE | PHY]

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, LT-1, BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was produced using primary information from the manufacturer, including CAS numbers and SDS when needed. The manufacturer has made every effort to report the substances in this product to the listed threshold. This is a voluntary, self-reported effort. Any errors or omissions shall be considered a human error and therefore reported to the manufacturer. The manufacturer shall not be liable for omissions. All materials/substances present in the final product were screened at or above 100 ppm, and all potential hazards associated with the product have been disclosed.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 7.0Regulatory (g/l): 50

Does the product contain exempt VOCs: No

Are colorants available that do not increase the VOC content of the base paint when tinted: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

VOC content: MAS Certified Green - VOC Content

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4.1 Option 1.

Third Party Verified?	PREPARER: Self-Prepared	SCREENING DATE: 2025-09-25
☐ Yes	VERIFIER:	PUBLISHED DATE: 2025-09-25
☒ No	VERIFICATION #:	EXPIRY DATE: 2028-09-25

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

EXTENDER		%: 60.0000 - 75.0000
PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Geologically Derived Material
RESIDUALS AND IMPURITIES NOTES: The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.		
OTHER MATERIAL NOTES: The actual percentatge of composition has been withheld to protect proprietary formulation details and intellectual property rights.		

LIMESTONE				ID: 1317-65-3
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-09-25 8:14:04	
%: 99.0000 - 99.9000	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: "Building materials, such as concrete and dimension stone (sandstone, granite, and limestone are examples) contain crystalline silica in the form of quartz." (USGS Crystalline Silica Primer). Limestone typically contains between 0.1% and 1% quartz. (MSHA MSDS & Specialty MSDS) - Pharos database				

QUARTZ				ID: 14808-60-7
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-09-25 8:14:05		
%: 0.1000 - 1.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Residual

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
CAN	GHS - New Zealand	Carcinogenicity category 1
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Please refer to the substance notes for limestone.

BINDER		%: 10.0000 - 20.0000	
PRODUCT THRESHOLD: 100 ppm		RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: The actual percentatge of composition has been withheld to protect proprietary formulation details and intellectual property rights.

%: 40.0000 - 60.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Monomer
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization		
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]		
EYE	GHS - New Zealand	Eye irritation category 2		
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]		
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]		
SKI	GHS - New Zealand	Skin sensitisation category 1		
SKI	GHS - Malaysia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
PHY	GHS - New Zealand	Flammable liquids category 2		
PHY	GHS - Japan	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]		
PHY	GHS - Malaysia	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]		
PHY	GHS - Australia	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List		
		Precautionary list of substances recommended for avoidance		
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List		
		Some Solvents		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022		
		Cosmetics & Personal Care Products		

SUBSTANCE NOTES: No GreenScreen score or hazard assessment exists for the given CAS RN per the Pharos database. To disclose all potential hazards associated with the polymer, it was analyzed into its likely constituent components. Data gaps were addressed using information sourced from the Pharos database and publicly available PDS/SDS documentation relevant to the material. It's important to note that the composition and ingredients listed are intended for informational and screening purposes only and are not 100% guaranteed to be present in the actual product.

BUTYL ACRYLATE

ID: 141-32-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2025-09-25 8:14:06

%: 10.0000 - 30.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Monomer
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization		
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]		
SKI	GHS - New Zealand	Skin irritation category 2		
EYE	GHS - New Zealand	Eye irritation category 2		
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]		
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]		
MAM	GHS - Japan	H331 - Toxic if inhaled [Acute toxicity (inhalation: vapor) - Category 3]		
MAM	GHS - New Zealand	Acute inhalation toxicity category 3		
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]		
SKI	GHS - New Zealand	Skin sensitisation category 1		
REP	GHS - New Zealand	Reproductive toxicity category 2		
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]		
MAM	Québec CSST - WHMIS 1988	Class D1A - Very toxic material causing immediate and serious toxic effects		
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Some Solvents
SUBSTANCE NOTES: Please refer to the substance notes for methyl methacrylate.		

2-ETHYLHEXYL ACRYLATE

ID: 103-11-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-09-25 8:14:06	
%: 10.0000 - 15.0000	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Monomer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
SKI	MAK		Sensitizing Substance Sh - Danger of skin sensitization	
CAN	CA EPA - Prop 65		Carcinogen	
CAN	IARC		Group 2b - Possibly carcinogenic to humans	
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1		H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]	
MAM	GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]	
SKI	GHS - New Zealand		Skin irritation category 2	
EYE	GHS - New Zealand		Eye irritation category 2	
SKI	GHS - Australia		H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]	
CAN	GHS - Japan		H351 - Suspected of causing cancer [Carcinogenicity - Category 2]	
MAM	GHS - New Zealand		Specific target organ toxicity - repeated exposure category 1	
SKI	GHS - Japan		H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]	
AQU	GHS - New Zealand		Hazardous to the aquatic environment - chronic category 3	
SKI	GHS - New Zealand		Skin sensitisation category 1	
AQU	GHS - Japan		H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]	
AQU	GHS - Japan		H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-09-25 8:14:06	
%: 1.0000 - 5.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Monomer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
EYE	GHS - New Zealand		Serious eye damage category 1	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: Please refer to the substance notes for methyl methacrylate.				

WATER

%: 10.0000 - 15.0000

PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Other: Water
RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are registered for this chemical per the Pharos database.		
OTHER MATERIAL NOTES:		

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-09-25 8:14:06	
%: 100.0000	GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
EXEMPT	European Union / European Commission (EU EC)		EU - REACH Exemptions	
			Exempted from REACH Annex IV listing due to intrinsic safety	
SUBSTANCE NOTES:				

THICKENER

%: 0.4000 - 0.7000

PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Polymeric Material
RESIDUALS AND IMPURITIES NOTES: The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.		
OTHER MATERIAL NOTES:		

HYDROXYETHYL CELLULOSE					ID: 9004-62-0
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-09-25 8:14:07		
%: 99.9000 - 100.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier	
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS			
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor			
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION			
None found		No listings found on Additional Hazard Lists			
SUBSTANCE NOTES: Residuals or impurities are quantitatively measured and listed in this HPD when greater than or equal to 100 ppm.					

ADDITIVE %: 0.1000 - 0.6000

PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Other: Organic compound
RESIDUALS AND IMPURITIES NOTES: The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.		
OTHER MATERIAL NOTES:		

TEXANOL				ID: 25265-77-4	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-09-25 8:14:07		
%: 100.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Coalescent	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
CAN	MAK		Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value		
AQU	GHS - New Zealand		Hazardous to the aquatic environment - chronic category 3		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: No residuals or impurities are expected to be present at or above 100 ppm.					

BIOCIDE %: 0.1000 - 0.5000

PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Other: Organic compound
----------------------------	--	--

RESIDUALS AND IMPURITIES NOTES: The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES:

KATHON 886ID: 55965-84-9

HAZARD DATA SOURCE: Pharos Chemical and Materials LibraryHAZARD SCREENING DATE: 2025-09-25 8:14:08

%: 70.0000 - 80.0000GreenScreen: LT-P1RC: NoneNANO: NoSUBSTANCE ROLE: Antimicrobial Pesticide

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H310 - Fatal in contact with skin [Acute toxicity (dermal) - Category 1 or 2]
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
AQU	GHS - Australia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Korea	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Korea	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
SKI	GHS - Korea	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1]
MAM	GHS - Korea	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	GHS - Australia	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	GHS - Korea	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 2]
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
MAM	GHS - Korea	H310 - Fatal in contact with skin [Acute toxicity (dermal) - Category 1]
MAM	GHS - Australia	H310 - Fatal in contact with skin [Acute toxicity (dermal) - Category 1 or 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Core Restrictions

SUBSTANCE NOTES: The percentages listed are typical and do not represent the actual concentration.

FORMAMIDE

ID: 75-12-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-09-25 8:14:07	
%: 10.0000 - 30.0000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Antimicrobial Pesticide
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
REP	EU - Annex VI CMRs		Reproductive Toxicity - Category 1B	
MUL	ChemSec - SIN List		CMR - Carcinogen, Mutagen &/or Reproductive Toxicant	
REP	GHS - Japan		H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]	
DEV	GHS - Australia		H360Df - May damage the unborn child. Suspected of damaging fertility [Reproductive toxicity - Category 1A or 1B]	
DEV	EU - GHS (H-Statements) Annex 6 Table 3-1		H360D - May damage the unborn child [Reproductive toxicity - Category 1A or 1B]	
REP	GHS - New Zealand		Reproductive toxicity category 1	
CAN	GHS - Japan		H351 - Suspected of causing cancer [Carcinogenicity - Category 2]	
REP	EU - SVHC List		Toxic to reproduction - Candidate list	
REP	EU - REACH Annex XVII CMRs		Reproductive toxicants: Category 1B	

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Some Solvents
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 All Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Cosmetics and Personal Care Products
SUBSTANCE NOTES: The percentages listed are typical and do not represent the actual concentration.		

BUFFER		%: 0.0100 - 0.0800
PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Other: Inorganic compound
RESIDUALS AND IMPURITIES NOTES: The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.		
OTHER MATERIAL NOTES:		

AMMONIA				ID: 7664-41-7
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-09-25 8:14:08	
%: 99.9000 - 100.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Buffer
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
MAM	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances		

SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
EYE	GHS - New Zealand	Serious eye damage category 1
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Japan	H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
MAM	GHS - New Zealand	Acute inhalation toxicity category 3
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - Korea	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
SKI	GHS - Korea	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1]
SKI	GHS - New Zealand	Skin corrosion category 1B
MAM	Québec CSST - WHMIS 1988	Class D1A - Very toxic material causing immediate and serious toxic effects
MAM	GHS - Malaysia	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
SKI	GHS - Malaysia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
EYE	GHS - Malaysia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
MAM	GHS - Australia	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
PHY	GHS - Korea	H220 - Extremely flammable gas [Flammable gases - Category 1]
PHY	Québec CSST - WHMIS 1988	Class B1 - Flammable gases
PHY	GHS - Japan	H220 - Extremely flammable gas [Flammable gases - Category 1]
AQU	GHS - Malaysia	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Australia	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]

MAM	GHS - Korea	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Cosmetics and Personal Care Products
SUBSTANCE NOTES: Residuals or impurities are quantitatively measured and listed in this HPD when greater than or equal to 100 ppm.		

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2023-09-15 00:00:00	CERTIFIER OR LAB: Middle East
APPLICABLE FACILITIES: Asian Paints Middle East (SPC).	EXPIRY DATE:	Testing Services L.L.C.
P.O.Box 462, PC 133, Al khuwair, Ghala Industrial Area, Muscat-Sultanate of Oman.		
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES: Report # MR-180823-250		

VOC CONTENT	MAS Certified Green - VOC Content	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2023-07-28 00:00:00	CERTIFIER OR LAB: Wimpey
APPLICABLE FACILITIES: Asian Paints Middle East (SPC).	EXPIRY DATE:	Laboratories LLC
P.O.Box 462, PC 133, Al khuwair, Ghala Industrial Area, Muscat-Sultanate of Oman.		
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES: This is not a MAS Certified Green – VOC Content certification; however, it is the only available option to comply with the HPDC requirements. The third-party certifier reported the VOC content, Wimpey Laboratories LLC, under report # WD-R-230720-0609		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Recommended Areas Of Application

Area of Use : Mainly for Exterior, can be also use for Interior.
Substrate : Concrete, Plaster board walls, Ceiling, Brick or Block work.

Surface Preparation

The performance of this coating is directly related to the degree of surface preparation.

- Ensure surface is clean, dry and free from all contaminants.
- Surface must be sound and free from laitance.
- Remove laitance by wire brush or sweep blast.

Note: Fungal growth should be treated with Bison Fungicidal Solution. After drying, one coat of Plastaseal Penetrating Sealer can be applied if required.

Application Details

- Ensure adequate ventilation during application and drying.
- Do not apply when humidity exceeds 95% and condensation is likely.
- Surface temperature should be 3°C or more above dew point.
- Stir the contents thoroughly before and during use, with a broad flat stirrer, using an upward lifting action.
- External Filler is used for filling surface irregularities, indentations and undulations to produce a smooth and level surface prior to painting
- External Filler can also be used for renovation and refurbishment of existing buildings.
- External Filler is adherent to most surfaces-old and new.

- Because of its excellent hiding power, it can cover any blemishes or imperfections on the existing surface.

MANUFACTURER INFORMATION

MANUFACTURER: **Asian Paints (Middle East) SPC**
ADDRESS: **P.O.Box 462, PC 133, Al khuwair, Ghala Industrial Area ,
Muscat-Sultanate of Oman**
Way no.5222, Complex no.252, Plot no.1172,Building no.1773 .
Muscat, Muscat 462
COUNTRY: **Oman**

WEBSITE: **<https://www.asianpaints.com/>**
CONTACT NAME: **Shirouz Sharafuddeen**
TITLE: **Officer - Technology**
PHONE: **00971-43391000**
EMAIL: **shirouz.sharafuddeen@asianpaints.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold	Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold	Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold	Substances listed individually per threshold indicated per product

Nano	Composed of nano scale particles or nanotechnology
Third Party Verified	Verification by independent certifier approved by HPDC
Preparer	Third party preparer, if not self-prepared by manufacturer
Applicable facilities	Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

