

HPD UNIQUE IDENTIFIER: 57675547648
HPD UNIQUE PRODUCT ID: Not provided.
CLASSIFICATION: 09 29 00 Gypsum Board

PRODUCT DESCRIPTION: This HPD covers AquaBead Outside 90, 1/2– & 5/8– L-Trim, 3/4" Bullnose, Flex, and Outside 90 Trim drywall corner reinforcement products. AquaBead drywall corner reinforcement is an easy-to-apply, water-activated, self-adhesive drywall corner that doesn't blister, bubble, dent or crack. AquaBead drywall corner reinforcement is a high performance corner bead made of a high-strength polymer core that is coated with paper on both sides and perforated in a manner that achieves solid coverage with a single pass. Featuring a beaded nose, the product is forgiving to the flaws and variations of edge cuts and surpasses the impact resistance of most metal beads that easily dent and have to be repaired or replaced.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format → Nested Materials Method	Residuals/Impurities Evaluation Completed in 3 of 3 Materials	For all contents above the threshold, the manufacturer has:
Threshold Disclosed Per → Product	Explanation(s) provided for Residuals/Impurities? Yes	Characterized Provided weight and role. Yes
Threshold Level → 100 ppm		Screened Provided screening results using HPDC-approved methods. Yes
		Identified Provided name and CAS RN or other identifier. No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

Nested Material | Material or Substance | Residual or Impurity

Greenscreen Score | Hazard Type

Polymer Base Structural Component [1,3-Benzenedicarboxylic acid, polymer with 1,4-benzenedicarboxylic acid and 1,2-ethanediol NoGS] Water Activated Tape [Undisclosed LT-UNK] CAN Undisclosed LT-UNK | MUL Undisclosed LT-P1 | END | MUL | NEU] Paper Product [Cellulose LT-UNK 2,5-furandione, dihydro-, mono-C15-20-alkenyl derivs. LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 0
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1
Nanomaterial ... No
Inventory and Screening Notes:
Antimicrobial Pesticides Reporting: This product does not contain substance(s) that are intentionally added above the [Product - 100 ppm] threshold to act as antimicrobials.

All materials have been screened through the HPD tool. All residuals and impurities have been considered and noted when applicable.

Volatile Organic Compound (VOC) Content

VOC Content data is not applicable for this product category.

Compliance See Section 3 for additional listings.
VOC emissions: UL/GreenGuard Gold Certified

Consistency with Other Programs

Pre-checked for LEED v4 Option 1.

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: www.hpd-collaborative.org/hpd-3-0-standard

POLYMER BASE STRUCTURAL COMPONENT		%: 65.0000 - 70.0000		
PRODUCT THRESHOLD: 100 ppm		RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes		MATERIAL TYPE: Polymeric Material
RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered and noted if the active ppm is at or above the reporting threshold or the residual or impurity is a recognized hazard based on the CAS#.				
OTHER MATERIAL NOTES: The raw material range is based on content percent from a range of manufacturing locations and product dimensions as well as ranges identified from the raw material supplier.				
1,3-BENZENEDICARBOXYLIC ACID, POLYMER WITH 1,4-BENZENEDICARBOXYLIC ACID AND 1,2-ETHANEDIOL				ID: 24938-04-3
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-11-17 6:32:33	
%: 87.0000 - 95.0000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and tape dimensions as well as ranges identified from the raw material supplier.				

WATER ACTIVATED TAPE		%: 15.0000 - 20.0000		
PRODUCT THRESHOLD: 100 ppm		RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes		MATERIAL TYPE: Paper or Cardboard
RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered and noted if the active ppm is at or above the reporting threshold or the residual or impurity is a recognized hazard based on the CAS#.				
OTHER MATERIAL NOTES: The raw material range is based on content percent from a range of manufacturing locations and product dimensions as well as ranges identified from the raw material supplier.				
UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE: 3E Exchange Chemical Hazard Screening Library			HAZARD SCREENING DATE: 2025-05-13 7:02:24	
%: 75.0000 - 99.0000		GreenScreen: LT-UNK	RC: None	NANO: No
SUBSTANCE ROLE: Structure component				

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	IARC	Carcinogenicity
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and tape dimensions as well as ranges identified from the raw material supplier.		

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: 3E Exchange Chemical Hazard Screening Library		HAZARD SCREENING DATE: 2025-05-13 7:02:25		
%: 0.0000 - 20.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
MUL	EC - CEPA Toxic Substances (Sched 1)	Mult*		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and tape dimensions as well as ranges identified from the raw material supplier.				

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: 3E Exchange Chemical Hazard Screening Library		HAZARD SCREENING DATE: 2025-05-13 7:02:26		
?: 0.0000 - 1.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
END	TEDX - Potential Endocrine Disruptor	Endocrine Activity		
MUL	German FEA - Substances Hazardous to Waters	Mult*		
MUL	EC - CEPA DSL	Mult*		
MUL	Japan - GHS	Mult*		
NEU	Japan - GHS	Neurotoxicity (Single Exposure)		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and tape dimensions aswell as ranges identified from the raw material supplier.				

PAPER PRODUCT%: 5.0000 - 15.0000

PRODUCT THRESHOLD: 100 ppmRESIDUALS AND IMPURITIES EVALUATION COMPLETED: YesMATERIAL TYPE: Paper or Cardboard

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered and noted if the active ppm is at or above the reporting threshold or the residual or impurity is a recognized hazard based on the CAS#.

OTHER MATERIAL NOTES: The raw material range is based on content percent from a range of manufacturing locations and product dimensions as well as ranges identified from the raw material supplier.

CELLULOSEID: 9004-34-6

HAZARD DATA SOURCE: Pharos Chemical and Materials LibraryHAZARD SCREENING DATE: 2025-11-17 6:32:33

%: 80.0000 - 100.0000GreenScreen: LT-UNKRC: NoneNANO: NoSUBSTANCE ROLE: Structure component

HAZARD TYPELIST NAME AND SOURCEWARNINGS

None foundNo warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGSLIST NAME AND SOURCENOTIFICATION

None foundNo listings found on Additional Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and tape dimensions as well as ranges identified from the raw material supplier.

2,5-FURANDIONE, DIHYDRO-, MONO-C15-20-ALKENYL DERIVS.ID: 68784-12-3

HAZARD DATA SOURCE: Pharos Chemical and Materials LibraryHAZARD SCREENING DATE: 2025-11-17 6:32:33

%: 0.0000 - 0.2000GreenScreen: LT-UNKRC: NoneNANO: NoSUBSTANCE ROLE: Antimicrobial Pesticide

HAZARD TYPELIST NAME AND SOURCEWARNINGS

None foundNo warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGSLIST NAME AND SOURCENOTIFICATION

None foundNo listings found on Additional Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations and tape dimensions as well as ranges identified from the raw material supplier.

Section 3: Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	UL/GreenGuard Gold Certified	
COMPLIANCE TYPE: Third Party CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: UL COMPLIANCE DETAILS: COMPLIANCE SCOPE: APPLICABLE FACILITIES: All Facilities COMPLIANCE URL: https://spot.ul.com/main-app/products/detail/68af63e5653d15ba6b0e23c2?page_type=Products%20Catalog COMPLIANCE NOTES: Aquabead Drywall Corners Certificate Number: 415611-420 UL 2818 - 2022 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings	ISSUE DATE: 2025-08-14	EXPIRY DATE: 2026-09-27

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

All Bailey products should be handled and installed per the requirements of the manufacturers SDS. This HPD fails Option 2 under LEED prescreen as the reporting limit of the sourced material disclosure from the raw material supplier SDS is limited to 1000 ppm threshold. For complete Safety and EHS information on any and all Bailey Products please see <https://www.bmp-group.com> . Additional Transparency documentation can be found at <https://saintgobain.ecomedes.com/>

MANUFACTURER INFORMATION

MANUFACTURER: **Saint Gobain**
ADDRESS: **20 Moores Rd**
Malvern, PA 19355
COUNTRY: **United States**

WEBSITE: **<https://www.bmp-group.com>**
CONTACT NAME: **Gypsum Technical Services**
TITLE: **Gypsum Technical Services**
PHONE: **1-800-446-5284**
EMAIL: **gypsumtechnicalsupport@saint-gobain.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY**Hazard Types**

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold	Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold	Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold	Substances listed individually per threshold indicated per product

Nano	Composed of nano scale particles or nanotechnology
Third Party Verified	Verification by independent certifier approved by HPDC
Preparer	Third party preparer, if not self-prepared by manufacturer
Applicable facilities	Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.