

Soft Cells Broadline
by Kvadrat A/S

HPD UNIQUE IDENTIFIER: 51884725958656
HPD UNIQUE PRODUCT ID: Not provided.
CLASSIFICATION: 09 51 14 Acoustical Fabric-Faced Panel Ceilings
PRODUCT TYPE: Ceiling Panels, Acoustical, Mineral Base
PRODUCT DESCRIPTION: Soft Cells Broadline panels incorporate acoustic padding behind a textile layer. They can be mounted both on walls and ceilings. Available in a wide choice of Kvadrat textiles and fully customisable, they can be seamlessly integrated into any design scheme. Soft Cells bring acoustic comfort, aesthetic excellence and tactile surfaces into a space. In doing so, they provide a solution to the acoustic challenges of modern architecture and promote productivity. Soft Cells frames are made with a minimum of 80% recycled aluminium. They include a patented tensioning mechanism, which ensures they are unaffected by temperature or humidity for many years.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format → Nested Materials Method	Residuals/Impurities Evaluation Not Completed	<i>For all contents above the threshold, the manufacturer has:</i>
Threshold Disclosed Per → Product	Explanation(s) provided for Residuals/Impurities? Yes	Characterized Provided weight and role. Yes
Threshold Level → 100 ppm		Screened Provided screening results using HPDC-approved methods. No
		Identified Provided name and CAS RN or other identifier. No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

ALUMINUM [ALUMINIUM NoGS MAGNESIUM SILICATE LT-UNK
IRON, ELEMENTAL LT-P1] END ZINC NoGS MANGANESE LT-P1]
END | REP | MAM | AQU TITANIUM LT-UNK] PHY COPPER LT-P1]
MUL | AQU | MAM CHROMIUM LT-P1] END | SKI | MAM | REP | RES]
MINERAL WOOL [GLASS MINERAL WOOL Not Screened
FIBERGLASS LT-UNK CORN SYRUP LT-UNK AMMONIUM SULFATE
LT-P1] END ETHYL ACRYLATE LT-1] CAN | SKI | MUL | EYE | PHY |
MAM | AQU STYRENE-METHYLMETHACRYLATE COPOLYMER LT-
UNK 3-(TRIETHOXSILYL)PROPYLAMINE LT-UNK] SKI | MAM | EYE
CARBON BLACK BM-1] CAN | EYE | MAM | PHY DIMETHICONE BM-2
| PBT PARAFFIN LT-UNK] MAM LIMESTONE BM-3dg DISTILLATES
(PETROLEUM), HYDROTREATED (MILD) HEAVY NAPHTHENIC (9CI)
LT-1] CAN | PBT | MUL | SKI | DEV] STAINLESS STEEL [STAINLESS
STEEL NoGS] ZINC [ZINC NoGS ALUMINIUM NoGS]

Number of Greenscreen BM-4/BM3 contents ... 1
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...
LT-P1, LT-1, BM-1
Nanomaterial ... No
INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.3 and discloses hazards associated with all substances present at or above 100 parts per million (ppm) in the finished product, along with the role and percent weight.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT
VOC Content data is not applicable for this product category.

COMPLIANCE See Section 3 for additional listings.
VOC emissions: Eurofins Indoor Air Comfort GOLD - certified product
LCA: Environmental Product Declaration (EPD) by IBU
(Arbeitsgemeinschaft Umweltverträgliches Bauprodukt E.V.(AUB)
Recycled content: Environmental Product Declaration (EPD) by EPD
International AB

CONSISTENCY WITH OTHER PROGRAMS
No pre-checks completed or disclosed.

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: www.hpd-collaborative.org/hpd-3-0-standard

ALUMINUM

%: 47.0000 - 67.0000

PRODUCT THRESHOLD: 100 ppm
 RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No
 MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: At Kvadrat Acoustics A/S we have chosen to complete the residuals/impurities evaluation through our continuous work with the mRSL (manufacturing restricted substances list). This is to ensure the fabrics, materials, component, and products manufactured on our behalf are both fit for purpose and meet the regulatory compliance requirements for the markets in which they are intended for sale. Regular chemical tests are performed, and acoustic panels are produced with a high focus on sustainability in all its processes and follows the EU Ecolabel, such as Azo Dyes, heavy metals and formaldehyde. The acoustic panel systems comply with legal requirements such as REACH and POP Regulation

OTHER MATERIAL NOTES: Used for aluminium frame and crossbars.

Recycled content (RC) = 100% Post-consumer RC + 100% Pre-consumer RC
 Aluminium RC = 39.2% Post-consumer + 43.05% Pre-consumer = 82.25%

Aluminum Alloy EN AW-6060 (AlMgSi)
 Chemical composition according to EN573-3 (weight%, remainder Al)
 Si = 0.30-0.60%
 Fe= 0.10-0.30%
 Cu= Max 0.10%
 Mg= 0.35-0.60%
 Cr= Max 0.05%
 Zn= Max 0.15%
 Ti= Max 0.10%
 Others= each Max 0.05 / Total Max 0.15%

ALUMINIUM

ID: 15629-83-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library
 HAZARD SCREENING DATE: 2026-07-02 2:25:20

%: 97.8500 - 99.0000
 GreenScreen: NoGS
 RC: Both
 NANO: No
 SUBSTANCE ROLE: Structure component

HAZARD TYPE
 LIST NAME AND SOURCE
 WARNINGS
 None found
 No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS
 LIST NAME AND SOURCE
 NOTIFICATION
 None found
 No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Recycled content (RC) = 100% Post-consumer RC + 100% Pre-consumer RC
Aluminium RC = 39.2% Post-consumer + 43.05% Pre-consumer = 82.25%

Aluminum Alloy EN AW-6060 (AlMgSi)
Chemical composition according to EN573-3 (weight%, remainder Al)
Si = 0.30-0.60%
Fe= 0.10-0.30%
Cu= Max 0.10%
Mg= 0.35-0.60%
Cr= Max 0.05%
Zn= Max 0.15%
Ti= Max 0.10%
Others= each Max 0.05 / Total Max 0.15%

MAGNESIUM SILICATE

ID: 1343-88-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-07-02 2:25:21	
%: 0.6500 - 1.2000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES:				

IRON, ELEMENTAL

ID: 7439-89-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-07-02 2:25:22	
%: 0.1000 - 0.3000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES:

ZINC

ID: 23713-49-7

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2026-07-02 2:25:23**

%: **0.0000 - 0.1500** GreenScreen: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Children's Toy Products

SUBSTANCE NOTES:

MANGANESE

ID: 7439-96-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2026-07-02 2:25:21**

%: **0.0000 - 0.1000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 3
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]

TITANIUM ID: 7440-32-

%: 0.0000 - 0.1000 GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Alloy element**

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

COPPER ID: 7440-50-1

%: 0.0000 - 0.1000 GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Cosmetics and Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Children's Toy Products
SUBSTANCE NOTES:		

CHROMIUM

ID: 7440-47-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-07-02 2:25:22	
%: 0.0000 - 0.0500	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
REP	GHS - New Zealand	Reproductive toxicity category 2
RES	GHS - Japan	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled [Respiratory sensitization - Category 1A]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Cosmetics and Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Cosmetics & Personal Care Products
SUBSTANCE NOTES:		

MINERAL WOOL	%: 24.0000 - 45.0000	
PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No	MATERIAL TYPE: Glass
RESIDUALS AND IMPURITIES NOTES: At Kvadrat Acoustics A/S we have chosen to complete the residuals/impurities evaluation through our continuous work with the mRSL (manufacturing restricted substances list). This is to ensure the fabrics, materials, component, and products manufactured on our behalf are both fit for purpose and meet the regulatory compliance requirements for the markets in which they are intended for sale. Regular chemical tests are performed, and acoustic panels are produced with a high focus on sustainability in all its processes and follows the EU Ecolabel, such as Azo Dyes, heavy metals and formaldehyde. The acoustic panel systems comply with legal requirements such as REACH and POP Regulation		
OTHER MATERIAL NOTES: Absorber for accoustic panels		
EC number: 926-099-9 EU index number 650-016-00-2 Man-made vitreous (silicate) fibres with random orientation with alkaline and alkali earth oxides (Na2O+K2O+CaO+MgO+BaO) content greater than 18% by weight and fulfilling note Q of regulation n° 1272/2008 and therefore not classified as carcinogenic. Produced without use of formaldehydes and CFCs. Comply with REACH and RoHS.		
Recycled content (RC) = 100% Post-consumer RC + 100% Pre-consumer RC Mineral wool RC 35% Post-consumer + 29% Pre-consumer = 64%		

GLASS MINERAL WOOL

ID: Not Registered

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: Not Screened	
%: 55.0000 - 95.0000	GreenScreen: Not Screened	RC: Both	NANO: No	SUBSTANCE ROLE: Absorbent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
	Hazard Screening not performed			
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
	Additional Hazard Screening not performed			

SUBSTANCE NOTES: EC number: 926-099-9 EU index number 650-016-00-2 Man-made vitreous (silicate) fibres with random orientation with alkaline and alkali earth oxides (Na2O+K2O+CaO+MgO+BaO) content greater than 18% by weight and fulfilling note Q of regulation n° 1272/2008 and therefore not classified as carcinogenic. Produced without use of formaldehydes and CFCs. Comply with REACH and RoHS. Recycled content (RC) = 100% Post-consumer RC + 100% Pre-consumer RC Mineral wool 35% Post-consumer + 29% Pre-consumer = 64%

FIBERGLASS

ID: 65997-17-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-07-02 2:25:24	
%: 0.0000 - 20.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions Exempted from REACH Annex V listing due to intrinsic safety		
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Flame Retardants		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Cosmetics & Personal Care Products		

SUBSTANCE NOTES:

CORN SYRUP

ID: 8029-43-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-07-02 2:25:21	
%: 0.0000 - 10.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
EXEMPT	European Union / European Commission (EU EC)		EU - REACH Exemptions	
			Exempted from REACH Annex IV listing due to intrinsic safety	
SUBSTANCE NOTES:				

AMMONIUM SULFATE

ID: 7783-20-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-07-02 2:25:22	
%: 0.0000 - 3.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Antimicrobials		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 All Products		
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Flame Retardants		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Core List - All Products		
SUBSTANCE NOTES:				

ETHYL ACRYLATE

ID: 140-88-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-07-02 2:25:24	
%: 0.0000 - 3.0000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Binder

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
CAN	CA EPA - Prop 65	Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H331 - Toxic if inhaled [Acute toxicity (inhalation: vapor) - Category 3]
MAM	GHS - New Zealand	Acute inhalation toxicity category 3
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 3
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
PHY	GHS - New Zealand	Flammable liquids category 2
PHY	GHS - Japan	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]

PHY	GHS - Australia	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
MAM	Québec CSST - WHMIS 1988	Class D1A - Very toxic material causing immediate and serious toxic effects
MAM	GHS - Australia	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
MAM	GHS - New Zealand	Acute dermal toxicity category 3
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A] C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Cosmetics and Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Cosmetics & Personal Care Products
SUBSTANCE NOTES:		

STYRENE-METHYLMETHACRYLATE COPOLYMER

ID: 25034-86-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-07-02 2:25:25	
?: 0.0000 - 2.5000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES:				

3-(TRIETHOXYSILYL)PROPYLAMINE

ID: 919-30-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-07-02 2:25:26		
?: 0.0000 - 1.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
SKI	GHS - New Zealand	Skin corrosion category 1C
EYE	GHS - New Zealand	Serious eye damage category 1
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Japan	H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

CARBON BLACK

ID: 1333-86-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-07-02 2:25:22	
%: 0.0000 - 1.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Dye
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CAN	IARC	Group 2b - Possibly carcinogenic to humans		
EYE	GHS - New Zealand	Eye irritation category 2		
CAN	GHS - New Zealand	Carcinogenicity category 2		
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]		
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
PHY	GHS - Japan	H251 - Self-heating;; may catch fire [Self-heating substances and mixtures - Category 1]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES:

DIMETHICONE

ID: 63148-62-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-07-02 2:25:23	
%: 0.0000 - 1.0000	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
PBT	EC - CEPA DSL		Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

PARAFFIN

ID: 8002-74-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-07-02 2:25:24	
%: 0.0000 - 1.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

LIMESTONE

ID: 1317-65-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-07-02 2:25:25	
%: 0.0000 - 1.0000	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES:				

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-07-02 2:25:26	
%: 0.0000 - 1.0000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Dedusting
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	EU - Annex VI CMRs		Carcinogen Category 1B - Presumed Carcinogen based on animal evidence	
PBT	EC - CEPA DSL		Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans	
MUL	ChemSec - SIN List		CMR - Carcinogen, Mutagen &/or Reproductive Toxicant	
MUL	German FEA - Substances Hazardous to Waters		Class 3 - Severe Hazard to Waters	
CAN	GHS - Australia		H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]	
CAN	GHS - Japan		H350 - May cause cancer [Carcinogenicity - Category 1A]	
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1		H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]	
SKI	GHS - Australia		H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]	
SKI	GHS - Japan		H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]	
DEV	GHS - Australia		H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]	
CAN	EU - REACH Annex XVII CMRs		Carcinogens: Category 1B	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPiI)		C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025	
			All Products	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPiI)		C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025	
			Cosmetics and Personal Care Products	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPiI)		C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026	
			Core List - Mixtures Only	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPiI)		C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026	
			Restrictions Based on Hazard Endpoints and Risk (Silver)	
SUBSTANCE NOTES:				

STAINLESS STEEL

%: 0.5700 - 2.1300

PRODUCT THRESHOLD: 100 ppm
 RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No
 MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: At Kvadrat Acoustics A/S we have chosen to complete the residuals/impurities evaluation through our continuous work with the mRSL (manufacturing restricted substances list). This is to ensure the fabrics, materials, component, and products manufactured on our behalf are both fit for purpose and meet the regulatory compliance requirements for the markets in which they are intended for sale. Regular chemical tests are performed, and acoustic panels are produced with a high focus on sustainability in all its processes and follows the EU Ecolabel, such as Azo Dyes, heavy metals and formaldehyde. The acoustic panel systems comply with legal requirements such as REACH and POP Regulation

OTHER MATERIAL NOTES: Used in inner corners

STAINLESS STEEL

ID: 12597-68-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library
 HAZARD SCREENING DATE: 2026-07-02 2:25:24

%: 99.5000 - 99.5000
 GreenScreen: NoGS
 RC: UNK
 NANO: No
 SUBSTANCE ROLE: Alloy element

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Hot rolled steel S235JR+N/JRC+N

Chemical composition, average %
 C - 0,15
 Si - 0,02
 Al - 0,033
 S - 0,006
 Cu - 0,02
 AS - 0,001
 Nb - 0,002
 Sn - 0,0035
 V - 0
 Mn - 0,495
 P - 0,0125
 N - 0,004
 Cr - 0,02
 CEV - 0,24
 Mo - 0
 Ni - 0,01
 Ti - 0,001

ZINC

%: 0.2100 - 0.8000

RESIDUALS AND IMPURITIES NOTES: At Kvadrat Acoustics A/S we have chosen to complete the residuals/impurities evaluation through our continuous work with the mRSL (manufacturing restricted substances list). This is to ensure the fabrics, materials, component, and products manufactured on our behalf are both fit for purpose and meet the regulatory compliance requirements for the markets in which they are intended for sale. Regular chemical tests are performed, and acoustic panels are produced with a high focus on sustainability in all its processes and follows the EU Ecolabel, such as Azo Dyes, heavy metals and formaldehyde. The acoustic panel systems comply with legal requirements such as REACH and POP Regulation

OTHER MATERIAL NOTES: Zinc corners used for panels

ZINC

ID: 23713-49-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-07-02 2:25:25	
%: 93.0200 - 95.0400	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)		C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025	
			Children's Toy Products	
SUBSTANCE NOTES:				

ALUMINIUM

ID: 15629-83-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-07-02 2:25:26	
%: 4.6200 - 5.1600	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

Section 3: Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Eurofins Indoor Air Comfort GOLD - certified product	
COMPLIANCE TYPE: Third Party CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: Eurofin COMPLIANCE DETAILS: COMPLIANCE SCOPE: APPLICABLE FACILITIES: Europe COMPLIANCE URL: COMPLIANCE NOTES: Comply with Air Comfort GOLD. Test results indicate that the product qualifies for LEED V4 and LEED V4.1 BETA (february 2024) project outside the US by showing compliance with the specifications for VOC emissions by complying with VOC emissions specifications in LEED EQ credit "Low-Emitting Materials" for LEED project outside US.	ISSUE DATE: 2024-06-20	EXPIRY DATE: 2029-06-20
LCA	Environmental Product Declaration (EPD) by IBU (Arbeitsgemeinschaft Umweltverträgliches Bauprodukt E.V.(AUB)	
COMPLIANCE TYPE: Third Party CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: Institut Bauen und Umwelt e.V. COMPLIANCE DETAILS: COMPLIANCE SCOPE: APPLICABLE FACILITIES: Europe COMPLIANCE URL: COMPLIANCE NOTES:	ISSUE DATE: 2023-07-26	EXPIRY DATE: 2028-07-25
RECYCLED CONTENT	Environmental Product Declaration (EPD) by EPD International AB	
COMPLIANCE TYPE: Third Party CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: EPD International AB COMPLIANCE DETAILS: COMPLIANCE SCOPE: APPLICABLE FACILITIES: Europe COMPLIANCE URL: COMPLIANCE NOTES: Recycled content and LCA for absorber	ISSUE DATE: 2021-12-17	EXPIRY DATE: 2026-12-17

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

MAGNET
MANUFACTURER (OR GENERIC): HINDSBO MAGNETER APS

HPD URL: No HPD Available
ACCESSORY TYPE: Installation Accessory
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: The magnet fitting is the standard way of installing Soft Cells onto ceilings. They should also be applied for any situation where Soft Cells are installed 3m or more above floor level, measured from the highest point of the Soft Cells to the floor.

FLEX MAGNET
MANUFACTURER (OR GENERIC): **HINDSBO MAGNETER APS**

HPD URL: No HPD Available
ACCESSORY TYPE: Installation Accessory
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: The flex magnet fitting is as standard used in combination with the (standard) magnet fitting when Soft Cells are installed on walls.

LINEAR MAGNET
MANUFACTURER (OR GENERIC): **HINDSBO MAGNETER APS**

HPD URL: No HPD Available
ACCESSORY TYPE: Installation Accessory
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: The linear magnet fitting installation is used in ceilings and walls and includes a slide-stop functionality

HINGE & PUSH LATCH
MANUFACTURER (OR GENERIC): **FASADA 88**

HPD URL: No HPD Available
ACCESSORY TYPE: Installation Accessory
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: The hinge fitting is used together with a push latch in situations, when regular access behind the Soft Cells is required

TORSION SPRING
MANUFACTURER (OR GENERIC): **Almech**

HPD URL: No HPD Available
ACCESSORY TYPE: Installation Accessory
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: The Torsion Spring installation is used when regular ceiling access behind the Soft Cells is required.

STANDARD SAFETY WIRE
MANUFACTURER (OR GENERIC): **Reutlinger**

HPD URL: No HPD Available
ACCESSORY TYPE: Installation Accessory
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Safety wires are required for ceiling installations.They should be applied for any other situation where Soft Cells are installed 3m or more above floor level, measured from the highest point of the Soft Cells to the floor.

 Section 5: General Notes

Percentage weight of nested materials are calculated by average weight in 1x1m and 2x3m panels.
Product contain glue (around 1g in each corner) - below set threshold.
Aluminium recycled content calculated based on Self-declared Environmental Claim (According to UNI EN ISO 14021) and EPD documentation.
Product do not contain PFAS based on mRSL and pRSL Kvadrat Group requirements

MANUFACTURER INFORMATION

MANUFACTURER: **Kvadrat A/S**
ADDRESS: **Ul. Poznańska 3**
Gądk, Greater Poland Voivodeship 62-023
COUNTRY: **Poland**
LATITUDE: **52.1911000**
LONGITUDE: **17.2260000**

WEBSITE: **<https://www.kvadrat.dk/en/kvadrat-acoustics>**
CONTACT NAME: **Aleksandra Cholewa**
TITLE: **Sustainability and Regulatory Specialist**
PHONE: **+48 539269198**
EMAIL: **ahch@kvadrat.org**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

