

International Cellulose Corporation - SonaKrete / SonaSpray FCX Acoustical System
by Saint Gobain

SCREENING DATE: 2025-11-18
PUBLISHED DATE: 2025-11-18
EXPIRY DATE: 2028-11-18
PREPARER: Self-Prepared

Health Product
Declaration v3.0

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 485020672

HPD UNIQUE PRODUCT ID: Not provided.

CLASSIFICATION: 09 83 00 Acoustic Finishes

PRODUCT DESCRIPTION: SonaKrete and SonaSpray FCX are high-performance, acoustical finish systems that are tailored to meet the acoustic, lighting and design objectives for a wide range of project types. SonaKrete and SonaSpray FCX are spray-applied to common substrates and can adhere to virtually any surface configuration, including domes. Made in the USA from recycled, plant-based fibers, SonaKrete and SonaSpray FCX are the natural choice for new construction, renovation and historic preservation projects. With one application, SonaKrete and SonaSpray FCX provide multiple performance properties - reducing installation time and the need for excessive building materials. This HPD covers all components of the SonaKrete and SonaSpray FCX Acoustical Systems, including the treated cellulose fibers and adhesive.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format → Nested Materials Method	Residuals/Impurities Evaluation Completed in 2 of 2 Materials	For all contents above the threshold, the manufacturer has:
Threshold Disclosed Per → Product	Explanation(s) provided for Residuals/Impurities? Yes	Characterized Provided weight and role. Yes
Threshold Level → 100 ppm		Screened Provided screening results using HPDC-approved methods. Yes
		Identified Provided name and CAS RN or other identifier. Yes

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
SONAKRETE ADHESIVE [WATER BM-4 POLYVINYL ACETATE LT-UNK POLYVINYL ALCOHOL LT-UNK] SONAKRETE TREATED CELLULOSE FIBER INSULATION [MIXED RECYCLED PAPER BORIC ACID LT-1] END | DEV | REP | MUL | MAM | EYE | SKI BORAX LT-1] END | REP | MUL | MAM | EYE | SKI HYDROTREATED HEAVY PARAFFINIC PETROLEUM DISTILLATES (MINERAL OIL), CONTAINING LESS THAN 3% DMSO AS MEASURED BY IP 346 LT-P1 | CAN | SKI | DEV]

Number of Greenscreen BM-4/BM3 contents ... 1
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-1, LT-P1
Nanomaterial ... No
INVENTORY AND SCREENING NOTES:
Special Conditions applied: [MixedRecycledContent]

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.3, and discloses hazards associated with all substances present at or above 100 parts per million (ppm) in the finished product, along with the role and percent weight. Substances not "Identified" are those considered proprietary to suppliers.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0 g/l Regulatory (g/l): 0 g/l
Does the product contain exempt VOCs: No
Are colorants available that do not increase the VOC content of the base paint when tinted: N/A

COMPLIANCE See Section 3 for additional listings.
VOC emissions: GREENGUARD Gold Certified
VOC emissions: UL/GreenGuard Certified
VOC content: Emission Classification of Building Materials - M1
Multi-attribute: Cradle to Cradle Certified - Bronze (V3.1)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.
Pre-checked for LEED v4.1 Option 1.

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: www.hpd-collaborative.org/hpd-3-0-standard

SONAKRETE ADHESIVE		%: 75.0000 - 80.0000	
PRODUCT THRESHOLD: 100 ppm		RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Polymeric Material
RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier documentation and as predicted by process chemistry (Pharos CML).			
OTHER MATERIAL NOTES: Standard diluted adhesive mixture at the point of installation.			

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-11-18 9:28:43	
%: 88.0000 - 96.0000	GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Diluent
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions Exempted from REACH Annex IV listing due to intrinsic safety		
SUBSTANCE NOTES: GreenScreen Benchmark® assessment score of BM-4 was provided by the HPD Builder Tool.				

POLYVINYL ACETATE

ID: 9003-20-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-11-18 9:28:44	
%: 2.6000 - 3.1000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES:				

POLYVINYL ALCOHOL

ID: 9002-89-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-11-18 9:28:44	
%: 1.5000 - 2.5000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES:				

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier documentation and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Treated Cellulose Fiber Insulation mixed with diluted adhesive prior to application.

MIXED RECYCLED PAPER

ID: Mixed Recycled Content

HAZARD DATA SOURCE: HPDC Special Conditions Policy				
%: 81.5000 - 82.0000	GreenScreen: Not Required	RC: PreC	NANO: No	MATERIAL ROLE: Insulator
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
Hazard Screening is not applicable to this Special Condition				
INGREDIENT DESCRIPTION: Cellulose Fiber Pulp				
ANALYTICAL TESTING: EN71-3 Migration of Chromium (VI); Method: DIN EN71-3:2019-08, IC-UV/VIS; Chromium (VI) – Category I & III, Chromium (VI) – Category II. Halogenorganic Compounds; Method: Soxhlet Technique; AOX, EOX. Eurofins-Consumer Product Testing; Report Number 2021-753-43 (Cellulose Fiber Blends Pulp); Report Number 2021-753-42 (Cellulose Fiber Blend Rolls).				
BATCH VARIATION: Yes, Natural origin of the raw materials.				
COUNTRY OF ORIGIN: USA				
MATERIAL CONTENT NOTES: Includes pre-consumer recycled material from various domestic (USA) sources. Please contact manufacturer if more information is required.				
This disclosure does not provide information on the potential presence of hazardous substances which may be found in certain mixed recycled materials.				

BORIC ACID

ID: 10043-35-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-11-18 9:28:45	
?: 15.0000 - 17.0000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Flame retardant

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
DEV	MAK	Pregnancy Risk Group B
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
END	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
REP	GHS - Australia	H360FD - May damage fertility. May damage the unborn child [Reproductive toxicity - Category 1A or 1B]
REP	EU - GHS (H-Statements) Annex 6 Table 3-1	H360FD - May damage fertility. May damage the unborn child [Reproductive toxicity - Category 1A or 1B]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
EYE	GHS - New Zealand	Eye irritation category 2
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
REP	GHS - New Zealand	Reproductive toxicity category 2
REP	EU - SVHC List	Toxic to reproduction - Candidate list
REP	EU - SVHC List	Toxic to reproduction - Prioritized for listing
REP	EU - REACH Annex XVII CMRs	Reproductive toxicants: Category 1B

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025
		All Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025
		Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025
		Cosmetics and Personal Care Products

SUBSTANCE NOTES: Borate-treated cellulose insulation was tested for purposes of hazard classification under the Occupational Safety and Health Administration’s 2012 Hazard Communication Standard. In a study conducted under OECD Guideline 414, there were no developmental effects in rats exposed to up to 270 mg/m3 (the highest exposure tested). In workers chronically exposed to high levels of borates for several years by way of inhalation, food, and drinking water, there was a clear absence of any reproductive effects. For boric acid and substantially similar mixtures (specifically, sodium tetraborate pentahydrate and sodium tetraborate decahydrate), the reproductive toxicity is substantially equivalent; therefore, the same hazard category (i.e. no classification for reproductive toxicity) may be applied.

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2025-11-18 9:28:46

%: 2.0000 - 5.0000

GreenScreen: LT-1

RC: None

NANO: No

SUBSTANCE ROLE: Flame retardant

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
REP	GHS - Australia	H360FD - May damage fertility. May damage the unborn child [Reproductive toxicity - Category 1A or 1B]
REP	EU - GHS (H-Statements) Annex 6 Table 3-1	H360FD - May damage fertility. May damage the unborn child [Reproductive toxicity - Category 1A or 1B]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
EYE	GHS - New Zealand	Eye irritation category 2
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
REP	GHS - New Zealand	Reproductive toxicity category 2
REP	EU - SVHC List	Toxic to reproduction - Candidate list
REP	EU - SVHC List	Toxic to reproduction - Prioritized for listing
REP	EU - REACH Annex XVII CMRs	Reproductive toxicants: Category 1B

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 All Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Cosmetics and Personal Care Products

SUBSTANCE NOTES: Borate-treated cellulose insulation was tested for purposes of hazard classification under the Occupational Safety and Health Administration’s 2012 Hazard Communication Standard. In a study conducted under OECD Guideline 414, there were no developmental effects in rats exposed to up to 270 mg/m3 (the highest exposure tested). In workers chronically exposed to high levels of borates for several years by way of inhalation, food, and drinking water, there was a clear absence of any reproductive effects. For boric acid and substantially similar mixtures (specifically, sodium tetraborate pentahydrate and sodium tetraborate decahydrate), the reproductive toxicity is substantially equivalent; therefore, the same hazard category (i.e., no classification for reproductive toxicity) may be applied.

HYDROTREATED HEAVY PARAFFINIC PETROLEUM DISTILLATES (MINERAL OIL), CONTAINING LESS THAN 3% DMSO AS MEASURED BY IP 346

ID: 64742-54-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-11-18 9:28:43	
%: 0.0100 - 0.1000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Dedusting
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
CAN	GHS - Australia	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]		
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
DEV	GHS - Australia	H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 All Products		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Cosmetics and Personal Care Products		

SUBSTANCE NOTES: Testing confirms Poly Aromatic Compounds, PACs, DMSO Extraction, IP 346, <0.1% by weight. Certificate of Analysis available upon request.



Section 3: Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	GREENGUARD Gold Certified	
COMPLIANCE TYPE: Third Party CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: UL Environment COMPLIANCE DETAILS: COMPLIANCE SCOPE: APPLICABLE FACILITIES: Houston, TX COMPLIANCE URL: https://spot.ul.com/main-app/products/detail/5ad1ed0855b0e82d946a8f02?page_type=Products%20Catalog COMPLIANCE NOTES: SonaKrete Certificate Number: 81874-420. UL 2818 - 2022 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings.	ISSUE DATE: 2016-07-05	EXPIRY DATE: 2026-07-05
VOC EMISSIONS	UL/GreenGuard Certified	
COMPLIANCE TYPE: Third-party certification CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: UL COMPLIANCE DETAILS: COMPLIANCE SCOPE: APPLICABLE FACILITIES: Houston, TX COMPLIANCE URL: https://spot.ul.com/main-app/products/detail/5ad1ed0855b0e82d946a8f02?page_type=Products%20Catalog COMPLIANCE NOTES: SonaKrete Certificate Number: 81874-410. UL 2818 - 2022 Standard for Chemical Emissions for Building Materials, Finishes and Furnishings	ISSUE DATE: 2016-07-05	EXPIRY DATE: 2026-07-05
VOC CONTENT	Emission Classification of Building Materials - M1	
COMPLIANCE TYPE: Third-party certification CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: Rakennustietosäätiö RTS sr COMPLIANCE DETAILS: COMPLIANCE SCOPE: APPLICABLE FACILITIES: All Facilities COMPLIANCE URL: https://www.spray-on.com/wp-content/uploads/ICC_K-13_EPD_JAN20.pdf COMPLIANCE NOTES: The classification committee appointed by Rakennustietosäätiö RTS sr has approved products: K-13 SonaKrete SonaSpray FC SonaSpray FCX SonaSpray SP ThermoCon FC ThermoCon SB ThermoCon ST	ISSUE DATE: 2024-11-13	EXPIRY DATE: 2027-11-13
MULTI-ATTRIBUTE	Cradle to Cradle Certified - Bronze (V3.1)	

CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: EPEA GmbH - Part of

Drees & Sommer

COMPLIANCE DETAILS:

COMPLIANCE SCOPE:

APPLICABLE FACILITIES: Houston, TX 77045 USA

COMPLIANCE URL:

https://cdn.c2ccertified.org/certifications/International_Cellulose_Corporation/K-13_SonaSpray_and_Thermocon_Spray-on_Thermal_and_Acoustical_Finishes/Inter_K13_S_Bronz_CERT7267_2025-09-18_101846.pdf

COMPLIANCE NOTES: Certification Number: 5023. Includes the following products: K-13, SonaSpray "fc", SonaKrete, Ure-K, SonaSpray, SonaSpray K-13, SonaSpray FC, SonaSpray FCX, SonaSpray SP, Thermocon,Thermocon SB, Thermocon FC, Thermocon FCX. Excluded: Color variations obtained from the following pigments: Violet ER02, 1522 Bon Maronn, First yellow PGX-01, brown 772BN, red/orange RA18B, Phtalo blue pck-2000, Milori blue, phtalo green 787, red iron oxide, and Verdacol red 3571. This certification is considered provisional pending completion of the manufacturing facility site visit, which was postponed due to 2020-21 global travel restrictions.

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

SonaKrete's superior acoustical performance is measured using the room reverberation method per ASTM C 423 to calculate a noise reduction coefficient (NRC). At just 1/2", Sonakrete achieves an impressive NRC of .65. This, along with a spray-applied and troweled application method makes SonaKrete the perfect solution for historical renovation, concert halls, or any commercial project where aesthetics and acoustical performance are key. SonaKrete is available in four standard colors (White, Arctic White, Light Gray, Black) and can also be specified in specially-matched custom colors. SonaKrete White and Arctic White provide high light-reflectance values.

MANUFACTURER INFORMATION

MANUFACTURER: **Saint Gobain**
ADDRESS: **20 Moores Rd**
Malvern, Pennsylvania 19355
COUNTRY: **USA**

WEBSITE: **www.spray-on.com**
CONTACT NAME: **Joe Witt**
TITLE: **Technical Service Manager**
PHONE: **(713) 610-4712**
EMAIL: **joe.witt@saint-gobain.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY**Hazard Types**

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.