

TEC Level Set® 200 Self-Leveling Underlayment
by TEC Specialty Products, LLC

SCREENING DATE: 2025-12-05
PUBLISHED DATE: 2025-12-05
EXPIRY DATE: 2028-12-05
PREPARER: Self-Prepared

Health Product
Declaration v3.0

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 1447016448
HPD UNIQUE PRODUCT ID: US-1832-15036029, US-1832-15030022, US-1832-15030059
CLASSIFICATION: 03 50 00 Cast Decks and Underlayment
PRODUCT DESCRIPTION: Level Set® 200 Self-Leveling Underlayment is a calcium aluminate-based, self-leveling underlayment ideal for use to level and smooth floors, before finished floor covering installations. It can accept tile and stone applications in as little as 4 hours. It delivers extended 25-35 minute working time without compromising flooring installation time.

Section 1: SummaryBasic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Residuals/Impurities Evaluation	For all contents above the threshold, the manufacturer has:
→ Basic Method	→ Completed	
Threshold Disclosed Per	Explanation(s) provided :	Characterized
→ Product	Yes	Provided weight and role.
Threshold Level		Screened
→ 1,000 ppm		Provided screening results using HPDC-approved methods.
		Identified
		Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

TEC LEVEL SET® 200 SELF-LEVELING UNDERLAYMENT [QUARTZ
BM-1 | CAN | MAM | GEN CALCIUM CARBONATE BM-3 | EYE HIGH-
ALUMINA CEMENT LT-UNK | ALUMINUM OXIDE BM-2 | MAM CALCIUM
SULFATE LT-UNK | MAM PORTLAND CEMENT LT-P1 | CAN | END |
MAM | EYE | SKI WOLLASTONITE LT-UNK | CALCIUM OXIDE
(PRIMARY CASRN IS 1305-78-8) BM-2 | SKI | MAM | EYE FELDSPAR
LT-UNK | MAM MICA LT-UNK | MAM FERRIC OXIDE BM-1 | CAN | MAM
]

Number of Greenscreen BM-4/BM3 contents ... 1
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...
BM-1, LT-P1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Composition is disclosed by TEC specialty Products LLC for all ingredients by name and Chemical Abstract Service (CAS) registry number or Proprietary Ingredients hazards associated with LT-1 / LT-P1 down to 0.1% (1000ppm).

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0 Regulatory (g/l): 0
Does the product contain exempt VOCs: No
Are colorants available that do not increase the VOC content of the base paint when tinted: N/A

COMPLIANCE See Section 3 for additional listings.
VOC emissions: MAS Certified Green - VOC Emissions
VOC content: MAS Certified Green - VOC Content

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: www.hpd-collaborative.org/hpd-3-0-standard

TEC LEVEL SET® 200 SELF-LEVELING UNDERLAYMENT

PRODUCT THRESHOLD: 1000 ppmRESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Impurities above the reporting threshold have been included in this HPD.

OTHER PRODUCT NOTES:

QUARTZ

ID: 14808-60-7

HAZARD DATA SOURCE: Pharos Chemical and Materials LibraryHAZARD SCREENING DATE: 2025-12-05 13:54:24

%: 30.0000 - 50.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	US CDC - Occupational Carcinogens		Occupational Carcinogen	
CAN	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route	
CAN	US NIH - Report on Carcinogens		Known to be Human Carcinogen (respirable size - occupational setting)	
CAN	MAK		Carcinogen Group 1 - Substances that cause cancer in man	
CAN	IARC		Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources	
CAN	IARC		Group 1 - Agent is Carcinogenic to humans	
CAN	US NIH - Report on Carcinogens		Known to be a human Carcinogen	
CAN	GHS - Japan		H350 - May cause cancer [Carcinogenicity - Category 1A]	
CAN	GHS - Australia		H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]	
CAN	GHS - New Zealand		Carcinogenicity category 1	
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]	
GEN	GHS - Japan		H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]	
MAM	GHS - Australia		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]	
MAM	GHS - New Zealand		Specific target organ toxicity - repeated exposure category 1	

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

CALCIUM CARBONATE

ID: 471-34-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-12-05 13:54:25		
%: 10.0000 - 30.0000	GreenScreen: BM-3	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
EYE	GHS - New Zealand		Eye irritation category 2	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

HIGH-ALUMINA CEMENT

ID: 65997-16-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-12-05 13:54:25		
%: 5.0000 - 20.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES:				

ALUMINUM OXIDE

ID: 1344-28-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-12-05 13:54:25		
%: 5.0000 - 10.0000	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]		
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Children's Toy Products
SUBSTANCE NOTES:		

CALCIUM SULFATE

ID: 7778-18-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-12-05 13:54:26		
%: 1.0000 - 10.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MAM	GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

PORTLAND CEMENT

ID: 65997-15-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-12-05 13:54:24		
%: 5.0000 - 10.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification	
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
MAM	GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]	
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]	
EYE	GHS - Japan		H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]	
SKI	GHS - Japan		H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

WOLLASTONITE

ID: 13983-17-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-12-05 13:54:25	
%: 1.0000 - 5.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES:				

CALCIUM OXIDE (PRIMARY CASRN IS 1305-78-8)

ID: 60873-85-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-12-05 13:54:25	
%: 1.0000 - 5.0000	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Accelerator
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
SKI	GHS - Australia		H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]	
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]	
MAM	GHS - Japan		H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]	
SKI	GHS - New Zealand		Skin corrosion category 1C	
EYE	GHS - New Zealand		Serious eye damage category 1	
EYE	GHS - Japan		H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]	
SKI	GHS - Japan		H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]	
EYE	GHS - Australia		H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (GSPI)		GSPI - Six Classes Precautionary List	
			Antimicrobials	
SUBSTANCE NOTES:				

FELDSPAR

ID: 68476-25-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-12-05 13:54:26	
%: 1.0000 - 5.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MAM	GHS - New Zealand		Specific target organ toxicity - repeated exposure category 1	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

MICA

ID: 12001-26-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-12-05 13:54:26	
%: 1.0000 - 5.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES:				

FERRIC OXIDE

ID: 1309-37-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-12-05 13:54:26	
%: 1.0000 - 5.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES:

Section 3: Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	MAS Certified Green - VOC Emissions	
COMPLIANCE TYPE: Third-party certification CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: Materials Analytical Services COMPLIANCE DETAILS: COMPLIANCE SCOPE: APPLICABLE FACILITIES: All TEC Specialty Products Facilities. COMPLIANCE URL: https://mascertifiedgreen.com/wp-content/uploads/2025/10/2026-09_TEC-Specialty_TEC-Level-Set-300_2500533-03.pdf COMPLIANCE NOTES:	ISSUE DATE: 2025-09-10	EXPIRY DATE: 2026-09-10
VOC CONTENT	MAS Certified Green - VOC Content	
COMPLIANCE TYPE: Third-party certification CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: Materials Analytical Services COMPLIANCE DETAILS: COMPLIANCE SCOPE: APPLICABLE FACILITIES: All TEC Specialty Products Facilities. COMPLIANCE URL: https://mascertifiedgreen.com/wp-content/uploads/2025/10/2026-09_TEC-Specialty_TEC-Level-Set-300_2500533-03.pdf COMPLIANCE NOTES:	ISSUE DATE: 2025-09-10	EXPIRY DATE: 2026-09-10

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

For information about TEC® Level Set® 200 Self-Leveling Underlayment please visit our website <https://www.tecspecialty.com/products/surface-preparation/level-set-200-self-leveling-underlayment/>

MANUFACTURER INFORMATION

MANUFACTURER: **TEC Specialty Products, LLC**
ADDRESS: **1105 S Frontenac St**
Aurora, Illinois 60504
COUNTRY: **United States**

WEBSITE: **www.tecspecialty.com**
CONTACT NAME: **Joshua Burnet**
TITLE: **Product Steward**
PHONE: **3316882283**
EMAIL: **Josh.Burnet@tecspecialty.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold	Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold	Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold	Substances listed individually per threshold indicated per product

Nano	Composed of nano scale particles or nanotechnology
Third Party Verified	Verification by independent certifier approved by HPDC
Preparer	Third party preparer, if not self-prepared by manufacturer
Applicable facilities	Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.