

Carboguard 874
by Stoncor Middle East LLC

HPD UNIQUE IDENTIFIER: 828689408
HPD UNIQUE PRODUCT ID: Not provided.
CLASSIFICATION: 09 96 56 Epoxy Coatings
PRODUCT TYPE: Exterior Primer, Metal (Paints And Coatings)
General Purpose Paints And Varnishes, Solvent Based
PRODUCT DESCRIPTION: A High performance, high solid epoxy with excellent corrosion protection used either as primer or as an intermediate coat over steel and zinc primers.

SCREENING DATE: 2026-02-23
PUBLISHED DATE: 2026-02-23
EXPIRY DATE: 2029-02-23
PREPARER: Self-Prepared

Health Product
Declaration v3.0
created via: HPDC Online Builder

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format
→ Basic Method
Threshold Disclosed Per
→ Product
Threshold Level
→ 1,000 ppm
Residuals/Impurities Evaluation
→ Completed
Explanation(s) provided :
Yes

For all contents above the threshold, the manufacturer has:
Characterized No
Provided weight and role.
Screened No
Provided screening results using HPDC-approved methods.
Identified No
Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.
PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
CARBOGUARD 874 [UNDISCLOSED BM-1 *] CAN | MAM | GEN
EPOXY RESIN N/A XYLENES BM-1 END | MUL | REP | SKI | EYE |
MAM | AQU POLYAMIDOAMINE ADDUCT N/A TALC BM-1 CAN | MAM
BENZYL ALCOHOL BM-2 EYE | MAM | SKI | AQU]

Number of Greenscreen BM-4/BM3 contents ... 0
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1
Nanomaterial ... No
INVENTORY AND SCREENING NOTES:
Special Conditions applied: [Polymers]
HPD generated as basic inventory

*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.
PFAS DETAILS:
This product does not contain intentionally added PFAS and materials and substances from suppliers are verified to not contain PFAS.
Attestation:



2026-02-23

VOLATILE ORGANIC COMPOUND (VOC) CONTENT
Material (g/l): <200 Regulatory (g/l): <500
Does the product contain exempt VOCs: No

COMPLIANCE See Section 3 for additional listings.
VOC emissions: CDPH Standard Method - Not tested
VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

Are colorants available that do not increase the VOC content of the base paint when tinted: N/A

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: www.hpd-collaborative.org/hpd-3-0-standard

CARBOGUARD 874

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: The product is estimated to have no residuals or impurities over 1000 ppm based on raw material supplier information.

OTHER PRODUCT NOTES:

UNDISCLOSED				ID: Undisclosed	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-02-23 2:40:17		
%: 30.0000 - 40.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Filler	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
CAN	US CDC - Occupational Carcinogens		Occupational Carcinogen**		
CAN	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route**		
CAN	US NIH - Report on Carcinogens		Known to be Human Carcinogen (respirable size - occupational setting)**		
CAN	MAK		Carcinogen Group 1 - Substances that cause cancer in man**		
CAN	IARC		Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources**		
CAN	IARC		Group 1 - Agent is Carcinogenic to humans**		
CAN	US NIH - Report on Carcinogens		Known to be a human Carcinogen**		
CAN	GHS - Japan		H350 - May cause cancer [Carcinogenicity - Category 1A]**		
CAN	GHS - Australia		H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]**		
CAN	GHS - New Zealand		Carcinogenicity category 1**		
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**		
GEN	GHS - Japan		H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]**		
MAM	GHS - Australia		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]**		
MAM	GHS - New Zealand		Specific target organ toxicity - repeated exposure category 1**		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The percentage of the substance used is provided as a range to protect proprietary information. The component's CAS number was used to identify associated hazards

****Form-Specific Hazard:** This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

EPOXY RESIN

ID: **Polymer**

HAZARD DATA SOURCE: GHS-compliant SDS		HAZARD SCREENING DATE: 2026-02-23 09:34:58	
%: 20.0000 - 30.0000	GreenScreen: N/A	RC: None	POLYMER ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS	
Hazards Screening not applicable for this special condition. See GHS or CLP warnings below.			
POLYMER TYPE: Epoxy Resin			
AVERAGE MOLECULAR WEIGHT : Unknown			
PERCENTAGE OF POLYMER WITH MOLECULAR WEIGHT LESS THAN 500 DA : Unknown			
ADDITIONAL SUBSTANCES CONSIDERED: No			
GHS HAZARD STATEMENTS: United Arab Emirates			
HAZARD SCREENING COMPLIANCE: Hazard screening data sourced from OSHA and/or EU compliance CLP or SDS, as allowed by HPDC Special Conditions policy for polymers.			
POLYMER NOTES: This polymer has been reported in accordance to HPDC Special Conditions Policy for polymers without disclosed CAS numbers.			
ADDITIONAL NOTES: The polymer is multi-functional epoxy resin			

XYLENES

ID: 1330-20-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-02-23 3:11:47	
%: 10.0000 - 20.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Solvent

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
REP	GHS - New Zealand	Reproductive toxicity category 2
EYE	GHS - Korea	H319 - Causes serious eye irritation [Serious eye damage/irritation - Category 2]
SKI	GHS - Korea	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
MAM	GHS - Korea	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - Repeated exposure - Category 1]
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
SKI	GHS - Malaysia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
MAM	GHS - Australia	H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Antimicrobials
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Some Solvents

SUBSTANCE NOTES: The percentage of the substance used is provided as a range to protect proprietary information. The component's CAS number was used to identify associated hazards

POLYAMIDOAMINE ADDUCT

ID: Polymer

HAZARD DATA SOURCE: GHS-compliant SDS HAZARD SCREENING DATE: 2026-02-23 10:14:44

%: 10.0000 - 20.0000
 GreenScreen: N/A
 RC: None
 NANO: No
 POLYMER ROLE: Binder

HAZARD TYPELIST NAME AND SOURCEWARNINGS

Hazards Screening not applicable for this special condition. See GHS or CLP warnings below.

POLYMER TYPE: Epoxy amine adduct

AVERAGE MOLECULAR WEIGHT : Unknown

PERCENTAGE OF POLYMER WITH MOLECULAR WEIGHT LESS THAN 500 DA : Unknown

ADDITIONAL SUBSTANCES CONSIDERED: No

GHS HAZARD STATEMENTS: United Arab Emirates

HAZARD SCREENING COMPLIANCE: Hazard screening data sourced from OSHA and/or EU compliance CLP or SDS, as allowed by HPDC Special Conditions policy for polymers.

POLYMER NOTES: This polymer has been reported in accordance to HPDC Special Conditions Policy for polymers without disclosed CAS numbers.

ADDITIONAL NOTES: The percentage of the substance used is provided as a range to protect proprietary information.

TALC

ID: 14807-96-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2026-02-23 3:09:45

%: 5.0000 - 10.0000
 GreenScreen: BM-1
 RC: None
 NANO: No
 SUBSTANCE ROLE: Filler

HAZARD TYPELIST NAME AND SOURCEWARNINGS

CANMAKCarcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

CANCA EPA - Prop 65Carcinogen - specific to chemical form or exposure route

CANIARCGroup 2a - Agent is probably Carcinogenic to humans

MAMGHS - JapanH372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]

MAMGHS - JapanH370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]

ADDITIONAL LISTINGSLIST NAME AND SOURCENOTIFICATION

None foundNo listings found on Additional Hazard Lists

SUBSTANCE NOTES: The percentage of the substance used is provided as a range to protect proprietary information. The component's CAS number was used to identify associated hazards

BENZYL ALCOHOL

ID: 100-51-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2026-02-23 3:10:44

%: 2.0000 - 5.0000
GreenScreen: BM-2
RC: None
NANO: No
SUBSTANCE ROLE: Solvent

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
EYE	GHS - New Zealand	Eye irritation category 2
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Antimicrobials
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Some Solvents
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Cosmetics and Personal Care Products

SUBSTANCE NOTES: The percentage of the substance used is provided as a range to protect proprietary information. The component's CAS number was used to identify associated hazards

Section 3: Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method - Not tested	
COMPLIANCE TYPE: Self-declaration	ISSUE DATE: 2026-02-23	EXPIRY DATE: No expiration
CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: None		
COMPLIANCE DETAILS:		
COMPLIANCE SCOPE:		
APPLICABLE FACILITIES: Stoncor Middle East LLC		
COMPLIANCE URL:		
COMPLIANCE NOTES:		

VOC CONTENT	EPA Method 24 - Volatile Matter Content (EPA 24)	
COMPLIANCE TYPE: Third-party certification	ISSUE DATE: 2020-10-13	EXPIRY DATE: 2030-10-12
CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: METS Lab Dubai		
COMPLIANCE DETAILS:		
COMPLIANCE SCOPE:		
APPLICABLE FACILITIES: Stoncor Middle east LLC		
COMPLIANCE URL: https://metslab.com		
COMPLIANCE NOTES:		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Carboguard 874 is a High performance, high solid epoxy with excellent corrosion protection used either as primer or as an intermediate coat over steel and zinc primers.

MANUFACTURER INFORMATION

MANUFACTURER: **Stoncor Middle East LLC**
ADDRESS: **Stoncor Middle East LLC**
Al Qouz Industrial Area 3 Dubai, Dubai 3034
Dubai, Dubai 3034
COUNTRY: **United Arab Emirates**

WEBSITE: **www.stoncor-me.com**
CONTACT NAME: **Sarvar Ansari**
TITLE: **REgional Technical Manager**
PHONE: **043470460**
EMAIL: **sarvar.ansari@stoncor-me.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold	Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold	Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold	Substances listed individually per threshold indicated per product

Nano	Composed of nano scale particles or nanotechnology
Third Party Verified	Verification by independent certifier approved by HPDC
Preparer	Third party preparer, if not self-prepared by manufacturer
Applicable facilities	Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.