

BP Canada - Roof Insulation Panels
by Saint Gobain

HPD UNIQUE IDENTIFIER: 5597622396928
HPD UNIQUE PRODUCT ID: Not provided.
CLASSIFICATION: 07 72 00 Roof Accessories
PRODUCT DESCRIPTION: BP ESGARD Roofing Insulation Panels, including the High Strength coated 1 side and coated 6 sides in 1/2" and 1" thicknesses. These panels are engineered wood fibre insulation products designed to improve roof durability, thermal performance, and water resistance. Both products are composed of interwoven or interlocking wood fibres treated with a water-repellent wax emulsion, enhancing resistance to water absorption. Panels are either natural, factory-coated on one side or on all sides for added protection and compatibility with roofing applications. BP ESGARD Roof Insulation Panels offer excellent insulating properties while increasing the rigidity and strength of roofing systems. They provide robust support for membranes and are ideal surfaces for the application of hot bitumen or asphalt. The High Strength panels offer enhanced transverse load resistance and compressive strength, meeting CAN ULC-S706 Type II Class 2 and ASTM C-208 Type II Grade 2 standards. These qualities make the panels suitable for demanding roofing environments requiring structural reinforcement and reliable thermal insulation.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format → Nested Materials Method	Residuals/Impurities Evaluation Completed in 2 of 2 Materials	For all contents above the threshold, the manufacturer has:
Threshold Disclosed Per → Product	Explanation(s) provided for Residuals/Impurities? Yes	Characterized Provided weight and role. Yes
Threshold Level → 100 ppm		Screened Provided screening results using HPDC-approved methods. Yes
		Identified Provided name and CAS RN or other identifier. No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
WOODFIBRE [WOOD NoGS STARCH NoGS WATER BM-4 PARAFFIN LT-UNK | MAM ALUMINUM HYDROXIDE SULFATE (AL4(OH)6(SO4)3) LT-UNK CARBON BLACK BM-1 | CAN | EYE | MAM | PHY] COATING [ASPHALT, OXIDIZED LT-1 | CAN | EYE]

Number of Greenscreen BM-4/BM3 contents ... 1
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-1, BM-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

All materials have been screened through the HPD tool. All residuals and impurities have been considered and noted when applicable.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

COMPLIANCE See Section 3 for additional listings.
VOC emissions: CDPH Standard Method - Not tested
LCA: Environmental Product Declaration (EPD) by Smart EPD

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.
Pre-checked for LEED v4.1 Option 1.

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: www.hpd-collaborative.org/hpd-3-0-standard

WOODFIBRE	%: 85.0000 - 95.0000	
PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Wood or Lumber
RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered and noted within the 100 ppm reporting threshold.		
OTHER MATERIAL NOTES: All residuals and impurities are considered and noted when applicable to the guidelines in the HPD Builder Standard.		

WOOD	ID: Not registered	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-02-13 5:57:32
%: 75.0000 - 98.0000	GreenScreen: NoGS	RC: None
	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: Hazard may occur when this product is worked on (sanded, cut or sawed), dust is released into the air. Prolonged exposure and inhalation of these breathable particles may cause cancer of the nasal cavity, sinuses nasopharynx and lungs.		

STARCH	ID: 9005-25-8	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-02-16 8:07:57
%: 0.0000 - 5.0000	GreenScreen: NoGS	RC: None
	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions
		Exempted from REACH Annex IV listing due to intrinsic safety
SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations from the raw material supplier.		

WATER

ID: 7732-18-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-02-12 11:46:16		
%: 0.0000 - 3.0000	GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Residual
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
EXEMPT	European Union / European Commission (EU EC)		EU - REACH Exemptions	
			Exempted from REACH Annex IV listing due to intrinsic safety	
SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations from the raw material supplier.				

PARAFFIN

ID: 8002-74-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-02-12 11:46:15	
%: 0.0000 - 1.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Water resistance
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MAM	GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations from the raw material supplier. Hazards only appear at temperatures higher than 45°C.				

ALUMINUM HYDROXIDE SULFATE (AL4(OH)6(SO4)3)

ID: 53810-32-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-02-12 11:46:17	
%: 0.0000 - 1.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Coalescent
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations from the raw material supplier.

CARBON BLACK

ID: 1333-86-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2026-02-16 9:36:06

%: 0.0000 - 0.0100
 GreenScreen: BM-1
 RC: None
 NANO: No
 SUBSTANCE ROLE: Pigment

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2b - Possibly carcinogenic to humans
EYE	GHS - New Zealand	Eye irritation category 2
CAN	GHS - New Zealand	Carcinogenicity category 2
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
PHY	GHS - Japan	H251 - Self-heating;; may catch fire [Self-heating substances and mixtures - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Hazard may occur when this product is worked on (sanded, cut or sawed), dust is released into the air. Prolonged exposure and inhalation of these breathable particles may cause cancer of the nasal cavity, sinuses nasopharynx, and lungs.

COATING

%: 0.0000 - 10.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Other: Coating

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered and noted within the 100 ppm reporting threshold.

OTHER MATERIAL NOTES: All residuals and impurities are considered and noted when applicable to the guidelines in the HPD Builder Standard.

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-02-13 13:52:13	
%: 80.0000 - 100.0000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification	
CAN	MAK		Carcinogen Group 2 - Considered to be carcinogenic for man	
EYE	GHS - Korea		H318 - Causes serious eye damage [Serious eye damage/irritation - Category 1]	
CAN	IARC		Group 2A - Agent is probably carcinogenic to humans - inhaled from occupational sources	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	

SUBSTANCE NOTES: The raw material range is based on content percent from a range of manufacturing locations from the raw material supplier.
Hazards only appear at temperatures higher than 200°F (93°C).

Section 3: Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method - Not tested	
COMPLIANCE TYPE: Self-declaration	ISSUE DATE: 2026-02-13	EXPIRY DATE: No expiration
CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: None		
COMPLIANCE DETAILS:		
COMPLIANCE SCOPE:		
APPLICABLE FACILITIES: Pont-Rouge, Quebec		
COMPLIANCE URL:		
COMPLIANCE NOTES:		

LCA	Environmental Product Declaration (EPD) by Smart EPD	
COMPLIANCE TYPE: Third-party certification	ISSUE DATE: 2025-09-08	EXPIRY DATE: 2030-09-08
CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: Smart EPD		
COMPLIANCE DETAILS:		
COMPLIANCE SCOPE:		
APPLICABLE FACILITIES: Pont-Rouge, Quebec		
COMPLIANCE URL: https://smartepd.com/epd-library/68ff77c079fe02ef2f2582f0		
COMPLIANCE NOTES:		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

For complete Safety and installation information on any and all BP Canada Roofing Products please see <https://bpcan.com/> . Additional Transparency documentation can be found at <https://saintgobain.ecomedes.com> .

MANUFACTURER INFORMATION

MANUFACTURER: **Saint Gobain**
ADDRESS: **420 rue Dupont**
Pont-Rouge, Quebec G3H 1S2
COUNTRY: **Canada**

WEBSITE: **<https://bpcan.com/cat-produits/roof-insulation/>**
CONTACT NAME: **BP Customer Service**
TITLE: **BP Customer Service**
PHONE: **1-800-361-5298**
EMAIL: **bpservice@saint-gobain.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold	Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold	Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold	Substances listed individually per threshold indicated per product

Nano	Composed of nano scale particles or nanotechnology
Third Party Verified	Verification by independent certifier approved by HPDC
Preparer	Third party preparer, if not self-prepared by manufacturer
Applicable facilities	Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.