



HPD UNIQUE IDENTIFIER: 3142776102912
HPD UNIQUE PRODUCT ID: Not provided.
CLASSIFICATION: 07 40 00 Roofing and Siding Panels
PRODUCT DESCRIPTION: TSSC Rockwool Sandwich Panels are rigid, prefabricated panels designed for roof and wall cladding, ceilings, and internal partitions. They provide high thermal insulation, superior fire resistance, structural rigidity, acoustic performance, and long-term color durability while allowing installation on lighter building frameworks. Manufactured by TSSC Group, Dubai, UAE, and classified under UN CPC 37522, these panels are suitable for sheds, garages, industrial buildings, poultry farms, warehouses, and commercial structures. Panel thicknesses typically range from 50 mm to 200 mm, with effective widths of 1000 mm, customizable lengths, and available profiles including TSP 45/250 and low-rib flat panels. The core material is non-combustible mineral wool (Rockwool), providing excellent thermal insulation, fire performance (classified as non-combustible per EN 13501-1), and acoustic absorption. Panels are environmentally responsible, easy to install, and manufactured to ensure consistent performance, making them suitable for a wide range of building envelope applications.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format → Nested Materials Method	Residuals/Impurities Evaluation Completed in 2 of 5 Materials	<i>For all contents above the threshold, the manufacturer has:</i>
Threshold Disclosed Per → Product	Explanation(s) provided for Residuals/Impurities? Yes	Characterized <i>Provided weight and role.</i> Yes
Threshold Level → 1,000 ppm		Screened <i>Provided screening results using HPDC-approved methods.</i> Yes
		Identified <i>Provided name and CAS RN or other identifier.</i> Yes

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
ROCKWOOL [CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE LT-UNK PHENOL-FORMALDEHYDE RESIN LT-P1 DIMETHICONE BM-2 PBT MINERAL OIL LT-P1 CAN | MAM | GEN] PRE-PAINTED GI SHEET [IRON, ELEMENTAL LT-P1 END UNS Z35531 ZINC ALLOY LT-P1 END | AQU | PHY MANGANESE LT-P1 END | MUL | REP | MAM | AQU CARBON LT-UNK CHROMIUM LT-P1 END | SKI | MAM | REP | RES] ISOHAR 250 LF [POLYMETHYLENE POLYPHENYL ISOCYANATE LT-UNK CAN | RES | EYE | SKI | MAM 4,4'-DIPHENYLMETHANE DIISOCYANATE LT-UNK CAN | RES | SKI | EYE | MAM] HP-RWGL 22 B [WATER BM-4 1,3-BENZENEDIAMINE, AR-METHYL-, POLYMER WITH METHYLOXIRANE LT-UNK 1,2-ETHANEDIAMINE, POLYMER WITH 2-METHYLOXIRANE LT-UNK N,N-DIMETHYLCYCLOHEXYLAMINE LT-P1 MUL | MAM | EYE | SKI | AQU 1,2-ETHANEDIAMINE, N1-(2-(DIMETHYLAMINO)ETHYL)-N1,N2,N2-TRIMETHYL- LT-P1 MUL | SKI | MAM | EYE] HP-RWGL 22 A [WATER BM-4 1,3-BENZENEDIAMINE, AR-METHYL-, POLYMER WITH METHYLOXIRANE LT-UNK 1,2-ETHANEDIAMINE, POLYMER WITH 2-METHYLOXIRANE LT-UNK N,N-DIMETHYLCYCLOHEXYLAMINE LT-P1 | MUL | MAM | EYE | SKI | AQU 1,2-ETHANEDIAMINE, N1-(2-

Number of Greenscreen BM-4/BM3 contents ... 2
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1
Nanomaterial ... No
INVENTORY AND SCREENING NOTES:

No Inventory and Screening Notes

VOLATILE ORGANIC COMPOUND (VOC) CONTENT
VOC Content data is not applicable for this product category.

COMPLIANCE *See Section 3 for additional listings.*
VOC emissions: Inherently non-emitting source per LEED

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.
Pre-checked for LEED v4.1 Option 1.

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: www.hpd-collaborative.org/hpd-3-0-standard

ROCKWOOL		%: 47.6700 - 52.6900	
PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No		MATERIAL TYPE: Other: Mineral & Inorganic Material
RESIDUALS AND IMPURITIES NOTES: Trace residual binder, dust, or fines from fiber production; typically ≤0.5 % by weight.			
OTHER MATERIAL NOTES: Non-combustible mineral wool fibers; may contain small amounts of binder (organic or inorganic) to hold fibers together.			

CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE				ID: 65997-17-3	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-02-21 0:17:41		
%: 95.0000 - 100.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Insulator	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
EXEMPT	European Union / European Commission (EU EC)		EU - REACH Exemptions Exempted from REACH Annex V listing due to intrinsic safety		
SUBSTANCE NOTES: Primary insulating material. Provides thermal insulation, fire resistance, and acoustic insulation due to its fibrous mineral structure.					

PHENOL-FORMALDEHYDE RESIN				ID: 9003-35-4	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-02-21 0:17:41		
%: 0.0000 - 5.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Binder	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	International Living Future Institute (ILFI)		Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective February 1, 2025		
			Red List substances to avoid in Living Building Challenge V4.0 projects		

SUBSTANCE NOTES: Binding agent. Holds mineral fibers together to maintain product shape, structural integrity, and mechanical stability.

DIMETHICONE

ID: 63148-62-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2026-02-21 0:17:42

%: 0.0000 - 0.5000 GreenScreen: BM-2 RC: None NANO: No SUBSTANCE ROLE: Water resistance

HAZARD TYPE LIST NAME AND SOURCE WARNINGS

PBT EC - CEPA DSL Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans

ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION

None found No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Water-repellent additive. Enhances hydrophobic properties and improves moisture resistance and durability of the insulation product.

MINERAL OIL

ID: 8012-95-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2026-02-21 0:17:41

%: 0.0000 - 0.5000 GreenScreen: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Surface modifier

HAZARD TYPE LIST NAME AND SOURCE WARNINGS

CAN GHS - Japan H350 - May cause cancer [Carcinogenicity - Category 1A]

MAM GHS - Japan H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]

GEN GHS - Japan H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]

MAM GHS - Japan H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2]

ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION

RESTRICTED LIST Green Science Policy Institute (GSPI) GSPI - Six Classes Precautionary List
Antimicrobials

RESTRICTED LIST Green Science Policy Institute (GSPI) GSPI - Six Classes Precautionary List
Some Solvents

SUBSTANCE NOTES: Dust suppression agent. Reduces airborne fiber and dust generation during manufacturing, handling, and installation, improving safety and handling.

IRON, ELEMENTAL				ID: 7439-89-6	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-02-21 0:17:42		
%: 94.7900	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: Present as base metal; inert in final panel					

UNS Z35531 ZINC ALLOY				ID: 7440-66-6
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-02-21 0:17:42		
%: 3.6800	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Coating
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1		H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]	
PHY	GHS - Australia		H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]	
PHY	GHS - Australia		H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]	
AQU	GHS - New Zealand		Hazardous to the aquatic environment - acute category 1	
AQU	GHS - Australia		H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]	
AQU	GHS - New Zealand		Hazardous to the aquatic environment - chronic category 1	

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Antimicrobials

SUBSTANCE NOTES: Protective coating for metal. Provides corrosion protection through barrier protection and sacrificial (galvanic) protection of the steel substrate.

MANGANESE

ID: 7439-96-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2026-02-21 0:17:42**

%: **0.0000 - 2.5000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 3
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Children's Toy Products

SUBSTANCE NOTES: Alloying element and deoxidizer. Improves strength, toughness, wear resistance, and enhances hardenability of steel.

CARBON

ID: 7440-44-0

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2026-02-21 0:17:42**

%: 0.0010 - 0.5000		GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	Green Science Policy Institute (GSPI)		GSPI - Six Classes Precautionary List		
			Antimicrobials		
SUBSTANCE NOTES: Alloying element. Increases strength, hardness, and tensile properties of steel by controlling microstructure.					

CHROMIUM

ID: 7440-47-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-02-21 0:17:43		
%: 0.0000 - 0.0600	GreenScreen: LT-P1		RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor		
SKI	MAK		Sensitizing Substance Sh - Danger of skin sensitization		
MAM	GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]		
REP	GHS - New Zealand		Reproductive toxicity category 2		
RES	GHS - Japan		H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled [Respiratory sensitization - Category 1A]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)		C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025		
			Children's Toy Products		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)		C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025		
			Cosmetics and Personal Care Products		
SUBSTANCE NOTES: Alloying element. Enhances corrosion resistance, hardness, and oxidation resistance of steel.					

ISOHAR 250 LF

%: 1.4900 - 1.6500

PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No	MATERIAL TYPE: Other: Organic Chemical
RESIDUALS AND IMPURITIES NOTES: No Residuals and Impurities Notes		

POLYMETHYLENE POLYPHENYL ISOCYANATE

ID: 9016-87-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-02-21 0:17:43		
%: 55.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Structure component	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
CAN	MAK		Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		
RES	MAK		Sensitizing Substance Sah - Danger of airway & skin sensitization		
EYE	GHS - New Zealand		Eye irritation category 2		
SKI	GHS - Australia		H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
EYE	GHS - Australia		H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]		
CAN	GHS - Japan		H351 - Suspected of causing cancer [Carcinogenicity - Category 2]		
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
MAM	GHS - Australia		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]		
MAM	GHS - New Zealand		Specific target organ toxicity - repeated exposure category 1		
MAM	GHS - Japan		H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]		
MAM	GHS - New Zealand		Acute inhalation toxicity category 2		
MAM	Québec CSST - WHMIS 1988		Class D1A - Very toxic material causing immediate and serious toxic effects		
MAM	GHS - Australia		H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]		
MAM	GHS - Japan		H330 - Fatal if inhaled [Acute toxicity (inhalation: dust, mist) - Category 2]		
CAN	GHS - Australia		H351 - Suspected of causing cancer [Carcinogenicity - Category 2]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	Perkins+Will (P+W)		P&W - Precautionary List		
			Precautionary list of substances recommended for avoidance		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)		C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025		
			All Products		

4,4'-DIPHENYLMETHANE DIISOCYANATE

ID: 101-68-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2026-02-21 0:17:43

%: 45.0000 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
CAN	GHS - New Zealand	Carcinogenicity category 2
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
SKI	GHS - New Zealand	Skin sensitisation category 1
MAM	GHS - New Zealand	Acute inhalation toxicity category 2
EYE	GHS - Korea	H319 - Causes serious eye irritation [Serious eye damage/irritation - Category 2]
SKI	GHS - Korea	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]

MAM	Québec CSST - WHMIS 1988	Class D1A - Very toxic material causing immediate and serious toxic effects
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
MAM	GHS - Japan	H330 - Fatal if inhaled [Acute toxicity (inhalation: dust, mist) - Category 2]
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Korea	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 All Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Cosmetics and Personal Care Products
SUBSTANCE NOTES:		

HP-RWGL 22 B	%: 0.6900 - 0.7700	
PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No	MATERIAL TYPE: Other: Adhesive
RESIDUALS AND IMPURITIES NOTES: No Residuals and Impurities Notes		
OTHER MATERIAL NOTES: No other Material Notes		

WATER				ID: 7732-18-5
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-02-21 0:17:43	
%: 65.2000	GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
EXEMPT	European Union / European Commission (EU EC)		EU - REACH Exemptions	
			Exempted from REACH Annex IV listing due to intrinsic safety	

SUBSTANCE NOTES:

1,3-BENZENEDIAMINE, AR-METHYL-, POLYMER WITH METHYLOXIRANE

ID: 63641-63-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-02-21 0:17:44	
%: 10.0000 - 25.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES:				

1,2-ETHANEDIAMINE, POLYMER WITH 2-METHYLOXIRANE

ID: 25214-63-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-02-21 0:17:44	
%: 10.0000 - 20.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES:				

N,N-DIMETHYLCYCLOHEXYLAMINE

ID: 98-94-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-02-21 0:17:45	
%: 1.0000 - 2.5000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
EYE	GHS - New Zealand	Serious eye damage category 1
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Japan	H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]
SKI	GHS - New Zealand	Skin corrosion category 1B
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
MAM	GHS - Japan	H311 - Toxic in contact with skin [Acute Toxicity (dermal) - Category 3]
MAM	GHS - Japan	H301 - Toxic if swallowed [Acute Toxicity (oral) - Category 3]
MAM	GHS - Japan	H330 - Fatal if inhaled [Acute toxicity (inhalation: vapor) - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

1,2-ETHANEDIAMINE, N1-(2-(DIMETHYLAMINO)ETHYL)-N1,N2,N2-TRIMETHYL-

ID: 3030-47-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2026-02-21 0:17:44

%: 0.1000 - 1.0000

GreenScreen: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Adhesive

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
EYE	GHS - New Zealand	Serious eye damage category 1
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
SKI	GHS - New Zealand	Skin corrosion category 1B
MAM	GHS - Japan	H311 - Toxic in contact with skin [Acute Toxicity (dermal) - Category 3]
MAM	GHS - Australia	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
MAM	GHS - New Zealand	Acute dermal toxicity category 3
MAM	GHS - New Zealand	Acute oral toxicity category 3
SKI	GHS - Japan	H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1B]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Some Solvents
SUBSTANCE NOTES:		

HP-RWGL 22 A
 %: 0.5510 - 0.6090

PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Other: Adhesive
RESIDUALS AND IMPURITIES NOTES: No Residuals and Impurities Notes		
OTHER MATERIAL NOTES: No Other Material Notes		

WATER		ID: 7732-18-5
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-02-21 0:17:45
%: 65.2000	GreenScreen: BM-4	RC: None
	NANO: No	SUBSTANCE ROLE: Solvent

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions Exempted from REACH Annex IV listing due to intrinsic safety
SUBSTANCE NOTES:		

1,3-BENZENEDIAMINE, AR-METHYL-, POLYMER WITH METHYLOXIRANE

ID: 63641-63-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-02-21 0:17:45	
%: 10.0000 - 25.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

1,2-ETHANEDIAMINE, POLYMER WITH 2-METHYLOXIRANE

ID: 25214-63-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-02-21 0:17:45	
%: 10.0000 - 20.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

N,N-DIMETHYLCYCLOHEXYLAMINE

ID: 98-94-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-02-21 0:17:46	
%: 1.0000 - 2.5000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
EYE	GHS - New Zealand	Serious eye damage category 1
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Japan	H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]
SKI	GHS - New Zealand	Skin corrosion category 1B
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
MAM	GHS - Japan	H311 - Toxic in contact with skin [Acute Toxicity (dermal) - Category 3]
MAM	GHS - Japan	H301 - Toxic if swallowed [Acute Toxicity (oral) - Category 3]
MAM	GHS - Japan	H330 - Fatal if inhaled [Acute toxicity (inhalation: vapor) - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

1,2-ETHANEDIAMINE, N1-(2-(DIMETHYLAMINO)ETHYL)-N1,N2,N2-TRIMETHYL-

ID: 3030-47-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-02-21 0:17:45	
%: 0.1000 - 1.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
EYE	GHS - New Zealand	Serious eye damage category 1
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
SKI	GHS - New Zealand	Skin corrosion category 1B
MAM	GHS - Japan	H311 - Toxic in contact with skin [Acute Toxicity (dermal) - Category 3]
MAM	GHS - Australia	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
MAM	GHS - New Zealand	Acute dermal toxicity category 3
MAM	GHS - New Zealand	Acute oral toxicity category 3
SKI	GHS - Japan	H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1B]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Some Solvents

SUBSTANCE NOTES:

Section 3: Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Inherently non-emitting source per LEED	
COMPLIANCE TYPE: Self-declaration	ISSUE DATE: 2026-02-10	EXPIRY DATE: No expiration
CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: None		
COMPLIANCE DETAILS:		
COMPLIANCE SCOPE:		
APPLICABLE FACILITIES: All		
COMPLIANCE URL:		
COMPLIANCE NOTES:		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

The core material consists of non-combustible mineral wool (Rockwool), and the face material is pre-painted galvanized steel (GI sheet). Binders, including MDI and polyol, are used to bond the core. Materials are selected for low environmental impact, and the panels are recyclable and manufactured with minimal waste. In terms of health and safety, Rockwool fibers are inert, MDI is reactive and may cause sensitization in uncured form, and polyol is generally considered low hazard. These panels are suitable for industrial, commercial, and agricultural building applications. They are non-combustible per EN 13501-1 and classified under UN CPC 37522. Panel thickness, length, and profiles can be customized to meet project-specific requirements. For more information, please visit:<https://tsscgroup.com/products-and-services/cladding-roofing-systems/insulated-roof-wall-panels/iso-wall-panels/rockwool-iso-wall-panel>

MANUFACTURER INFORMATION

MANUFACTURER: **Technical Supplies & Services Co. LLC**
ADDRESS: **Dubai Investments Park – Phase 1**
Dubai, Dubai 77031
COUNTRY: **United Arab Emirates**

WEBSITE: **www.tsscgroup.com**
CONTACT NAME: **Shaik Mansoor**
TITLE: **Quality Manager (MR)**
PHONE: **+971 56 515 7581**
EMAIL: **mansoor@tsscuae.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.