

PROTECTOBASE 180
by IKO industries

SCREENING DATE: 2026-02-27
PUBLISHED DATE: 2026-02-27
EXPIRY DATE: 2029-02-27
PREPARER: Self-Prepared

Health Product
Declaration v3.0
created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 1503507324928
HPD UNIQUE PRODUCT ID: Not provided.
CLASSIFICATION: 07 52 00 Modified Bituminous Membrane Roofing
PRODUCT TYPE: Solid Sheets, Asphaltic Roof Cover Board
PRODUCT DESCRIPTION: Protectobase 180 is a composite of IKO Protectoboard, a mineral fortified asphalt core board that is factory laminated to an SBS modified bitumen base sheet. The base sheet is constructed with a tough non-woven reinforced polyester mat strengthened with select glass fiber strands.

Section 1: SummaryNested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Residuals/Impurities Evaluation	For all contents above the threshold, the manufacturer has:
→ Nested Materials Method	Not Completed	
Threshold Disclosed Per	Explanation(s) provided for Residuals/Impurities?	Characterized Yes
→ Product	Yes	Provided weight and role.
Threshold Level		Screened No
→ 1,000 ppm		Provided screening results using HPDC-approved methods.
		Identified No
		Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
FILLER [LIMESTONE BM-3dg (ISO DUST) Not Screened] LAMINATOR [ASPHALT (PRIMARY CASRN IS 8052-42-4) LT-1] CAN | MAM | GEN
POLYETHYLENE TEREPHTHALATE/POLYBUTYLENE TEREPHTHALATE [25038-59-9 AND 26062-94-2] LT-UNK
STYRENE BUTADIENE RUBBER (BENZENE, ETHENYL-, POLYMER WITH 1,3-BUTADIENE) LT-UNK
QUARTZ BM-1] CAN | MAM | GEN
FIBERGLASS (PRIMARY CASRN IS 65997-17-3) LT-UNK
LUBRICATING OILS, PETROLEUM, HYDROTREATED SPENT LT-P1] CAN | SKI | DEV]
COATING [ASPHALT, OXIDIZED LT-1] CAN | EYE]
REINFORCEMENT LAYER [(FIBERGLASS MAT) Not Screened]

Number of Greenscreen BM-4/BM3 contents ... 1
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-1, BM-1, LT-P1
Nanomaterial ... No
INVENTORY AND SCREENING NOTES:

This HPD has not accounted for substances within the various materials below the reportable product - 1,000 ppm levels.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

COMPLIANCE See Section 3 for additional listings.
VOC emissions: N/A

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: www.hpd-collaborative.org/hpd-3-0-standard

FILLER		%: 45.0000 - 65.0000	
PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No	MATERIAL TYPE: Geologically Derived Material	
RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were not considered as the material is supplied by a third party manufacturer			
OTHER MATERIAL NOTES: Filler increases the rigidity and compressive strength of the board.			

LIMESTONE				ID: 1317-65-3
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-02-27 13:25:23	
%: 90.0000 - 100.0000	GreenScreen: BM-3dg	RC: UNK	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: Exact percentage not disclosed to protect proprietary information				

(ISO DUST)		ID: Not Registered		
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: Not Screened		
%: 0.0000 - 10.0000	GreenScreen: Not Screened	RC: UNK	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
	Hazard Screening not performed			
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
	Additional Hazard Screening not performed			
SUBSTANCE NOTES: Exact percentage not disclosed to protect proprietary information				

LAMINATOR		%: 15.0000 - 30.0000	
PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No	MATERIAL TYPE: Geologically Derived Material	
RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were not considered as the material is supplied by a third party manufacturer			
OTHER MATERIAL NOTES: The laminated SBS modified bitumen base sheet is constructed with a tough non-woven reinforced polyester mat strengthened with select glass fiber strands.			

ASPHALT (PRIMARY CASRN IS 8052-42-4)

ID: 1955522-49-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-02-27 13:38:52		
%: 75.0000 - 90.0000	GreenScreen: LT-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Binder	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
CAN	US CDC - Occupational Carcinogens		Occupational Carcinogen		
CAN	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		
CAN	IARC		Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
MAM	GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]		
CAN	GHS - Japan		H351 - Suspected of causing cancer [Carcinogenicity - Category 2]		
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
GEN	GHS - Japan		H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: Exact percentage not disclosed to protect proprietary information.					

POLYETHYLENE TEREPHTHALATE/POLYBUTYLENE TEREPHTHALATE [25038-59-9 AND 26062-94-2]

ID: Not registered

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-02-27 13:42:39		
%: 2.0000 - 20.0000	GreenScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Structure component	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: Exact percentage not disclosed to protect proprietary information. Acts as a polyester scrim in the laminator

STYRENE BUTADIENE RUBBER (BENZENE, ETHENYL-, POLYMER WITH 1,3-BUTADIENE)

ID: 9003-55-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-02-27 13:37:50	
%: 1.0000 - 10.0000	GreenScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: Exact percentage not disclosed to protect proprietary information.				

QUARTZ

ID: 14808-60-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-02-27 13:41:01	
%: 1.0000 - 10.0000	GreenScreen: BM-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Insulator

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
CAN	GHS - New Zealand	Carcinogenicity category 1
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Exact percentage not disclosed to protect proprietary information. (Used as a top sand surface if Sand coated)

FIBERGLASS (PRIMARY CASRN IS 65997-17-3)

ID: 94551-77-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-02-27 13:44:14	
%: 1.0000 - 3.0000	GreenScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
EXEMPT	European Union / European Commission (EU EC)		EU - REACH Exemptions	
			Exempted from REACH Annex V listing due to intrinsic safety	

SUBSTANCE NOTES: Exact percentage not disclosed to protect proprietary information. Also acts as a scrim along with the polyester.

LUBRICATING OILS, PETROLEUM, HYDROTREATED SPENT

ID: 64742-58-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2026-02-27 13:46:00

%: 0.0000 - 0.0100

GreenScreen: LT-P1

RC: UNK

NANO: No

SUBSTANCE ROLE: Binder

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	GHS - Australia	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
DEV	GHS - Australia	H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Exact percentage not disclosed to protect proprietary information. Acts as a binder between sand and sheet in the laminator

COATING

%: 10.0000 - 20.0000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were not considered as the material is supplied by a third party manufacturer

OTHER MATERIAL NOTES: Asphalt is used in as a thermoplastic bituminous material providing cohesion between filler particles and reinforcement layers.

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-02-27 13:27:00	
%: 90.0000 - 100.0000	GreenScreen: LT-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification	
CAN	MAK		Carcinogen Group 2 - Considered to be carcinogenic for man	
EYE	GHS - Korea		H318 - Causes serious eye damage [Serious eye damage/irritation - Category 1]	
CAN	IARC		Group 2A - Agent is probably carcinogenic to humans - inhaled from occupational sources	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: Exact percentage not disclosed to protect proprietary information				

REINFORCEMENT LAYER

#: 0.0000 - 15.0000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

MATERIAL TYPE: Glass

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were not considered as the material is supplied by a third party manufacturer

OTHER MATERIAL NOTES: Two layers of high-strength reinforcing glass fiber mat bonded with asphalt and filler

(FIBERGLASS MAT)

ID: Not Registered

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: Not Screened	
%: 90.0000 - 100.0000	GreenScreen: Not Screened	RC: UNK	NANO: Unknown	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
	Hazard Screening not performed			
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
	Additional Hazard Screening not performed			
SUBSTANCE NOTES: Exact percentage not disclosed to protect proprietary information				

Section 3: Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	N/A
COMPLIANCE TYPE: Self-declaration CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: None COMPLIANCE DETAILS: COMPLIANCE SCOPE: APPLICABLE FACILITIES: N/A COMPLIANCE URL: COMPLIANCE NOTES: The product type cannot be tested using applicable CDPH Standard Method provisions for adapting the scenarios. There is no emissions scenario for exterior products.	ISSUE DATE: 2026-02-27 EXPIRY DATE: No expiration

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Residuals and impurities were not considered as the raw materials are supplied by third party manufacturers and this information has not been provided. Protectobase 180 Specialty Cover Board is a composite of IKO Protectoboard, a mineral fortified asphalt core board that is factory laminated to an SBS modified bitumen base sheet.

MANUFACTURER INFORMATION

MANUFACTURER: **IKO industries**
ADDRESS: **40 Hansen Road S**
Brampton, Ontario L6W 3H4
COUNTRY: **Canada**

WEBSITE: **iko.com/comm**
CONTACT NAME: **Vignesh Harikumar**
TITLE: **Codes and Compliance officer**
PHONE: **9058723818**
EMAIL: **vignesh.harikumar@iko.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.