



HPD UNIQUE IDENTIFIER: 5484352397312
HPD UNIQUE PRODUCT ID: Not provided.
CLASSIFICATION: 12 36 00 Countertops
PRODUCT DESCRIPTION: VICOSTONE® offers premium stone surfaces that combine natural-inspired beauty with durable performance. Resistant to heat, stains, and scratches, VICOSTONE® Surfaces are ideal for kitchens, bathrooms, and high-traffic spaces—delivering lasting elegance and strength.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format → Basic Method	Residuals/Impurities Evaluation → Completed	For all contents above the threshold, the manufacturer has:
Threshold Disclosed Per → Product	Explanation(s) provided : Yes	Characterized Provided weight and role. Yes
Threshold Level → 1,000 ppm		Screened Provided screening results using HPDC-approved methods. Yes
		Identified Provided name and CAS RN or other identifier. No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

VICOSTONE® SURFACES | CRISTOBALITE GRITS (SIZE ≥45µM) AND (SIZE ≤ 45µM) SAND SILICATE GLASS UNDISCLOSED POLYMER N/A
STYRENE BM-1 | END | CAN | MUL | REP | SKI | EYE | MAM | DEV | GEN | AQU CI 77346 LT-1 | CAN | RES | GEN C.I. PIGMENT BLUE 36 LT-1 | CAN | RES | GEN UNDISCLOSED BM-1 TITANIUM DIOXIDE BM-1 | CAN | END | MAM FERRIC OXIDE, YELLOW LT-UNK
FERROSOFERRIC OXIDE BM-1 | CAN FERRIC OXIDE BM-1 | CAN | MAM FLUOROPHLOGOPITE LT-UNK MICA LT-UNK | MAM UNDISCLOSED LT-UNK TETRAETHYL SILICATE LT-UNK | EYE | MAM | SKI TRIMETHOXYSILYLPROPYL METHACRYLATE LT-UNK | SKI | EYE SILICON DIOXIDE BM-1 | CAN | MAM ALUMINUM HYDROXIDE, DRIED BM-2 | SKI | EYE ALUMINUM OXIDE BM-2 | CAN | MAM SEBAZINS_URE, BIS(2,2,6,6-TETRAMETHYL-PIPERIDINYL)-ESTER, REAKTIONSPRODUKT MIT 1,1-DIMETHYLETHYLHYDROPEROXID UND OKTAN LT-UNK OCTABENZENE LT-UNK TERT-BUTYL PEROXYBENZOATE LT-P1 | MUL | EYE | AQU | MAM | PHY UNDISCLOSED LT-P1 | MUL | SKI | EYE]

Number of Greenscreen BM-4/BM3 contents ... 0
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1, LT-1, LT-P1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special Conditions applied: [GeologicalMaterial]
Special Conditions applied: [Polymers]

Vicostone worked with the HPDC Approved Preparer to confirm that all intentionally added ingredients, residuals and impurities were considered under the preparation of this HPD. This was accomplished by obtaining full formulation disclosure, including residuals and impurities, down to the 1,000 ppm threshold.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

COMPLIANCE See Section 3 for additional listings.

VOC emissions: GreenGuard - Gold (previously Children & Schools)
Multi-attribute: Environmental Product Declaration (EPD) by SCS

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.
Pre-checked for LEED v4.1 Option 1.

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: www.hpd-collaborative.org/hpd-3-0-standard

VICOSTONE® SURFACES

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Vicostone worked with the HPDC Approved Preparer to confirm that all intentionally added ingredients, residuals and impurities were considered under the preparation of this HPD. This was accomplished by obtaining full formulation disclosure, including residuals and impurities, down to the 1,000 ppm threshold.

OTHER PRODUCT NOTES:

CRISTOBALITE GRITS (SIZE ≥45µM) AND (SIZE ≤ 45µM)ID: Geological Material

HAZARD DATA SOURCE: HPDC Special Conditions Policy

%: 0.0000 - 33.3000

GreenScreen: Not Required

RC: None

NANO: No

MATERIAL ROLE: Structure component

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

Hazard Screening is not applicable to this Special Condition

INGREDIENT DESCRIPTION AND COMPOSITION: >99% Silicon dioxide

COUNTRY OF ORIGIN: Vietnam

RADIOACTIVE ELEMENTS: Unknown

POTENTIAL PRESENCE OF TOXIC METALS: Unknown

MATERIAL CONTENT NOTES: Use levels of Cristobalite Grits can be present up to 95% of the final product based on the design and size of the product.

This disclosure does not provide potential presence of radioactive elements which may be found in certain geological materials.

This disclosure does not provide potential presence of toxic metals which may be found in certain geological materials.

SANDID: Geological Material

HAZARD DATA SOURCE: HPDC Special Conditions Policy

%: 0.0000 - 33.3000

GreenScreen: Not Required

RC: None

NANO: No

MATERIAL ROLE: Structure component

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

Hazard Screening is not applicable to this Special Condition

INGREDIENT DESCRIPTION AND COMPOSITION: Silicone Dioxide (99%); Iron Oxide (0.053%); Aluminum Oxide (0.064%) and Titanium Dioxide (0.089%)

COUNTRY OF ORIGIN: Vietnam

RADIOACTIVE ELEMENTS: Unknown

POTENTIAL PRESENCE OF TOXIC METALS: Unknown

MATERIAL CONTENT NOTES: The use level of sand can be present up to 80% of the final product based on the design and size of the product.

This disclosure does not provide potential presence of radioactive elements which may be found in certain geological materials.
This disclosure does not provide potential presence of toxic metals which may be found in certain geological materials.

SILICATE GLASS

ID: Geological Material

HAZARD DATA SOURCE: HPDC Special Conditions Policy

%: 0.0000 - 33.3000 GreenScreen: Not Required RC: None NANO: No MATERIAL ROLE: Structure component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
Hazard Screening is not applicable to this Special Condition		

INGREDIENT DESCRIPTION AND COMPOSITION: Silicon Dioxide (>50%); Aluminum Oxide (<10%); Iron Oxide (<0.2%); Titanium Oxide (<3%); Calcium Oxide (<25%); Magnesium Oxide (<10%); Potassium Oxide (<10%); Sodium Oxide (<10%) and other oxides (<0.5%)

COUNTRY OF ORIGIN: Vietnam

RADIOACTIVE ELEMENTS: Unknown

POTENTIAL PRESENCE OF TOXIC METALS: Unknown

MATERIAL CONTENT NOTES: The use level of Silicate glass can be present up to 95% of the final product based on the design and size of the product.

This disclosure does not provide potential presence of radioactive elements which may be found in certain geological materials.
This disclosure does not provide potential presence of toxic metals which may be found in certain geological materials.

UNDISCLOSED POLYMER

ID: Polymer

HAZARD DATA SOURCE: GHS-compliant SDS HAZARD SCREENING DATE: 2025-11-26 17:40:35

%: 0.0000 - 12.3800 GreenScreen: N/A RC: None NANO: No POLYMER ROLE: Binder

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
Hazards Screening not applicable for this special condition. See GHS or CLP warnings below.		

POLYMER TYPE: Crosslinked thermoset

AVERAGE MOLECULAR WEIGHT : ≥1,000 Da and ≤ 10,000 Da

PERCENTAGE OF POLYMER WITH MOLECULAR WEIGHT LESS THAN 500 DA : Unknown

ADDITIONAL SUBSTANCES CONSIDERED: Yes

GHS HAZARD STATEMENTS: N/A

HAZARD SCREENING COMPLIANCE: Hazard screening data sourced from OSHA and/or EU compliance CLP or SDS, as allowed by HPDC Special Conditions policy for polymers.

POLYMER NOTES: This polymer has been reported in accordance to [HPDC Special Conditions Policy](#) for polymers without disclosed CAS numbers.

ADDITIONAL NOTES: The HPDC Approved Preparer worked wit the supplier to obtain full disclosure down to the 1,000 ppm threshold for the trade name ingredient containing this chemical. The name and CAS number for this chemical were not able to be provided by the supplier, but the supplier was able to confirm molecular weight and type of polymer. 1

STYRENE

ID: 100-42-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2026-03-13 1:21:57

%: 0.0000 - 7.6000

GreenScreen: BM-1

RC: None

NANO: No

SUBSTANCE ROLE: Binder

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
END	ChemSec - SIN List	Endocrine Disruption
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
CAN	IARC	Group 2a - Agent is probably Carcinogenic to humans
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CAN	MAK	Carcinogen Group 5 - Genotoxic carcinogen with very slight risk under MAK/BAT levels
END	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1B]
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
DEV	EU - GHS (H-Statements) Annex 6 Table 3-1	H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]

CAN	GHS - New Zealand	Carcinogenicity category 2
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
GEN	GHS - Australia	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
MAM	GHS - New Zealand	Acute inhalation toxicity category 3
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
REP	GHS - New Zealand	Reproductive toxicity category 2
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 2
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
SKI	GHS - Malaysia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
GEN	GHS - New Zealand	Germ cell mutagenicity category 2
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]
DEV	GHS - Australia	H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]
EYE	GHS - Malaysia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Some Solvents
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Cosmetics and Personal Care Products

SUBSTANCE NOTES: The GreenScreen® Benchmark Score of BM-1 comes from the HPDC Builder Tool.

CI 77346

ID: 1345-16-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-03-13 1:21:58	
%: 0.0000 - 7.0000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		Carcinogen Group 2 - Considered to be carcinogenic for man	
RES	MAK		Sensitizing Substance Sah - Danger of airway & skin sensitization	
GEN	MAK		Germ Cell Mutagen 3a	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025		
		Children's Toy Products		
SUBSTANCE NOTES:				

C.I. PIGMENT BLUE 36

ID: 68187-11-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-03-13 1:21:58	
%: 0.0000 - 7.0000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		Carcinogen Group 2 - Considered to be carcinogenic for man	
RES	MAK		Sensitizing Substance Sah - Danger of airway & skin sensitization	
GEN	MAK		Germ Cell Mutagen 3a	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)		C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025	
			Children's Toy Products	
SUBSTANCE NOTES:				

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-03-13 1:21:59	
---	--	--	---	--

%: 0.0000 - 7.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025		
		Children's Toy Products		
SUBSTANCE NOTES: The HPDC Approved Preparer obtained full disclosure down to the 1,000 ppm threshold for the trade name ingredient containing this chemical. Due to the proprietary nature of the information, the name and CAS number for this chemical have been redacted from this substance. The GreenScreen® Benchmark Score of BM-1 comes from the HPDC Builder Tool. 2				

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-03-13 1:22:01	
%: 0.0000 - 7.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		
CAN	IARC	Group 2b - Possibly carcinogenic to humans		
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]		
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]		
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)
		Colorants - Green Circle (Verified Low Concern)
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025
		Cosmetics and Personal Care Products

SUBSTANCE NOTES: The GreenScreen® Benchmark Score of BM-1 comes from the HPDC Builder Tool.

FERRIC OXIDE, YELLOW

ID: 51274-00-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-03-13 1:21:57	
?: 0.0000 - 7.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES:				

FERROSOFERRIC OXIDE

ID: 1317-61-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-03-13 1:21:58	
%: 0.0000 - 7.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: The GreenScreen® Benchmark Score of BM-1 comes from the HPDC Builder Tool.				

FERRIC OXIDE

ID: 1309-37-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-03-13 1:21:59	
%: 0.0000 - 6.9200	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification	
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]	
MAM	GHS - Japan		H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: The GreenScreen® Benchmark Score of BM-1 comes from the HPDC Builder Tool.				

FLUOROPHLOGOPITE

ID: 12003-38-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-03-13 1:22:00		
%: 0.0000 - 6.5100	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

MICA

ID: 12001-26-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-03-13 1:22:01	
%: 0.0000 - 6.0200	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2026-03-13 1:21:58**

%: **0.0000 - 3.5000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The HPDC Approved Preparer obtained full disclosure down to the 1,000 ppm threshold for the trade name ingredient containing this chemical. Due to the proprietary nature of the information, the name and CAS number for this chemical have been redacted from this substance. 3

TETRAETHYL SILICATE

ID: **78-10-4**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2026-03-13 1:21:59**

%: **0.0000 - 0.3600** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
EYE	GHS - New Zealand	Eye irritation category 2
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Some Solvents

SUBSTANCE NOTES:

TRIMETHOXYSILYLPROPYL METHACRYLATE

ID: 2530-85-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2026-03-13 1:22:00

%: 0.0000 - 0.3600 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Binder		
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

SILICON DIOXIDE

ID: 7631-86-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2026-03-13 1:22:01

%: 0.0000 - 0.3500	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]		
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]		
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]		
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List		
		Antimicrobials		
SUBSTANCE NOTES: The GreenScreen® Benchmark Score of BM-1 comes from the HPDC Builder Tool.				

ALUMINUM HYDROXIDE, DRIED

ID: 21645-51-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2026-03-13 1:22:02

: 0.0000 - 0.3500		GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
SKI	GHS - New Zealand		Skin irritation category 2		
EYE	GHS - New Zealand		Eye irritation category 2		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)		C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025		
			Children's Toy Products		
SUBSTANCE NOTES: The GreenScreen® Benchmark Score of BM-2 comes from the HPDC Builder Tool.					

ALUMINUM OXIDE

ID: 1344-28-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-03-13 1:21:59		
%: 0.0000 - 0.3200	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Pigment	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
CAN	MAK		Carcinogen Group 2 - Considered to be carcinogenic for man		
MAM	GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]		
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)		C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025		
			Children's Toy Products		
SUBSTANCE NOTES: The GreenScreen® Benchmark Score of BM-2 comes from the HPDC Builder Tool.					

SEBAZINS_URE, BIS(2,2,6,6-TETRAMETHYL-PIPERIDINYL)-ESTER, REAKTIONSPRODUKT MIT 1,1-DIMETHYLETHYLHYDROPEROXID UND OKTAN

ID: 129757-67-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-03-13 1:22:00		
%: 0.0000 - 0.2000		GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Heat or UV stabilizer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

OCTABENZONE

ID: 1843-05-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-03-13 1:22:01		
%: 0.0000 - 0.2000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Heat or UV stabilizer
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES:				

TERT-BUTYL PEROXYBENZOATE

ID: 614-45-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-03-13 1:22:01		
%: 0.0000 - 0.2000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Catalyst
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
EYE	GHS - New Zealand	Eye irritation category 2		
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1		
MAM	GHS - Japan	H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2]		
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]		
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]		
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1		
PHY	GHS - New Zealand	Organic peroxide type C		
PHY	GHS - Japan	H242 - Heating may cause a fire [Organic peroxides - Type C]		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2026-03-13 1:22:02

%: 0.0000 - 0.1800

GreenScreen: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Pigment

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	GHS - New Zealand	Skin corrosion category 1C
EYE	GHS - New Zealand	Serious eye damage category 1

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The HPDC Approved Preparer obtained full disclosure down to the 1,000 ppm threshold for the trade name ingredient containing this chemical. Due to the proprietary nature of the information, the name and CAS number for this chemical have been redacted from this substance. 4

Section 3: Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	GreenGuard - Gold (previously Children & Schools)	
COMPLIANCE TYPE: Third-party certification CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: UL Labs COMPLIANCE DETAILS: COMPLIANCE SCOPE: Product APPLICABLE FACILITIES: All COMPLIANCE URL: https://vicostone.com/en/documents-download COMPLIANCE NOTES: Certificate Number: 7848-420. Products tested in accordance with UL 2821 test method to show compliance to emission limits in UL 2818, Section 7.1. Furniture and furnishings are tested in accordance with ANSI/BIFMA M7.1-2011 and determined to comply with ANSI/BIFMA X7.1-2011 and ANSI/BIFMA e3-2014e Credit 7.6.1. Panel based workstations are modeled in the open plan environment. Casework systems and individual furniture items are modeled in the private office environment. Seating products are modeled in the seating environment.	ISSUE DATE: 2009-09-21	EXPIRY DATE: 2026-09-21
MULTI-ATTRIBUTE	Environmental Product Declaration (EPD) by SCS	
COMPLIANCE TYPE: Third-party certification CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: SCS Global Services COMPLIANCE DETAILS: COMPLIANCE SCOPE: Product APPLICABLE FACILITIES: All COMPLIANCE URL: https://us.vicostone.com/-/media/downloads/epd-certificate-vicostone.pdf COMPLIANCE NOTES: SCS-EPD-08610. Product Category Rule for Environmental Product Declarations: PCR for Residential Countertops.	ISSUE DATE: 2023-01-20	EXPIRY DATE: 2028-01-23

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Vicostone worked with the HPDC Approved Preparer to confirm that all intentionally added ingredients, residuals and impurities were considered under the preparation of this HPD. This was accomplished by obtaining full formulation disclosure, including residuals and impurities, down to the 1,000 ppm threshold.

MANUFACTURER INFORMATION

MANUFACTURER: **Vicostone Joint Stock Company**
ADDRESS: **Hoa Lac Hi-tech Park Hoa Lac Commune**
Ha Noi, Ha Noi .
COUNTRY: **Viet Nam**

WEBSITE: **<https://vicostone.com/>**
CONTACT NAME: **Mr. Pham Tri Dzung**
TITLE: **General Director**
PHONE: **(84) 24 33 685 826**
EMAIL: **info@vicostone.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold	Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold	Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold	Substances listed individually per threshold indicated per product

Nano	Composed of nano scale particles or nanotechnology
Third Party Verified	Verification by independent certifier approved by HPDC
Preparer	Third party preparer, if not self-prepared by manufacturer
Applicable facilities	Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.