

HPD UNIQUE IDENTIFIER: 621819116207104
HPD UNIQUE PRODUCT ID: Not provided.
CLASSIFICATION: 04 05 16 Masonry Grouting
PRODUCT TYPE: Polymer-Modified Cementitious Grout (Tile)
PRODUCT DESCRIPTION: An advanced high performance cement grout that offers the industry's first dispensable dry pigment solution. LATICRETE® PERMACOLOR® Select is designed for virtually all types of residential and commercial installations and offers optimum performance on the most demanding exterior or interior applications.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format → Basic Method	Residuals/Impurities Evaluation → Completed	For all contents above the threshold, the manufacturer has:
Threshold Disclosed Per → Product	Explanation(s) provided : Yes	Characterized Provided weight and role. Yes
Threshold Level → 100 ppm		Screened Provided screening results using HPDC-approved methods. Yes
		Identified Provided name and CAS RN or other identifier. No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
LATICRETE® MVIS™ PREMIUM POINTING BASE [Limestone BM-3dg HIGH-ALUMINA CEMENT LT-UNK CALCIUM SULFATE LT-UNK MAM PORTLAND CEMENT LT-P1 CAN | END | MAM | EYE | SKI UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK CAN TITANIUM DIOXIDE BM-1 CAN | END | MAM UNDISCLOSED LT-UNK LIMESTONE; CALCIUM CARBONATE BM-3dg UNDISCLOSED LT-1 CAN | MUL | SKI | DEV UNDISCLOSED LT-UNK | EYE | SKI UNDISCLOSED BM-2 SILICA GEL LT-UNK MAM UNDISCLOSED LT-UNK UNDISCLOSED LT-1 DEV | REP | MAM | EYE | AQU UNDISCLOSED BM-1 END | MUL | REP | MAM | AQU UNDISCLOSED LT-P1 MUL | CAN | SKI | MAM | GEN | DEV UNDISCLOSED LT-UNK SKI UNDISCLOSED LT-UNK CAN]

Number of Greenscreen BM-4/BM3 contents ... 2
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, BM-1, LT-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

PFAS DETAILS:

This product does not contain intentionally added PFAS, but it is unknown if PFAS is contained in materials or substances from suppliers.

Attestation:

Mitch Hawkins

2025-07-10

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.00 Regulatory (g/l): N/A
Does the product contain exempt VOCs: No
Are colorants available that do not increase the VOC content of the base paint when tinted: N/A

COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified
VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)
LCA: Environmental Product Declaration (EPD) by UL

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.
Pre-checked for LEED v4.1 Option 1.

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: www.hpd-collaborative.org/hpd-3-0-standard

LATICRETE® MVIS™ PREMIUM POINTING BASE

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at www.laticrete.com for occupational exposure information.

LIMESTONE

ID: 1317-65-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-03-20 12:17:21	
%: 57.0000 - 60.0000	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.				

HIGH-ALUMINA CEMENT

ID: 65997-16-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-03-20 12:17:22	
%: 20.0000 - 25.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. High alumina cement does contain quartz which is a form specific material. This product contains no respirable silica levels that exceed the OSHA action level. For more information regarding form specific components, please refer to https://cdn-global.laticrete.com/-/media/project/laticrete-international/shared/files/support-and-downloads/technical-datasheets/tds291.pdf .				

CALCIUM SULFATE

ID: 7778-18-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-03-20 12:17:22	
%: 5.0000 - 10.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MAM	GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

PORTLAND CEMENT

ID: 65997-15-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-03-20 12:17:23	
HAZARD TYPE	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification	
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
MAM	GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]	
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]	
EYE	GHS - Japan		H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]	
SKI	GHS - Japan		H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. Portland cement does contain quartz which is a form specific material. This product contains no respirable silica levels that exceed the OSHA action level. For more information regarding form specific components, please refer to <https://cdn-global.laticrete.com/-/media/project/laticrete-international/shared/files/support-and-downloads/technical-datasheets/tds291.pdf>.

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-03-20 12:17:23	
%: 1.5000 - 3.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-03-20 12:17:22	
%: 1.0000 - 3.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-03-20 12:17:22	
%: 0.2000 - 2.5000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	US CDC - Occupational Carcinogens		Occupational Carcinogen	
CAN	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route	
CAN	IARC		Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources	
CAN	MAK		Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value	
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
CAN	MAK		Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels	
CAN	IARC		Group 2b - Possibly carcinogenic to humans	
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1		H351 - Suspected of causing cancer [Carcinogenicity - Category 2]	
CAN	GHS - Japan		H351 - Suspected of causing cancer [Carcinogenicity - Category 2]	
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
POSITIVE LIST	US Environmental Protection Agency (US EPA)		US EPA - DfE Safer Chemicals Ingredients list (SCIL)	
			Colorants - Green Circle (Verified Low Concern)	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)		C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025	
			Cosmetics and Personal Care Products	

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-03-20 12:17:23	
%: 0.2000 - 1.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

LIMESTONE; CALCIUM CARBONATE

ID: 1317-65-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-03-20 12:17:23	
%: 0.0000 - 1.0000	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and, if present, may or may not be greater than 100 ppm.		

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-03-20 12:17:24	
%: 0.7500 - 0.8500	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	EU - Annex VI CMRs		Carcinogen Category 1B - Presumed Carcinogen based on animal evidence	
MUL	ChemSec - SIN List		CMR - Carcinogen, Mutagen &/or Reproductive Toxicant	
MUL	German FEA - Substances Hazardous to Waters		Class 3 - Severe Hazard to Waters	
CAN	GHS - Australia		H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]	
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1		H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]	
SKI	GHS - Australia		H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]	
DEV	GHS - Australia		H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]	
CAN	EU - REACH Annex XVII CMRs		Carcinogens: Category 1B	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025		
		All Products		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025		
		Cosmetics and Personal Care Products		
SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards				

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library				HAZARD SCREENING DATE: 2026-03-20 12:17:25	
%: 0.5000 - 0.7500		GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Accelerator
HAZARD TYPE		LIST NAME AND SOURCE		WARNINGS	
EYE		EU - GHS (H-Statements) Annex 6 Table 3-1		H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]	
SKI		GHS - Australia		H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]	
EYE		GHS - Australia		H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]	
EYE		GHS - New Zealand		Serious eye damage category 1	
ADDITIONAL LISTINGS		LIST NAME AND SOURCE		NOTIFICATION	
POSITIVE LIST		US Environmental Protection Agency (US EPA)		US EPA - DfE Safer Chemicals Ingredients list (SCIL)	
				Chelating Agents - Green Circle (Verified Low Concern)	

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-03-20 12:17:25	
%: 0.2500 - 0.7500	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Processing regulator
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

SILICA GEL

ID: 112926-00-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-03-20 12:17:26	
%: 0.1000 - 0.2000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MAM	GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-03-20 12:17:27	
%: 0.1000 - 0.1500	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Plasticizer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-03-20 12:17:27	
%: 0.0500 - 0.1000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Processing regulator

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
DEV	CA EPA - Prop 65	Developmental toxicity
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1A]
REP	GHS - New Zealand	Reproductive toxicity category 1
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
EYE	GHS - New Zealand	Eye irritation category 2
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
DEV	GHS - Japan	H362 - May cause harm to breast-fed children [Developmental Toxicity - May cause harm to breast-fed children]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library				HAZARD SCREENING DATE: 2026-03-20 12:17:25		
%: 0.0500 - 0.1000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Antimicrobial Pesticide		
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS			
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor			
MUL	German FEA - Substances Hazardous to Waters		Class 3 - Severe Hazard to Waters			
REP	GHS - Japan		H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]			
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]			
MAM	GHS - Japan		H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]			
AQU	GHS - New Zealand		Hazardous to the aquatic environment - acute category 1			
AQU	GHS - New Zealand		Hazardous to the aquatic environment - chronic category 1			

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List
		Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025
		Cosmetics and Personal Care Products
SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.		

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library				HAZARD SCREENING DATE: 2026-03-20 12:17:26
%: 0.0750 - 0.0850	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MUL	German FEA - Substances Hazardous to Waters		Class 3 - Severe Hazard to Waters	
CAN	GHS - Australia		H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]	
CAN	GHS - Japan		H350 - May cause cancer [Carcinogenicity - Category 1A]	
SKI	GHS - Australia		H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]	
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]	
GEN	GHS - Japan		H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]	
MAM	GHS - Japan		H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2]	
DEV	GHS - Australia		H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025		
		All Products		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025		
		Cosmetics and Personal Care Products		
SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards				

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library				HAZARD SCREENING DATE: 2026-03-20 12:17:26
%: 0.0500 - 0.0800	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
SKI	GHS - New Zealand	Skin irritation category 2		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.		

UNDISCLOSED		ID: Undisclosed
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-03-20 12:17:27
%: 0.0050 - 0.0100	GreenScreen: LT-UNK	RC: None
	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.		

Section 3: Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	UL/GreenGuard Gold Certified	
COMPLIANCE TYPE: Third Party CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: UL Solutions COMPLIANCE DETAILS: COMPLIANCE SCOPE: Product APPLICABLE FACILITIES: Applies to All Facilities. COMPLIANCE URL: https://cdnmdm.laticrete.com/ProductAssets/Product%20Documents/299-mvis-premium-pointing-mortar-base-greenguard-la-en.pdf COMPLIANCE NOTES: Meets LEED v4.1 Credit "Low Emitting Materials" Emissions Requirements. This product was tested in accordance with California Department of Public Health (CDPH) v1.2.	ISSUE DATE: 2022-06-24	EXPIRY DATE: 2026-07-09

VOC CONTENT	EPA Method 24 - Volatile Matter Content (EPA 24)	
COMPLIANCE TYPE: Self-declared CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: LATICRETE COMPLIANCE DETAILS: COMPLIANCE SCOPE: Product APPLICABLE FACILITIES: Applies to All Facilities. COMPLIANCE URL: https://cdn-global.laticrete.com/-/media/project/laticrete-international/shared/files/support-and-downloads/technical-datasheets/tds251.pdf COMPLIANCE NOTES: Meets LEED v4.1 Credit "Low Emitting Materials" Emissions and Content Requirements.	ISSUE DATE: 2024-01-09	EXPIRY DATE: 2050-12-31

LCA	Environmental Product Declaration (EPD) by UL	
COMPLIANCE TYPE: Third Party CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: UL Solutions COMPLIANCE DETAILS: COMPLIANCE SCOPE: Product APPLICABLE FACILITIES: Applies to All Facilities. COMPLIANCE URL: https://cdnmdm.laticrete.com/ProductAssets/Objects%20Assets/117.1_Laticrete%20Grout%20MVIS%20Pointing%20Mortar%20MVIS%20Premium%20Pointing%20Mortar_2.pdf COMPLIANCE NOTES: Meets LEED v4.1 Credit "Building Product Disclosure and Optimization-Environmental Product Declarations" requirements as a Product Specific (Type III) EPD.	ISSUE DATE: 2024-04-01	EXPIRY DATE: 2029-03-31

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

WATER AND LATICRETE PERMACOLOR SELECT COLOR KIT
MANUFACTURER (OR GENERIC): LATICRETE
HPD URL: https://cdnmdm.laticrete.com/ProductAssets/Product%20Documents/permacolor-select-color-kit-hpd-la-en.pdf
ACCESSORY TYPE: Colorant System
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: LATICRETE PERMACOLOR Select Base Powder to be mixed with water in which the correct amount of LATICRETE PERMACOLOR Select Color Kit packets have been dissolved and following the mix ratio and directions as stated in the product data sheet.

Section 5: General Notes

LATICRETE® PERMACOLOR® Select Grout meets the Living Building Challenge v4.0 (2022) requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, LATICRETE PERMACOLOR Select Grout does not contain the following: Antimicrobials (marketed with a health claim) •Alkylphenols and related compounds •Asbestos •Bisphenol A (BPA) and structural analogues •California Banned Solvents •Chlorinated Polymers, including Chlorinated polyethylene (CPE), Chlorinated Polyvinyl Chloride (CPVC), Chloroprene (neoprene monomer), Chlorosulfonated polyethylene (CSPE), Polyvinylidene chloride (PVDC), and Polyvinyl Chloride (PVC) •Chlorobenzenes •Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs) •Formaldehyde (added) • Monomeric, polymeric and organo-phosphate halogenated flame retardants (HFRs) •Organotin Compounds •Perfluorinated and Polyfluorinated Alkyl Substances (PFAs) / Perfluorinated Compounds (PFCs) •Phthalates (orthophthalates) •Polychlorinated Biphenyls (PCBs) •Polycyclic Aromatic Hydrocarbons (PAH) •Short-Chain and Medium-Chain Chlorinated Paraffins •Toxic Heavy Metals - Arsenic, Cadmium, Chromium, Lead (added), and Mercury •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. See Section 1 for Volatile Organic Compounds (VOC) (wet applied products) information.

Contains no respirable silica levels that exceed the OSHA action level.

MANUFACTURER INFORMATION

MANUFACTURER: **LATICRETE International**
ADDRESS: **1 Laticrete Park North**
Bethany, CT 06524
COUNTRY: **USA**
LATITUDE: **41.3973000**
LONGITUDE: **-73.0027000**

WEBSITE: **https://laticrete.com**
CONTACT NAME: **Mitch Hawkins**
TITLE: **Director, Customer Experience - Sustainability & Analytics**
PHONE: **203-393-4619**
EMAIL: **wmhawkins@laticrete.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types		
AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold	Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold	Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold	Substances listed individually per threshold indicated per product

Nano	Composed of nano scale particles or nanotechnology
Third Party Verified	Verification by independent certifier approved by HPDC
Preparer	Third party preparer, if not self-prepared by manufacturer
Applicable facilities	Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.