

LATICRETE® Profiles & Trims - Brass
by LATICRETE International

HPD UNIQUE IDENTIFIER: 883830584828928
HPD UNIQUE PRODUCT ID: Not provided.
CLASSIFICATION: 09 30 00 Tiling
PRODUCT TYPE: Accessories (Tile)
Accessories (Carpet)
Accessories (Wood Flooring)

PRODUCT DESCRIPTION: Achieve a classic look with brass profiles. Create bold looks to match brass fixtures, hardware, and more. A good choice for walls and countertops, where you want to create borders, protect the unfinished edge of tiles, and transition between materials all while adding both elegance and functionality to a project.

SCREENING DATE: 2026-03-20
PUBLISHED DATE: 2026-03-23
EXPIRY DATE: 2029-03-20
PREPARER: Self-Prepared

Health Product
Declaration v3.0
created via: HPDC Online Builder

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Residuals/Impurities Evaluation	For all contents above the threshold, the manufacturer has:
→ Nested Materials Method	Completed in 1 of 1 Materials	
Threshold Disclosed Per	Explanation(s) provided for Residuals/Impurities?	Characterized Yes
→ Product	Yes	Provided weight and role. Yes
Threshold Level		Screened Yes
→ 100 ppm		Provided screening results using HPDC-approved methods. Yes
		Identified Yes
		Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

272 BRASS UNS C27200 [COPPER LT-P1] AQU | MAM ZINC LT-UNK | AQU IRON LT-P1 | END]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD covers all LATICRETE Brass Profile & Trim units including Decorative Border Profiles Style 1 (DB1), Transition Profiles - Style 1 (TR1), L-Shape Edging Profiles (LS9), Round Edge Profiles (RO9), and Square Edge Profiles (SQ9). Special Conditions applied: [MetalAlloy].

PFAS DETAILS:

This product does not contain intentionally added PFAS, but it is unknown if PFAS is contained in materials or substances from suppliers.

Attestation:

Mitch Hawkins

2026-03-20

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

COMPLIANCE See Section 3 for additional listings.

VOC emissions: Inherently non-emitting source per LEED

VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4 Option 2.

Pre-checked for LEED v4.1 Option 1.

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: www.hpd-collaborative.org/hpd-3-0-standard

272 BRASS UNS C27200		%: 100.0000		
PRODUCT THRESHOLD: 100 ppm		RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes		MATERIAL TYPE: Metal
RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.				
OTHER MATERIAL NOTES: Material number: CW508L				
COPPER				ID: 7440-50-8
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-03-20 13:14:57	
%: 60.0000 - 65.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1		H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]	
MAM	GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]	
MAM	GHS - Japan		H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Perkins+Will (P+W)		P&W - Precautionary List	
			Precautionary list of substances recommended for avoidance	
RESTRICTED LIST	Green Science Policy Institute (GSPI)		GSPI - Six Classes Precautionary List	
			Antimicrobials	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)		C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025	
			Children's Toy Products	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)		C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025	
			Cosmetics and Personal Care Products	
SUBSTANCE NOTES: This material is a component of the 272 Brass used to manufacture this product.				

ZINC

ID: 7440-66-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-03-20 13:14:57	
%: 32.0000 - 36.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1		
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List		
		Antimicrobials		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025		
		Children's Toy Products		
SUBSTANCE NOTES: This material is a component of the 272 Brass used to manufacture this product.				

IRON

ID: 7439-89-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-03-20 13:14:57	
%: 0.0000 - 0.7000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: This material may be a component of the 272 Brass used to manufacture this product.				

Section 3: Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Inherently non-emitting source per LEED	
COMPLIANCE TYPE: Self-declared CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: None COMPLIANCE DETAILS: COMPLIANCE SCOPE: Product APPLICABLE FACILITIES: Applies to All Facilities. COMPLIANCE URL: https://laticrete.com COMPLIANCE NOTES: Brass is an inherently non-emitting source of VOCs per USGBC LEED.	ISSUE DATE: 2024-08-28	EXPIRY DATE: 2050-12-31
VOC CONTENT	EPA Method 24 - Volatile Matter Content (EPA 24)	
COMPLIANCE TYPE: Self-declared CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: LATICRETE COMPLIANCE DETAILS: COMPLIANCE SCOPE: Product APPLICABLE FACILITIES: Applies to All Facilities. COMPLIANCE URL: https://cdn-global.laticrete.com/-/media/project/laticrete-international/shared/files/support-and-downloads/technical-datasheets/tds251.pdf COMPLIANCE NOTES: Since brass contains no organic matter it effectively contains no VOCs or has any VOC emissions.	ISSUE DATE: 2025-03-31	EXPIRY DATE: 2050-12-31

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

LATICRETE® 254 PLATINUM MANUFACTURER (OR GENERIC): LATICRETE
HPD URL: https://cdnmdm.laticrete.com/ProductAssets/Product%20Documents/254-grey-hpd-la-en.pdf ACCESSORY TYPE: Adhesive CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: LATICRETE® 254 Platinum is an excellent option for use when installing LATICRETE Stainless Steel Profiles & Trims. LATICRETE 254 Platinum to be mixed with water only following mix ratio and directions as stated on product data sheet.

Section 5: General Notes

LATICRETE® Profiles & Trims manufactured using C27200 Brass is available with a natural brass finish. Please refer to information for those specific materials at <https://www.laticrete.com/en/our-products/profiles-and-trims> and selecting the appropriate product datasheets and HPDs.

LATICRETE® Profiles & Trims manufactured using C27200 Brass meet the Living Building Challenge v4.1 (March 2022) requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, LATICRETE 254 Platinum (Grey) does not contain the following: Antimicrobials (marketed with a health claim) •Alkylphenols and related compounds •Asbestos •Bisphenol A (BPA) and structural analogues •California Banned Solvents •Chlorinated Polymers, including Chlorinated polyethylene (CPE), Chlorinated Polyvinyl Chloride (CPVC), Chloroprene (neoprene monomer), Chlorosulfonated polyethylene (CSPE), Polyvinylidene chloride (PVDC), and Polyvinyl Chloride (PVC) •Chlorobenzenes •Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs) •Formaldehyde (added) • Monomeric, polymeric and organo-phosphate halogenated flame retardants (HFRs)

•Organotin Compounds •Perfluorinated and Polyfluorinated Alkyl Substances (PFAs) / Perfluorinated Compounds (PFCs) •Phthalates (orthophthalates)
•Polychlorinated Biphenyls (PCBs) •Polycyclic Aromatic Hydrocarbons (PAH) •Short-Chain and Medium-Chain Chlorinated Paraffins •Toxic Heavy Metals -
Arsenic, Cadmium,Chromium, Lead (added), and Mercury •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. See Section 1 for Volatile
Organic Compounds (VOC) (wet applied products) information.

MANUFACTURER INFORMATION

MANUFACTURER: **LATICRETE International**
ADDRESS: **1 Laticrete Park North**
Bethany, CT 06524
COUNTRY: **United States**
LATITUDE: **41.3973000**
LONGITUDE: **-73.0027000**

WEBSITE: **<https://laticrete.com>**
CONTACT NAME: **Mitch Hawkins**
TITLE: **Director, Customer Experience - Sustainability & Analytics**
PHONE: **203.927.1060**
EMAIL: **wmhawkins@laticrete.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

