

Euco MC
by Stoncor Middle East LLC

HPD UNIQUE IDENTIFIER: 1383386112
HPD UNIQUE PRODUCT ID: AE-1680-25KG
CLASSIFICATION: 03 53 00 Concrete Topping
PRODUCT TYPE: Cementitious Concretes
PRODUCT DESCRIPTION: EUCO MC micro concrete is a high strength, shrinkage compensated, free flowing micro concrete formulation for structural concrete repairs & deeper grout applications. EUCO MC is suitable for placing thicknesses of 20mm to 200 mm. EUCO MC provides durable, strong structural repair fully compatible with host concrete.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format → Basic Method	Residuals/Impurities Evaluation → Completed	For all contents above the threshold, the manufacturer has:
Threshold Disclosed Per → Product	Explanation(s) provided : Yes	Characterized Provided weight and role. Yes
Threshold Level → 1,000 ppm		Screened Provided screening results using HPDC-approved methods. Yes
		Identified Provided name and CAS RN or other identifier. No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.	Number of Greenscreen BM-4/BM3 contents ... 0 Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1, LT-P1 Nanomaterial ... No
PRODUCT MATERIAL OR SUBSTANCE RESIDUAL OR IMPURITY GREENSCREEN SCORE HAZARD TYPE EUCO MC PORTLAND CEMENT UNK CAN END MAM EYE SKI QUARTZ BM-1 CAN MAM GEN UNDISCLOSED LT-P1 CAN MAM UNDISCLOSED NoGS UNDISCLOSED LT-UNK ETHYLENEVINYLACETATE COPOLYMER LT-UNK HYDROXYETHYL CELLULOSE (PRIMARY CASRN IS 9004-62-0) LT-P1 END]	INVENTORY AND SCREENING NOTES: HPD generated as basic inventory

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): < 1 g/L Does the product contain exempt VOCs: No Are colorants available that do not increase the VOC content of the base paint when tinted: N/A	Regulatory (g/l): < 140 g/L COMPLIANCE See Section 3 for additional listings. VOC emissions: Inherently non-emitting source per LEED VOC content: MAS Certified Green - VOC Content CONSISTENCY WITH OTHER PROGRAMS Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.
--	---

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: www.hpd-collaborative.org/hpd-3-0-standard

EUCO MC

PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes
RESIDUALS AND IMPURITIES NOTES: The product is estimated to have no residuals or impurities over 1000 ppm based on raw material supplier information.	
OTHER PRODUCT NOTES: -	

PORTLAND CEMENT				ID: 65997-15-1
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-03-26 22:38:03	
%: 25.0000 - 50.0000	GreenScreen: UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]		
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]		
SKI	GHS - Japan	H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: The percentage of the substance used is provided as a range to protect proprietary information. The component's CAS number was used to identify associated hazards.				

QUARTZ				ID: 14808-60-7
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-03-26 22:38:04		
%: 30.0000 - 45.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Filler

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
CAN	GHS - New Zealand	Carcinogenicity category 1
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The percentage of the substance used is provided as a range to protect proprietary information. The component's CAS number was used to identify associated hazards.

UNDISCLOSED		ID: Undisclosed	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-03-26 22:38:04	
%: 10.0000 - 15.0000	GreenScreen: LT-P1	RC: None	NANO: No
SUBSTANCE ROLE: Filler			

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The percentage of the substance used is provided as a range to protect proprietary information. The component's CAS number was used to identify associated hazards.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-03-26 22:38:05	
%: 1.0000 - 2.5000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Reducing agent
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: The percentage of the substance used is provided as a range to protect proprietary information. The component's CAS number was used to identify associated hazards.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-03-26 22:38:05	
%: 1.0000 - 2.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Plasticizer
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: The percentage of the substance used is provided as a range to protect proprietary information. The component's CAS number was used to identify associated hazards.

ETHYLENEVINYLACETATE COPOLYMER

ID: 24937-78-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2026-03-26 22:38:03

%: 0.5000 - 1.0000

GreenScreen: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Polymer species

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The percentage of the substance used is provided as a range to protect proprietary information. The component's CAS number was used to identify associated hazards.

HYDROXYETHYL CELLULOSE (PRIMARY CASRN IS 9004-62-0)

ID: 1613317-73-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2026-03-26 22:38:04

%: 0.5000 - 1.0000

GreenScreen: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Viscosity modifier

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The percentage of the substance used is provided as a range to protect proprietary information. The component's CAS number was used to identify associated hazards.

Section 3: Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Inherently non-emitting source per LEED	
COMPLIANCE TYPE: Self-declaration CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: None COMPLIANCE DETAILS: COMPLIANCE SCOPE: Product APPLICABLE FACILITIES: Stoncor Middle East LLC, Dubai & Umm Al Quwain, UAE COMPLIANCE URL: COMPLIANCE NOTES:	ISSUE DATE: 2026-02-18	EXPIRY DATE: No expiration
VOC CONTENT	MAS Certified Green - VOC Content	
COMPLIANCE TYPE: Self-declaration CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: Self Declaration COMPLIANCE DETAILS: COMPLIANCE SCOPE: Product APPLICABLE FACILITIES: Stoncor Middle East LLC, Dubai & Umm Al Quwain, UAE COMPLIANCE URL: COMPLIANCE NOTES:	ISSUE DATE: 2026-03-27	EXPIRY DATE: 2027-03-27

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

EUCO MC is the ideal repair material for vertical or horizontal structural repairs where the thickness of repair is greater than 20mm and use of pourable material is preferable to hand or machine applied repair systems

- Extensive repairs to beams, columns and other structural elements
- Repairs to bridges, tunnels, garages, silos etc.
- Jacketing of beams, columns and other structural elements for strengthening.
- Ideal for re-profiling of concrete piles to level prior to pile head treatment
- Bridges, multi-unit residential, Loading docks, Highways & Roads, Warehouse, Industrial pavements, Parking decks and ramps
- Vertical & overhead pour applications using formwork
- Industrial/ commercial/ institutional floors
- Repairs to piers, navigation locks, dams, seawalls, and other marine structures

MANUFACTURER INFORMATION

MANUFACTURER: **Stoncor Middle East LLC**
ADDRESS: **Al Qouz Industrial Area 3**
Al Qouz Industrial Area 3
Dubai, Dubai 3034
COUNTRY: **United Arab Emirates**

WEBSITE: **www.stoncor-me.com**
CONTACT NAME: **Sridhar Rajaji**
TITLE: **Research & Development Manager**
PHONE: **43470460**
EMAIL: **sridhar.rajaji@stoncor-me.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold	Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold	Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold	Substances listed individually per threshold indicated per product

Nano	Composed of nano scale particles or nanotechnology
Third Party Verified	Verification by independent certifier approved by HPDC
Preparer	Third party preparer, if not self-prepared by manufacturer
Applicable facilities	Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.