

Vetonit Putty WR, Vetonit Finish WR & WR EG,
Vetonit Base WR & WR EG, Vetotouch Serene,
Vetotouch Europa

by Saudi Vetonit Co.Ltd

HPD UNIQUE IDENTIFIER: 1323049984
HPD UNIQUE PRODUCT ID: Not provided.
CLASSIFICATION: 09 70 00 Wall Finishes

PRODUCT DESCRIPTION: Vetonit Putty WR is composed of white cement, fine fillers, bonding chemicals, and high-performance additives. It is supplied as a dry powder in pre-weighed bags ready to use on-site. It only requires the addition of clean water to produce a cohesive mix. Vetonit Putty WR is a high-quality product applied as a thin underlayment to repair undulations. It provides a very smooth surface finish that is ideal for subsequent application of paint and decorative coatings. Vetonit Putty WR can be applied generally in thickness from 1mm to 3mm. Vetonit Finish WR, Vetonit Finish WR EG and Vetotouch Serene area cement-based smooth finishing coat composed of hydraulic binders, selected aggregates, and special additives. It is supplied as a dry powder in pre-weighed bags ready to use on-site, as it requires only the addition of clean water to produce a material that is easy to work with. they are high-quality products for multipurpose use. they can be applied in thickness from 1mm to 3mm. they are available in two standard colors white, Grey & Saveto standard colors. Vetonit Base WR, Vetonit Base WR EG and Vetotouch Europa are cement-based coating composed of hydraulic binders, selected aggregates, and special additives. It is supplied as a dry powder in pre-weighed bags ready to use on-site, which required only the addition of clean water to produce easily workable mortar. they are high-quality product for multipurpose use. they can be applied in thickness from 1 mm to 5 mm, in one or two layers depending on the on-site requirement. they are available in two standard colors white, Grey & Saveto standard colors.

SCREENING DATE: 2026-04-02
PUBLISHED DATE: 2026-04-02
EXPIRY DATE: 2029-04-02
PREPARER: Self-Prepared

Health Product Declaration v3.0
created via: HPDC Online Builder

Section 1: SummaryNested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format → Nested Materials Method	Residuals/Impurities Evaluation Not Completed	For all contents above the threshold, the manufacturer has:
Threshold Disclosed Per → Product	Explanation(s) provided for Residuals/Impurities? Yes	Characterized Provided weight and role. Yes
Threshold Level → 1,000 ppm		Screened Provided screening results using HPDC-approved methods. Yes
		Identified Provided name and CAS RN or other identifier. Yes

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

Nested Material | Material or Substance | Residual or Impurity
Greenscreen Score | Hazard Type
Vetonit Putty WR, Vetonit Finish WR, Vetonit Base WR, Vetonit Finish WR EG, Vetonit Base WR EG, Vetotouch Serene and Vetotouch Europa [Limestone BM-3dg
Portland Cement LT-P1] CAN | END | MAM | EYE | SKI
EthyleneVinylAcetate Copolymer LT-UNKHydroxypropyl MethylCellulose LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 1
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 3.0 and discloses hazards associated with all substances present at or above 1000 parts per million (ppm) in the finished product, along with the role and percent weight. Therefore, this HPD is consistent with the LEED v4.1 MR Credit Building Product Disclosure and Optimization: Material Ingredient Reporting (Option 1).

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

COMPLIANCE See Section 3 for additional listings.
VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario
VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario
VOC emissions: Emicode EC1 PLUS- very low emission
VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

CONSISTENCY WITH OTHER PROGRAMS

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: www.hpd-collaborative.org/hpd-3-0-standard

VETONIT PUTTY WR, VETONIT FINISH WR, VETONIT BASE WR, VETONIT FINISH WR EG, VETONIT BASE WR EG, VETOTOUCH SERENE AND VETOTOUCH EUROPA %: 100.0000

PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No	MATERIAL TYPE: Other: Cementitious Finishing and Cosmatic Products
RESIDUALS AND IMPURITIES NOTES: No Residuals and Impurities Notes		
OTHER MATERIAL NOTES:		

LIMESTONE ID: 1317-65-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-04-02 0:31:51		
%: 60.0000 - 70.0000	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Filler	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES:					

PORTLAND CEMENT ID: 65997-15-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-04-02 0:31:51		
%: 25.0000 - 35.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Binder	

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Japan	H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

ETHYLENEVINYLACETATE COPOLYMER

ID: 24937-78-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-04-02 0:31:52	
%: 0.0000 - 3.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES:				

HYDROXYPROPYL METHYLCELLULOSE

ID: 9004-65-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-04-02 0:31:52		
%: 0.0000 - 0.6000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		



Section 3: Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario	
COMPLIANCE TYPE: Self-declaration CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: Middle Esat Testing Services COMPLIANCE DETAILS: COMPLIANCE SCOPE: APPLICABLE FACILITIES: Saudi Arabia COMPLIANCE URL: COMPLIANCE NOTES: This certification applies to Vetotouch Europa and Vetonit Base WR EG Volatile Organic Compound (VOC) less than 1 g/L (ASTM D3960-05)	ISSUE DATE: 2022-05-16	EXPIRY DATE: No expiration
VOC EMISSIONS	CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario	
COMPLIANCE TYPE: Self-declaration CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: Middle East Testing Services LLC COMPLIANCE DETAILS: COMPLIANCE SCOPE: APPLICABLE FACILITIES: Saudi Arabia COMPLIANCE URL: COMPLIANCE NOTES: This certification applies to Vetonit Finish WR & Vetonit Finish WR EG& Vetotouch Serene Volatile Organic Compound (VOC) less than 1 g/L	ISSUE DATE: 2023-04-02	EXPIRY DATE: No expiration
VOC EMISSIONS	Emicode EC1 PLUS- very low emission	
COMPLIANCE TYPE: Self-declaration CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: MPA Eberswalde , Wimpey Laboratories LLC COMPLIANCE DETAILS: COMPLIANCE SCOPE: APPLICABLE FACILITIES: All COMPLIANCE URL: COMPLIANCE NOTES: this for Vetonit Putty WR EMICODE Certificate No 21340/01.08.25	ISSUE DATE: 2025-08-01	EXPIRY DATE: 2030-08-06
VOC CONTENT	SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments	
COMPLIANCE TYPE: Self-declaration CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: Wimpey Laboratories LLC COMPLIANCE DETAILS: COMPLIANCE SCOPE: APPLICABLE FACILITIES: All COMPLIANCE URL: COMPLIANCE NOTES: this for the Vetonit Base WR VOC content As per SCAQMD Rule 1113 less than 1 g/l VOC Content as per the ASTM D3960 less than 1 g/l	ISSUE DATE: 2025-06-18	EXPIRY DATE: No expiration
LCA	Environmental Product Declaration (EPD) by the Green Standard	

 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

 Section 5: General Notes

The original sealed bags of all products have a shelf life of 12 months, provided it is stored clear of ground in a dry, shaded place below 35°C. they are highly alkaline; therefore, avoid direct contact with the eyes or skin. It is recommended to use protective gloves and goggles during the application. Wash any skin contact with soap & water. In case of eye irritation, immediately wash with a copious amount of clean cold water. Seek medical advice. all are non-flammable.

the products might be supplied with different colors as per the demand

Vetonit Putty WR , Vetonit Finish WR and Vetonit Base WR mainly for internal use

Vetonit Finsh WR EG , Vetonit Base WR EG, Vetotouch Serene and Vetotouch Europa for internal and external use

MANUFACTURER INFORMATION

MANUFACTURER: **Saudi Vetonit Co.Ltd**
ADDRESS: **P.O. Boc 52235**
Riyadh, - 11563
COUNTRY: **Saudi Arabia**

WEBSITE: **www.saveto.com**
CONTACT NAME: **Mr. Majid R Al Momani**
TITLE: **Research & Development Manager**
PHONE: **+966 11 265 3334**
EMAIL: **mmomani@saveto.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.