

Thermal Insulation - Vetotherm Flex, Vetotherm Ultra, Vetotherm Fix

by Saudi Vetonit Co.Ltd

HPD UNIQUE IDENTIFIER: 6173531019264

HPD UNIQUE PRODUCT ID: Not provided.

CLASSIFICATION: 07 21 00 Thermal Insulation

PRODUCT DESCRIPTION: Vetotherm Flex & Vetotherm Ultra is a polymer-modified deformable cementitious adhesive specially designed for the permanent fixing of thermal insulation boards to a wide range of substrates, including concrete and masonry. they also designed for use as a protective mortar that provides a durable layer for insulation boards suitable for several decorative finishes. etotherm Fix is a professional grade cement based adhesive designed to adhere and fix heat insulation boards mainly expanded polystyrene EPS, extruded polystyrene XPS and rockwool . Vetotherm Fix is composed of a blend of cement, carefully selected aggregates, special additives, and polymers. Vetotherm fix can be used on different types of substrates like CMUs and old / new concrete.

SCREENING DATE: 2026-04-05

PUBLISHED DATE: 2026-04-05

EXPIRY DATE: 2029-04-05

PREPARER: Self-Prepared

Health Product Declaration v3.0

created via: HPDC Online Builder

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

|                            |                                                   |                                                             |
|----------------------------|---------------------------------------------------|-------------------------------------------------------------|
| Inventory Reporting Format | Residuals/Impurities Evaluation                   | For all contents above the threshold, the manufacturer has: |
| → Nested Materials Method  | Not Completed                                     |                                                             |
| Threshold Disclosed Per    | Explanation(s) provided for Residuals/Impurities? | Characterized Yes                                           |
| → Product                  | Yes                                               | Provided weight and role.                                   |
| Threshold Level            |                                                   | Screened Yes                                                |
| → 1,000 ppm                |                                                   | Provided screening results using HPDC-approved methods.     |
|                            |                                                   | Identified No                                               |
|                            |                                                   | Provided name and CAS RN or other identifier.               |

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

VETOTHERM FLEX [ LIMESTONE BM-3dg PORTLAND CEMENT LT-P1 ] CAN | END | MAM | EYE | SKI UNDISCLOSED LT-UNK

METHYLCELLULOSE LT-UNK

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 3.0 and discloses hazards associated with all substances present at or above 1000 parts per million (ppm) in the finished product, along with the role and percent weight. Therefore, this HPD is consistent with the LEED v4.1 MR Credit Building Product Disclosure and Optimization: Material Ingredient Reporting (Option 1).

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

LCA: Environmental Product Declaration (EPD) by the Green Standard

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4.1 Option 1.

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: [www.hpd-collaborative.org/hpd-3-0-standard](http://www.hpd-collaborative.org/hpd-3-0-standard)

VETOTHERM FLEX

?: 100.0000

|                                                                   |                                                      |                                                                   |
|-------------------------------------------------------------------|------------------------------------------------------|-------------------------------------------------------------------|
| PRODUCT THRESHOLD:<br>1000 ppm                                    | RESIDUALS AND IMPURITIES EVALUATION<br>COMPLETED: No | MATERIAL TYPE: Other: cementitious adhesive for ETICS<br>and EFIS |
| RESIDUALS AND IMPURITIES NOTES: No Residuals and Impurities Notes |                                                      |                                                                   |
| OTHER MATERIAL NOTES:                                             |                                                      |                                                                   |

LIMESTONE

ID: 1317-65-3

|                                                                  |                            |                                                |                                                  |                               |
|------------------------------------------------------------------|----------------------------|------------------------------------------------|--------------------------------------------------|-------------------------------|
| HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b> |                            |                                                | HAZARD SCREENING DATE: <b>2026-04-05 5:00:27</b> |                               |
| ?: <b>60.0000 - 80.0000</b>                                      | GreenScreen: <b>BM-3dg</b> | RC: <b>None</b>                                | NANO: <b>No</b>                                  | SUBSTANCE ROLE: <b>Filler</b> |
| HAZARD TYPE                                                      | LIST NAME AND SOURCE       | WARNINGS                                       |                                                  |                               |
| None found                                                       |                            | No warnings found on HPD Priority Hazard Lists |                                                  |                               |
| ADDITIONAL LISTINGS                                              | LIST NAME AND SOURCE       | NOTIFICATION                                   |                                                  |                               |
| None found                                                       |                            | No listings found on Additional Hazard Lists   |                                                  |                               |
| SUBSTANCE NOTES:                                                 |                            |                                                |                                                  |                               |

PORTLAND CEMENT

ID: 65997-15-1

|                                                           |                                       |                                                                                                                                                           |          |                        |
|-----------------------------------------------------------|---------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------------------|
| HAZARD DATA SOURCE: Pharos Chemical and Materials Library |                                       | HAZARD SCREENING DATE: 2026-04-05 5:00:28                                                                                                                 |          |                        |
| ?: 20.0000 - 35.0000                                      | GreenScreen: LT-P1                    | RC: None                                                                                                                                                  | NANO: No | SUBSTANCE ROLE: Binder |
| HAZARD TYPE                                               | LIST NAME AND SOURCE                  | WARNINGS                                                                                                                                                  |          |                        |
| CAN                                                       | MAK                                   | Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification                                                              |          |                        |
| END                                                       | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor                                                                                                                             |          |                        |
| MAM                                                       | GHS - Japan                           | H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]                                                   |          |                        |
| MAM                                                       | GHS - Japan                           | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |          |                        |
| EYE                                                       | GHS - Japan                           | H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]                                                                       |          |                        |
| SKI                                                       | GHS - Japan                           | H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]                                                                 |          |                        |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION                                 |
|---------------------|----------------------|----------------------------------------------|
| None found          |                      | No listings found on Additional Hazard Lists |
| SUBSTANCE NOTES:    |                      |                                              |

UNDISCLOSED

ID: **Undisclosed**

|                                                                  |                            |                                                |                                                  |                                            |
|------------------------------------------------------------------|----------------------------|------------------------------------------------|--------------------------------------------------|--------------------------------------------|
| HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b> |                            |                                                | HAZARD SCREENING DATE: <b>2026-04-05 5:00:28</b> |                                            |
| %: <b>0.0000 - 5.0000</b>                                        | GreenScreen: <b>LT-UNK</b> | RC: <b>None</b>                                | NANO: <b>No</b>                                  | SUBSTANCE ROLE: <b>Structure component</b> |
| HAZARD TYPE                                                      | LIST NAME AND SOURCE       | WARNINGS                                       |                                                  |                                            |
| None found                                                       |                            | No warnings found on HPD Priority Hazard Lists |                                                  |                                            |
| ADDITIONAL LISTINGS                                              | LIST NAME AND SOURCE       | NOTIFICATION                                   |                                                  |                                            |
| None found                                                       |                            | No listings found on Additional Hazard Lists   |                                                  |                                            |
| SUBSTANCE NOTES: adhesion and water resistant enhancer           |                            |                                                |                                                  |                                            |

METHYLCELLULOSE

ID: **9004-67-5**

|                                                                  |                                                |                 |                                                  |                                           |
|------------------------------------------------------------------|------------------------------------------------|-----------------|--------------------------------------------------|-------------------------------------------|
| HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b> |                                                |                 | HAZARD SCREENING DATE: <b>2026-04-05 5:00:29</b> |                                           |
| %: <b>0.0000 - 0.6000</b>                                        | GreenScreen: <b>LT-UNK</b>                     | RC: <b>None</b> | NANO: <b>No</b>                                  | SUBSTANCE ROLE: <b>Viscosity modifier</b> |
| HAZARD TYPE                                                      | LIST NAME AND SOURCE                           | WARNINGS        |                                                  |                                           |
| None found                                                       | No warnings found on HPD Priority Hazard Lists |                 |                                                  |                                           |
| ADDITIONAL LISTINGS                                              | LIST NAME AND SOURCE                           | NOTIFICATION    |                                                  |                                           |
| None found                                                       | No listings found on Additional Hazard Lists   |                 |                                                  |                                           |
| SUBSTANCE NOTES:                                                 |                                                |                 |                                                  |                                           |

## Section 3: Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

| VOC EMISSIONS                                                                                                                                                                                                                                                                                                                                  | CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario |                                   |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|-----------------------------------|
| <b>COMPLIANCE TYPE:</b> Third Party<br><b>CERTIFIER/VERIFIER/TESTING LAB/AUDITOR:</b> Al Jazzar<br>Omar Jazzar Consulting Engineers<br><b>COMPLIANCE DETAILS:</b><br><b>COMPLIANCE SCOPE:</b><br><b>APPLICABLE FACILITIES:</b> Saudi Arabia<br><b>COMPLIANCE URL:</b><br><b>COMPLIANCE NOTES:</b> Volatile Organic Compound (VOC)<br>- 4.8 g/L | <b>ISSUE DATE:</b> 2021-11-15                                                | <b>EXPIRY DATE:</b> No expiration |

| LCA                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Environmental Product Declaration (EPD) by the Green Standard |                                |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|--------------------------------|
| <b>COMPLIANCE TYPE:</b> Third Party<br><b>CERTIFIER/VERIFIER/TESTING LAB/AUDITOR:</b><br>Environmental Footprint Institute<br><b>COMPLIANCE DETAILS:</b><br><b>COMPLIANCE SCOPE:</b><br><b>APPLICABLE FACILITIES:</b> Saudi Arabia<br><b>COMPLIANCE URL:</b><br><b>COMPLIANCE NOTES:</b> Environmental Product Declaration<br>has been developed by GCAS Quality Certifications and<br>verified by a third-party verifier at Environmental Footprint<br>Institute, Spain. | <b>ISSUE DATE:</b> 2023-05-30                                 | <b>EXPIRY DATE:</b> 2028-05-30 |

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

The original sealed products have a shelf life of 12 months, provided to store clear ground in a dry, shaded place below 35°C. the products are highly alkaline; therefore, avoid direct contact with eyes or skin. It is recommended to use protective gloves and goggles during application. Wash any skin contact with soap & water. In case of eye irritation, immediately wash with a copious amount of clean cold water. Seek medical advice. the products are non-flammable.

## MANUFACTURER INFORMATION

MANUFACTURER: **Saudi Vetonit Co.Ltd**  
ADDRESS: **P.O. Box 52235**  
**Riyadh, - 11563**  
COUNTRY: **Saudi Arabia**

WEBSITE: **www.saveto.com**  
CONTACT NAME: **Mr. Majid R. Al Momani**  
TITLE: **Research & Development Manager**  
PHONE: **+966 11 265 3334**  
EMAIL: **mmomani@saveto.com**

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

## KEY

### Hazard Types

|                                       |                                                   |                                                      |
|---------------------------------------|---------------------------------------------------|------------------------------------------------------|
| <b>AQU</b> Aquatic toxicity           | <b>LAN</b> Land toxicity                          | <b>PHY</b> Physical hazard (flammable or reactive)   |
| <b>CAN</b> Cancer                     | <b>MAM</b> Mammalian/systemic/organ toxicity      | <b>REP</b> Reproductive                              |
| <b>DEV</b> Developmental toxicity     | <b>MUL</b> Multiple                               | <b>RES</b> Respiratory sensitization                 |
| <b>END</b> Endocrine activity         | <b>NEU</b> Neurotoxicity                          | <b>SKI</b> Skin sensitization/irritation/corrosivity |
| <b>EYE</b> Eye irritation/corrosivity | <b>NF</b> Not found on Priority Hazard Lists      | <b>UNK</b> Unknown                                   |
| <b>GEN</b> Gene mutation              | <b>OZO</b> Ozone depletion                        |                                                      |
| <b>GLO</b> Global warming             | <b>PBT</b> Persistent, bioaccumulative, and toxic |                                                      |

### GreenScreen (GS)

|                                                                     |                                                                |
|---------------------------------------------------------------------|----------------------------------------------------------------|
| <b>BM-4</b> Benchmark 4 (prefer-safer chemical)                     | <b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1) |
| <b>BM-3</b> Benchmark 3 (use but still opportunity for improvement) | <b>LT-1</b> List Translator 1 (Likely Benchmark-1)             |
| <b>BM-2</b> Benchmark 2 (use but search for safer substitutes)      | <b>LT-UNK</b> List Translator Benchmark Unknown                |
| <b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)          | <b>NoGS</b> No GreenScreen.                                    |
| <b>BM-U</b> Benchmark Unspecified (due to insufficient data)        |                                                                |

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

### Recycled Types

|                                                     |
|-----------------------------------------------------|
| <b>PreC</b> Pre-consumer recycled content           |
| <b>PostC</b> Post-consumer recycled content         |
| <b>UNK</b> Inclusion of recycled content is unknown |
| <b>None</b> Does not include recycled content       |

### Other Terms:

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Inventory Methods:

|                                           |                                                                             |
|-------------------------------------------|-----------------------------------------------------------------------------|
| <b>Nested Method / Material Threshold</b> | Substances listed within each material per threshold indicated per material |
| <b>Nested Method / Product Threshold</b>  | Substances listed within each material per threshold indicated per product  |
| <b>Basic Method / Product Threshold</b>   | Substances listed individually per threshold indicated per product          |

|                              |                                                            |
|------------------------------|------------------------------------------------------------|
| <b>Nano</b>                  | Composed of nano scale particles or nanotechnology         |
| <b>Third Party Verified</b>  | Verification by independent certifier approved by HPDC     |
| <b>Preparer</b>              | Third party preparer, if not self-prepared by manufacturer |
| <b>Applicable facilities</b> | Manufacturing sites to which testing applies               |

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:*

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*