

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format ☐ Nested Materials Method ☒ Basic Method	Threshold level ☐ 100 ppm ☐ 1,000 ppm ☐ Per GHS SDS ☐ Per OSHA MSDS ☒ Other	Residuals/Impurities ☐ Considered ☐ Partially Considered ☒ Not Considered Explanation(s) provided for Residuals/Impurities? ☒ Yes ☐ No	<i>Are All Substances Above the Threshold Indicated:</i> Characterized <i>Percent Weight and Role Provided?</i> ☒ Yes ☐ No Screened <i>Using Priority Hazard Lists with Results Disclosed?</i> ☒ Yes ☐ No Identified <i>Name and Identifier Provided?</i> ☒ Yes ☐ No
---	--	--	--

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

100%NYLON SOLUTION DYED MACHINED TUFTED WITH ECOSQUARE BACKING [LIMESTONE; CALCIUM CARBONATE (POST-CONSUMER) (LIMESTONE; CALCIUM CARBONATE (POST-CONSUMER)) LT-UNK POLYVINYL CHLORIDE (PVC) (POLYVINYL CHLORIDE (PVC)) LT-P1 | RES DIISONONYL PHTHALATE (DINP-2 OR DINP-3, MIXTURE OF ISOMERS AS MANUFACTURED) (DIISONONYL PHTHALATE (DINP-2 OR DINP-3, MIXTURE OF ISOMERS AS MANUFACTURED)) BM-1 | CAN | END | DEL | MUL | REP POLYETHYLENE TEREPHTHALATE (PET) (POST-CONSUMER RECYCLED) (POLYETHYLENE TEREPHTHALATE (PET) (POST-CONSUMER RECYCLED)) LT-UNK ETHYLENE VINYL ACETATE POLYMER (EVA) (ETHYLENE VINYL ACETATE POLYMER (EVA)) LT-UNK SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS) (SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS)) LT-UNK | CAN NYLON 6 (WITH STAIN RESISTANCE) (NYLON 6 (WITH STAIN RESISTANCE)) LT-UNK NYLON 6,6 (WITH STAIN RESISTANCE) (NYLON 6,6 (WITH STAIN RESISTANCE)) LT-UNK]

Number of Greenscreen BM-4/BM3 contents..... 0
Contents highest concern GreenScreen
Benchmark or List translator Score..... BM-1
Nanomaterial..... No

INVENTORY AND SCREENING NOTES:

As included in the finish of product, none of materials identified with " Hazard Type".

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CRI Green Label Plus - Carpets
Multi-attribute: SGLS Singapore Green Labelling Scheme

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed

Third Party Verified? ☐ Yes ☒ No	PREPARER: Self-Prepared VERIFIER: VERIFICATION #:	SCREENING DATE: 2017-10-25 PUBLISHED DATE: 2017-10-25 EXPIRY DATE: 2020-10-25
---	---	---

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

100%NYLON SOLUTION DYED MACHINED TUFTED WITH ECOSQUARE BACKING

PRODUCT THRESHOLD: OtherRESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: As included in the finished product, none of the materials identified with a "Hazard Type"

OTHER PRODUCT NOTES: VOC content data is not applicable for this product category.

LIMESTONE; CALCIUM CARBONATE (POST-CONSUMER) (LIMESTONE; CALCIUM CARBONATE (POST-CONSUMER))ID: 1317-65-3

%: 45.0000 - 54.0000	GS: LT-UNK	RC: PreC	NANO: No	ROLE: Backing
HAZARDS:	AGENCY (IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			
SUBSTANCE NOTES: Filler in EcoSquare bacing				

POLYVINYL CHLORIDE (PVC) (POLYVINYL CHLORIDE (PVC))ID: 9002-86-2

%: 11.0000 - 13.6000	GS: LT-P1	RC: None	NANO: No	ROLE: Backing
HAZARDS:	AGENCY (IES) WITH WARNINGS:			
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		
SUBSTANCE NOTES: EcoSquare backing				

DIISONONYL PHTHALATE (DINP-2 OR DINP-3, MIXTURE OF ISOMERS AS MANUFACTURED) (DIISONONYL PHTHALATE (DINP-2 OR DINP-3, MIXTURE OF ISOMERS AS MANUFACTURED))ID: 28553-12-0

%: 11.0000 - 15.6000	GS: BM-1	RC: None	NANO: No	ROLE: Backing
HAZARDS:	AGENCY (IES) WITH WARNINGS:			
CANCER	CA EPA - Prop 65	Carcinogen		
ENDOCRINE	EU - Priority Endocrine Disrupters	Category 2 - In vitro evidence of biological activity related to Endocrine Disruption		
DEVELOPMENTAL	US NIH - Reproductive & Developmental Monographs	Some Evidence of Adverse Effects - Developmental Toxicity		

RESTRICTED LIST	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - Action Plan in development
ENDOCRINE	ChemSec - SIN List	Endocrine Disruption
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
REPRODUCTIVE	US EPA - PPT Chemical Action Plans	Reproductive effects

SUBSTANCE NOTES: EcoSquare backing

POLYETHYLENE TEREPHTHALATE (PET) (POST-CONSUMER RECYCLED) (POLYETHYLENE TEREPHTHALATE (PET) (POST-CONSUMER RECYCLED))

ID: **25038-59-9**

%: 2.5000 - 3.0000		GS: LT-UNK	RC: Both	NANO: No	ROLE: Backing
HAZARDS:		AGENCY(IES) WITH WARNINGS:			
None Found		No warnings found on HPD Priority lists			
SUBSTANCE NOTES: Primary backing					

ETHYLENE VINYL ACETATE POLYMER (EVA) (ETHYLENE VINYL ACETATE POLYMER (EVA))

ID: **24937-78-8**

%: 2.0000 - 3.0000 GS: LT-UNK RC: None NANO: No ROLE: Backing	
HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists
SUBSTANCE NOTES: Adhesive	

SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS) (SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS))

ID: **65997-17-3**

%: 1.4000 - 1.6000		GS: LT-UNK		RC: None	NANO: No	ROLE: Backing
HAZARDS:		AGENCY(IES) WITH WARNINGS:				
CANCER	EU - R-phrases	R40 - Limited Evidence of Carcinogenic Effects				
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer				
SUBSTANCE NOTES: Reinforcement in EcoSquare backing						

NYLON 6 (WITH STAIN RESISTANCE) (NYLON 6 (WITH STAIN RESISTANCE))

ID: **25038-54-4**

%: 0.0000 - 26.0000	GS: LT-UNK	RC: None	NANO: No	ROLE: Yarn
----------------------------	-------------------	-----------------	-----------------	-------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Face yarn

NYLON 6,6 (WITH STAIN RESISTANCE) (NYLON 6,6 (WITH STAIN RESISTANCE))ID: **32131-17-2**%: **0.0000 - 26.0000**GS: **LT-UNK**RC: **None**NANO: **No**ROLE: **Yarn**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Face yarn

 Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS**CRI Green Label Plus - Carpets**

CERTIFYING PARTY: Third Party

ISSUE DATE: 2010-01-18

EXPIRY DATE: 2018-09-30

CERTIFIER OR LAB: CRI - The Carpet and Rug Institute

APPLICABLE FACILITIES: Predyed Nylon with PVC Backing

CERTIFICATE URL: <http://webservices.carpet-rug.org/web/api/glpCertificate/export?url=%2F%2Fwww1.carpet-rug.org%2FGreen-Label-Plus%2FGLP-Certificate.aspx%3Fapi%3DglpCarpet%26seqn%3D493>CERTIFICATION AND COMPLIANCE NOTES: Range Of Total VOCs: 0.5 mg/m³ or less**MULTI-ATTRIBUTE****SGLS Singapore Green Labelling Scheme**

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2017-05-17

EXPIRY DATE: 2018-05-16

CERTIFIER OR LAB: Singapore Environment Council

APPLICABLE FACILITIES: Environmentally Preferred Carpet

CERTIFICATE URL: https://www.sgls.sec.org.sg/sgl-directory.php?search_w=&pc_id=39&pos=1

CERTIFICATION AND COMPLIANCE NOTES: All styles and colors of Nylon Solution Dyed Machined Tufted with EcoSquare backing.

 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

Section 5: General Notes

As included in the finished product , none of materials identified with "Hazard Type"

Section 6: References

MANUFACTURER INFORMATION

MANUFACTURER: Carpets International Thailand Public Company Limited
ADDRESS: 80 Moo.1 Patumthani- Bangbuathong Rd, Tambol Bangkoowat
Muang Patumthani 12000, Thailand
WEBSITE: 80 Moo.1 Patumthani- Bangbuathong Rd,, Tambol Bangkoowat

CONTACT NAME: Narupat Kuptiyanuwat
TITLE: Asst R&D Mgr
PHONE: 29760123
EMAIL: narupat@carpetsinter.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming	PHY Physical Hazard (reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive toxicity
DEV Developmental toxicity	MUL Multiple hazards	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	OZO Ozone depletion	LAN Land Toxicity
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic	NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible Benchmark 1
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator Likely Benchmark 1
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS Unknown (no data on List Translator Lists)
BM-U Benchmark Unspecified (insufficient data to benchmark)	

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Inventory Methods:

- Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material
- Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product
- Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

- Nano** Composed of nano scale particles or nanotechnology
- Third Party Verified** Verification by independent certifier approved by HPDC
- Preparer** Third party preparer, if not self-prepared by manufacturer
- Applicable facilities** Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.