

Momentum
by TK Elevator

HPD UNIQUE IDENTIFIER: 4527672606720
HPD UNIQUE PRODUCT ID: Not provided.
CLASSIFICATION: 14 20 00 Elevators

PRODUCT DESCRIPTION: Every day, high-rise buildings achieve new levels of sophistication, design and complexity. To match growing demands and expectations, you need an elevator that adapts to your vision as quickly as it moves passengers. This is possible with momentum. Our most advanced elevator, momentum combines cutting-edge technology with the creativity of TK Elevator’s most experienced engineers. The result is a high-rise elevator that moves with precision and speed, while remaining energy-efficient, reliable and safe. Manufacturing for this system takes place in Middleton, TN.

SCREENING DATE: 2026-06-11
PUBLISHED DATE: 2026-06-11
EXPIRY DATE: 2029-06-11
PREPARER: Self-Prepared

Health Product
Declaration v3.0
created via: HPDC Online Builder

Section 1: SummaryBasic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Residuals/Impurities Evaluation	For all contents above the threshold, the manufacturer has:
→ Basic Method	→ Completed	
Threshold Disclosed Per	Explanation(s) provided :	Characterized
→ Product	Yes	Provided weight and role.
Threshold Level		Screened
→ 100 ppm		Provided screening results using HPDC-approved methods.
		Identified
		Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

MOMENTUM [IRON, ELEMENTAL LT-P1 | END NICKEL LT-1 | CAN | RES | MAM | SKI | AQU CHROMIUM LT-P1 | END | SKI | MAM | REP | RES MANGANESE LT-P1 | END | MUL | REP | MAM | AQU COPPER LT-P1 | MUL | AQU | MAM MOLYBDENUM LT-UNK | MAM | SKI | REP SILICON, ELEMENTAL LT-UNK ALUMINUM LT-P1 | END | CAN | MAM | PHY LUBRICATING OIL COBALT LT-1 | CAN | REP | MUL | RES | GEN | EYE | MAM | SKI | AQU POLYVINYL CHLORIDE LT-P1 | CAN | MAM WOOD POLYCARBONATE LT-UNK FATTY ACIDS, CASTOR-OIL, CAUSTIC-OXIDIZED, DISTN. RESIDUES, ESTERS WITH AMMONIA-ETHYLENE OXIDE REACTION PRODUCT DISTN. RESIDUES, COMPS. WITH DIETHYLENETRIAMINE AND TRIETHYLENETETRAMINE NoGS STYRENE BUTADIENE RUBBER (BENZENE, ETHENYL-, POLYMER WITH 1,3-BUTADIENE) LT-UNK ZINC, ELEMENTAL LT-P1 | MUL | AQU LEAD BM-1 | END | PBT | MUL | CAN | DEV | REP | GEN | AQU | MAM CARBON BLACK BM-1 | CAN | EYE | MAM | PHY IRON OXIDE (FE2O3) (PRIMARY CASRN IS 1309-37-1) BM-1 | CAN | MAM TIN LT-UNK | CAN | MAM | EYE | AQU PHENOL, 2,6-DIMETHYL-, HOMOPOLYMER LT-UNK | MAM POLYAMIDE FIBERS NoGS ABS RESIN LT-UNK |

Number of Greenscreen BM-4/BM3 contents ... 0
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, LT-1, BM-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special Conditions applied: [GeologicalMaterial]
Special Conditions applied: [BiologicalMaterial]
Special Conditions applied: [Polymers]

Inventory is reported for the declared/reference unit. Data are based on the BOM used for LCA/EPD modeling, supplemented by supplier disclosures and applicable SDS. Weights and percentages are mass-based for the declared unit. The selected product disclosure threshold is 100 ppm; items without CAS are reported at the material or article/assembly level where CAS is not applicable or not available.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT
VOC Content data is not applicable for this product category.

COMPLIANCE See Section 3 for additional listings.
VOC emissions: Inherently non-emitting source per LEED

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.
Pre-checked for LEED v4.1 Option 1.

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: www.hpd-collaborative.org/hpd-3-0-standard

MOMENTUM

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals/impurities evaluation completed within the scope of this HPD Basic Method based on BOM, supplier disclosures, and applicable SDS. No intentionally added residuals/impurities above the selected 100 ppm threshold were identified; any residuals are accounted for within the relevant material entries.

OTHER PRODUCT NOTES: Miscellaneous minor hardware/accessories are not individually disclosed because their total contribution is below the selected 100 ppm product threshold. Major PCB/switch subassemblies are disclosed separately where applicable.

IRON, ELEMENTAL

ID: 7439-89-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-11 7:02:59	
%: 78.4700 - 78.4800	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: Elemental Iron reported as a substance; weight percent based on BOM mass for the declared unit.

NICKEL

ID: 7440-02-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-11 7:03:59	
%: 5.5500 - 5.5600	GreenScreen: LT-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
CAN	GHS - New Zealand	Carcinogenicity category 2
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Certain Metals
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 All Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Cosmetics and Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Core List - Articles Only
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Restrictions Based on Hazard Endpoints and Risk (Silver)

SUBSTANCE NOTES: Elemental Nickel reported as a substance; weight percent based on BOM mass for the declared unit.

CHROMIUM				ID: 7440-47-3
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-06-11 7:04:39		
%: 3.3200 - 3.3300	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization		
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]		
REP	GHS - New Zealand	Reproductive toxicity category 2		
RES	GHS - Japan	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled [Respiratory sensitization - Category 1A]		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Cosmetics and Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Cosmetics & Personal Care Products
SUBSTANCE NOTES: Elemental Chromium reported as a substance; weight percent based on BOM mass for the declared unit.		

MANGANESE

ID: 7439-96-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-11 7:05:15	
%: 3.0700 - 3.0800	GreenScreen: LT-P1	RC: UNK	NANO: Unknown	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]		
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]		
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 3		
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]		
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Children's Toy Products

RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Children's Toy Products
-----------------	---	---

SUBSTANCE NOTES: Elemental Manganese reported as a substance; weight percent based on BOM mass for the declared unit.

COPPER

ID: 7440-50-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2026-06-11 7:06:35

%, 2.8500 - 2.8600

GreenScreen: LT-P1

RC: UNK

NANO: No

SUBSTANCE ROLE: Conductor

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Cosmetics and Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Children's Toy Products
SUBSTANCE NOTES: Elemental copper reported as a substance; weight percent based on BOM mass for the declared unit.		

MOLYBDENUM

ID: 7439-98-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-11 7:07:10	
%: 2.5000 - 2.5100	GreenScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MAM	GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]	
SKI	GHS - Japan		H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]	
REP	GHS - New Zealand		Reproductive toxicity category 2	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: Elemental Molybdenum reported as a substance; weight percent based on BOM mass for the declared unit.				

SILICON, ELEMENTAL

ID: 7440-21-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-11 7:08:00	
%: 1.6800 - 1.6900	GreenScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: Elemental Silicon reported as a substance; weight percent based on BOM mass for the declared unit.		

ALUMINUM

ID: 7429-90-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-11 7:08:44		
%: 1.6700 - 1.6800	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Structure component	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor		
CAN	MAK		Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
MAM	GHS - Japan		H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]		
PHY	GHS - Japan		H261 - In contact with water releases flammable gas [Substances and mixtures, which in contact with water, emit flammable gases - Category 2]		
PHY	GHS - Malaysia		H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]		
PHY	GHS - Australia		H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]		
PHY	GHS - New Zealand		Pyrophoric solids category 1		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)		C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025		
			Children's Toy Products		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)		C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026		
			Children's Toy Products		
SUBSTANCE NOTES: Elemental aluminum reported as a substance; weight percent based on BOM mass for the declared unit.					

HAZARD DATA SOURCE: HPDC Special Conditions Policy

%: 0.1400 - 0.1500	GreenScreen: Not Required	RC: UNK	NANO: No	MATERIAL ROLE: Lubricant
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
Hazard Screening is not applicable to this Special Condition				
INGREDIENT DESCRIPTION AND COMPOSITION: Not specified (supplier grade not available at time of publication)				
COUNTRY OF ORIGIN: Not specified (supplier grade not available at time of publication)				
RADIOACTIVE ELEMENTS: According to supplier provided information and/or internal testing, it is determined that no radioactive elements are found in this material.				
POTENTIAL PRESENCE OF TOXIC METALS: Unknown				
MATERIAL CONTENT NOTES: Lubricating oil used to reduce friction and wear in elevator mechanical systems.				
This disclosure does not provide potential presence of toxic metals which may be found in certain geological materials.				

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2026-06-11 7:09:17

%: 0.1200 - 0.1300	GreenScreen: LT-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route	
CAN	EU - Annex VI CMRs		Carcinogen Category 1B - Presumed Carcinogen based on animal evidence	
REP	EU - Annex VI CMRs		Reproductive Toxicity - Category 1B	
MUL	ChemSec - SIN List		CMR - Carcinogen, Mutagen &/or Reproductive Toxicant	
CAN	MAK		Carcinogen Group 2 - Considered to be carcinogenic for man	
CAN	US NIH - Report on Carcinogens		Reasonably Anticipated to be Human Carcinogen	
RES	MAK		Sensitizing Substance Sah - Danger of airway & skin sensitization	
CAN	IARC		Group 2a - Agent is probably Carcinogenic to humans	
GEN	MAK		Germ Cell Mutagen 3a	
CAN	GHS - Australia		H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]	
REP	GHS - Japan		H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]	
REP	GHS - Australia		H360F - May damage fertility [Reproductive toxicity - Category 1A or 1B]	
CAN	GHS - Japan		H350 - May cause cancer [Carcinogenicity - Category 1B]	
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1		H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]	

GEN	EU - GHS (H-Statements) Annex 6 Table 3-1	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
REP	EU - GHS (H-Statements) Annex 6 Table 3-1	H360F - May damage fertility [Reproductive toxicity - Category 1A or 1B]
EYE	GHS - New Zealand	Eye irritation category 2
CAN	GHS - New Zealand	Carcinogenicity category 2
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
SKI	GHS - New Zealand	Skin sensitisation category 1
REP	GHS - New Zealand	Reproductive toxicity category 2
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
GEN	EU - Annex VI CMRs	Mutagen - Category 2
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
RES	GHS - Japan	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled [Respiratory sensitization - Category 1A]
MAM	GHS - Japan	H330 - Fatal if inhaled [Acute toxicity (inhalation: dust, mist) - Category 1]
CAN	EU - REACH Annex XVII CMRs	Carcinogens: Category 1B
REP	EU - REACH Annex XVII CMRs	Reproductive toxicants: Category 1B

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 All Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Cosmetics and Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Core List - Mixtures Only
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Restrictions Based on Hazard Endpoints and Risk (Silver)

SUBSTANCE NOTES: Elemental Cobalt reported as a substance; weight percent based on BOM mass for the declared unit.

POLYVINYL CHLORIDE		ID: 9002-86-2		
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-06-11 07:18:04		
%, 0.0700 - 0.0800	GreenScreen: LT-P1	RC: UNK	NANO: No	POLYMER ROLE: Insulator

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Flame Retardants
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective February 1, 2025 Red List substances to avoid in Living Building Challenge V4.0 projects
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Avoidance of Organohalogens and Functionally Related Chemical Classes of Concern
POLYMER TYPE: Thermoplastic		
AVERAGE MOLECULAR WEIGHT : >10,000 Da		
PERCENTAGE OF POLYMER WITH MOLECULAR WEIGHT LESS THAN 500 DA: Unknown		
ADDITIONAL SUBSTANCES CONSIDERED: Yes		
POLYMER NOTES: This polymer has been reported in accordance to HPDC Special Conditions Policy for polymers with disclosed CAS numbers.		
ADDITIONAL NOTES: Reported as PVC; CASRN 9002-86-2. Weight percent based on BOM mass for declared unit.		
WOOD		ID: Biological Material
HAZARD DATA SOURCE: HPDC Special Conditions Policy		
%: 0.0600 - 0.0700	GreenScreen: Not Required	RC: Both
	NANO: No	MATERIAL ROLE: Surface modifier

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
Hazard Screening is not applicable to this Special Condition		
BIOLOGICAL MATERIALS CATEGORY: Tree-based materials		
INGREDIENT DESCRIPTION: Medium-density fiberboard (MDF)		
MATERIAL CONTENT NOTES: Used for interior wall aesthetics.		
This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.		

POLYCARBONATE			ID: 25037-45-0	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-06-11 07:18:54		
%: 0.0600 - 0.0700	GreenScreen: LT-UNK	RC: UNK	NANO: No	POLYMER ROLE: Insulator
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List		
		Bisphenols and Phthalates		
POLYMER TYPE: Thermoplastic				
AVERAGE MOLECULAR WEIGHT : >10,000 Da				
PERCENTAGE OF POLYMER WITH MOLECULAR WEIGHT LESS THAN 500 DA: Unknown				
ADDITIONAL SUBSTANCES CONSIDERED: Yes				
POLYMER NOTES: This polymer has been reported in accordance to HPDC Special Conditions Policy for polymers with disclosed CAS numbers.				
ADDITIONAL NOTES: Reported as Polycarbonate; CASRN 25037-45-0. Weight percent based on BOM mass for declared unit.				

FATTY ACIDS, CASTOR-OIL, CAUSTIC-OXIDIZED, DISTN. RESIDUES, ESTERS WITH AMMONIA-ETHYLENE OXIDE REACTION PRODUCT DISTN. RESIDUES, COMPS. WITH DIETHYLENETRIAMINE AND TRIETHYLENETETRAMINE					ID: 113669-97-9
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-11 07:19:45		
%: 0.0600 - 0.0700	GreenScreen: NoGS	RC: UNK	NANO: No	POLYMER ROLE: Insulator	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
POLYMER TYPE: Thermoplastic					

AVERAGE MOLECULAR WEIGHT : >10,000 Da

PERCENTAGE OF POLYMER WITH MOLECULAR WEIGHT LESS THAN 500 DA: Unknown

ADDITIONAL SUBSTANCES CONSIDERED: Yes

POLYMER NOTES: This polymer has been reported in accordance to [HPDC Special Conditions Policy](#) for polymers with disclosed CAS numbers.

ADDITIONAL NOTES: Reported as Polyester; CASRN 113669-97-9. Weight percent based on BOM mass for declared unit.

STYRENE BUTADIENE RUBBER (BENZENE, ETHENYL-, POLYMER WITH 1,3-BUTADIENE)

ID: 9003-55-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-11 07:20:58	
%: 0.0600 - 0.0700	GreenScreen: LT-UNK	RC: UNK	NANO: No	POLYMER ROLE: Insulator
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	

POLYMER TYPE: Elastomer

AVERAGE MOLECULAR WEIGHT : >10,000 Da

PERCENTAGE OF POLYMER WITH MOLECULAR WEIGHT LESS THAN 500 DA: Unknown

ADDITIONAL SUBSTANCES CONSIDERED: Yes

POLYMER NOTES: This polymer has been reported in accordance to [HPDC Special Conditions Policy](#) for polymers with disclosed CAS numbers.

ADDITIONAL NOTES: Reported as SBR Rubber; CASRN 9003-55-8. Weight percent based on BOM mass for declared unit.

ZINC, ELEMENTAL

ID: 7440-66-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-11 7:09:57		
%: 0.0500 - 0.0600	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Galvanizing	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
MUL	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters		
AQU	GHS - New Zealand		Hazardous to the aquatic environment - acute category 1		
AQU	GHS - New Zealand		Hazardous to the aquatic environment - chronic category 1		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)		C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025		
			Children's Toy Products		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)		C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026		
			Children's Toy Products		

SUBSTANCE NOTES: Elemental Zinc reported as a substance; weight percent based on BOM mass for the declared unit.

LEAD

ID: 7439-92-1

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2026-06-11 7:10:47**

%: 0.0400 - 0.0500	GreenScreen: BM-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Stabilizer
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
PBT	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Chemical for Priority Action		
PBT	OR DEQ - Priority Persistent Pollutants	Priority Persistent Pollutant - Tier 1		
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant		
CAN	CA EPA - Prop 65	Carcinogen		
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		
CAN	IARC	Group 2b - Possibly carcinogenic to humans		
CAN	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man		
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen		
DEV	G&L - Neurotoxic Chemicals	Developmental Neurotoxicant		
CAN	US EPA - IRIS Carcinogens	(1986) Group B2 - Probable human Carcinogen		
CAN	IARC	Group 2a - Agent is probably Carcinogenic to humans		
DEV	CA EPA - Prop 65	Developmental toxicity		
PBT	US EPA - Priority PBTs (NWMP)	Priority PBT		
PBT	US EPA - Toxics Release Inventory PBTs	PBT		
DEV	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity		
REP	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Reproductive Toxicity		
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 1A		
GEN	MAK	Germ Cell Mutagen 3a		
REP	CA EPA - Prop 65	Reproductive Toxicity - Female		
REP	CA EPA - Prop 65	Reproductive Toxicity - Male		
CAN	GHS - Korea	H350 - May cause cancer [Carcinogenicity - Category 1]		
REP	GHS - Korea	H360 - May damage fertility or the unborn child [Reproductive toxicity - Category 1]		
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1A]		

DEV	GHS - Australia	H360Df - May damage the unborn child. Suspected of damaging fertility [Reproductive toxicity - Category 1A or 1B]
REP	EU - GHS (H-Statements) Annex 6 Table 3-1	H360FD - May damage fertility. May damage the unborn child [Reproductive toxicity - Category 1A or 1B]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
DEV	EU - GHS (H-Statements) Annex 6 Table 3-1	H362 - May cause harm to breast-fed children [Reproductive toxicity, effects on or via lactation]
REP	GHS - New Zealand	Reproductive toxicity category 1
CAN	GHS - New Zealand	Carcinogenicity category 2
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
GEN	GHS - Australia	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Australia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
AQU	GHS - Korea	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Korea	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
GEN	GHS - New Zealand	Germ cell mutagenicity category 2
MAM	GHS - New Zealand	Acute oral toxicity category 3
REP	GHS - New Zealand	Effects on or via lactation
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
REP	EU - SVHC List	Toxic to reproduction - Candidate list

REP	EU - SVHC List	Toxic to reproduction - Prioritized for listing
REP	EU - REACH Annex XVII CMRs	Reproductive toxicants: Category 1A
DEV	MAK	Pregnancy Risk Group A
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Certain Metals
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective February 1, 2025 Red List substances to avoid in Living Building Challenge V4.0 projects
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 All Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Electronics (RoHS)
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Cosmetics and Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Core List - All Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Core List - Articles Only
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Electrical and Electronics Equipment (EEE)
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Cosmetics & Personal Care Products

RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026
Packaging RSL		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026
Restrictions Based on Hazard Endpoints and Risk (Silver)		

SUBSTANCE NOTES: Elemental Lead reported as a substance; weight percent based on BOM mass for the declared unit.

CARBON BLACK

ID: 1333-86-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-06-11 7:11:44		
%: 0.0300 - 0.0400	GreenScreen: BM-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CAN	IARC	Group 2b - Possibly carcinogenic to humans		
EYE	GHS - New Zealand	Eye irritation category 2		
CAN	GHS - New Zealand	Carcinogenicity category 2		
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]		
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
PHY	GHS - Japan	H251 - Self-heating;; may catch fire [Self-heating substances and mixtures - Category 1]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: Carbon Black reported as a substance; weight percent based on BOM mass for the declared unit.

IRON OXIDE (FE2O3) (PRIMARY CASRN IS 1309-37-1)

ID: 8011-97-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-06-11 7:12:42		
%: 0.0300 - 0.0400	GreenScreen: BM-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Pigment

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Iron oxide reported as a substance; weight percent based on BOM mass for the declared unit.

TINID: 7440-31-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-11 7:13:20	
%: 0.0200 - 0.0300	GreenScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Coating
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]		
EYE	GHS - New Zealand	Eye irritation category 2		
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1		
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025		
		Children's Toy Products		

SUBSTANCE NOTES: Elemental Tin reported as a substance; weight percent based on BOM mass for the declared unit.

PHENOL, 2,6-DIMETHYL-, HOMOPOLYMERID: 25134-01-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-11 07:21:47	
%: 0.0200 - 0.0300	GreenScreen: LT-UNK	RC: UNK	NANO: No	POLYMER ROLE: Insulator

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
POLYMER TYPE: Thermoplastic		
AVERAGE MOLECULAR WEIGHT : >10,000 Da		
PERCENTAGE OF POLYMER WITH MOLECULAR WEIGHT LESS THAN 500 DA: Unknown		
ADDITIONAL SUBSTANCES CONSIDERED: Yes		
POLYMER NOTES: This polymer has been reported in accordance to HPDC Special Conditions Policy for polymers with disclosed CAS numbers.		
ADDITIONAL NOTES: Reported as Polyphenylene ether; CASRN 25134-01-4. Weight percent based on BOM mass for declared unit.		

POLYAMIDE FIBERS

ID: 63428-84-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-11 07:42:39		
%: 0.0200 - 0.0300	GreenScreen: NoGS	RC: UNK	NANO: No	POLYMER ROLE: Insulator	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
POLYMER TYPE: Thermoplastic					
AVERAGE MOLECULAR WEIGHT : >10,000 Da					
PERCENTAGE OF POLYMER WITH MOLECULAR WEIGHT LESS THAN 500 DA: Unknown					
ADDITIONAL SUBSTANCES CONSIDERED: Yes					
POLYMER NOTES: This polymer has been reported in accordance to HPDC Special Conditions Policy for polymers with disclosed CAS numbers.					
ADDITIONAL NOTES: Reported as Polyamide; CASRN 63428-84-2. Weight percent based on BOM mass for declared unit.					

ABS RESIN

ID: 9003-56-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-11 07:44:00		
%: 0.0100 - 0.0200	GreenScreen: LT-UNK	RC: UNK	NANO: No	POLYMER ROLE: Structure component	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
POLYMER TYPE: Thermoplastic					

AVERAGE MOLECULAR WEIGHT : >10,000 Da
PERCENTAGE OF POLYMER WITH MOLECULAR WEIGHT LESS THAN 500 DA: Unknown
ADDITIONAL SUBSTANCES CONSIDERED: Yes
POLYMER NOTES: This polymer has been reported in accordance to HPDC Special Conditions Policy for polymers with disclosed CAS numbers.
ADDITIONAL NOTES: Reported as ABS resin; CASRN 9003-56-9. Weight percent based on BOM mass for declared unit.

Section 3: Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Inherently non-emitting source per LEED	
COMPLIANCE TYPE: Self-declaration	ISSUE DATE: 2026-06-11	EXPIRY DATE: 2029-12-17
CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: None		
COMPLIANCE DETAILS:		
COMPLIANCE SCOPE: Product		
APPLICABLE FACILITIES: North America		
COMPLIANCE URL:		
https://www.environdec.com/library/epd7754		
COMPLIANCE NOTES: Verified EPD for Momentum elevator registered in The International EPD® System: EPD-IES-0007754:001 (S-P-07754). The official Environmental Product Declaration for the Momentum elevator is valid until 2029-12-17		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Momentum is a high-rise elevator system by TK Elevator, designed for the safe transport of passengers and available in multiple specification ranges.

The product is primarily composed of ferrous metals and other materials selected to support structural performance, durability, and functional requirements.

Product contents are reported according to the selected 100 ppm product-level threshold, using the declared/reference unit and available BOM, supplier disclosures, and applicable SDS information.

Miscellaneous minor hardware/accessories below the selected reporting threshold are not individually disclosed.

This HPD provides material ingredient transparency and should be reviewed in conjunction with applicable project requirements, jurisdictional criteria, and owner standards.

For additional technical documentation or specifications, please contact TK Elevator directly.

MANUFACTURER INFORMATION

MANUFACTURER: **TK Elevator**
ADDRESS: **788 Cir 75 Pkwy SE Suite 500**
Atlanta, Georgia 30339
COUNTRY: **United States**

WEBSITE: **<https://www.tkelevator.com/us-en/>**
CONTACT NAME: **Daniel Bertschinger**
TITLE: **Product Sustainability Lead**
PHONE: **+1 4045740177**
EMAIL: **daniel.bertschinger@tkelevator.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold	Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold	Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold	Substances listed individually per threshold indicated per product

Nano	Composed of nano scale particles or nanotechnology
Third Party Verified	Verification by independent certifier approved by HPDC
Preparer	Third party preparer, if not self-prepared by manufacturer
Applicable facilities	Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.