

G2 PVC-Free 910 LED Lighted Handrail

by Inpro

HPD UNIQUE IDENTIFIER: 6593992507392

HPD UNIQUE PRODUCT ID: US-87-G2910LED

CLASSIFICATION: 10 26 16.16 Protective Corridor Handrails

PRODUCT TYPE: Plastic, Impact-Resistant Handrail (Wall Protection)

PRODUCT DESCRIPTION: The 910 LED Lighted Handrail is designed to support safer, more comfortable nighttime movement in healthcare and senior living environments. Built into the trusted 910 Handrail profile, the integrated LED option provides soft, unobtrusive illumination for short runs, such as the path between a patient bed and bathroom.

SCREENING DATE: 2026-06-11

PUBLISHED DATE: 2026-06-11

EXPIRY DATE: 2029-06-11

PREPARER: Self-Prepared

Health Product
Declaration v3.0

created via: HPDC Online Builder

Section 1: Summary

Nested Method / Material Threshold

CONTENT INVENTORY

Inventory Reporting Format	Residuals/Impurities Evaluation	For all contents above the threshold, the manufacturer has:
→ Nested Materials Method	Completed in 5 of 5 Materials	
Threshold Disclosed Per	Explanation(s) provided for Residuals/Impurities?	Characterized Yes
→ Material	Yes	Provided weight and role. Yes
Threshold Level		Screened Yes
→ 100 ppm		Provided screening results using HPDC-approved methods. No
		Identified No
		Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

ALUMINUM [ALUMINUM LT-P1 | END | CAN | PHY | MAM SILICON LT-UNK | IRON LT-P1 | END | MAGNESIUM LT-UNK | PHY | MAM | SKI | EYE COPPER LT-P1 | MUL | AQU | MAM MANGANESE LT-P1 | END | MUL | REP | MAM | AQU ZINC LT-P1 | MUL | AQU BISMUTH, ELEMENTAL LT-UNK | MAM TIN LT-UNK | CAN | MAM | EYE | AQU] G2 BIOBLEND RESIN [POLYETHYLENE TEREPHTHALATE GLYCOL (PETG) NoGS UNDISCLOSED NoGS UNDISCLOSED NoGS] CLEAR UPVC [POLYVINYL CHLORIDE LT-P1 | CAN | MAM] FIRE RETARDANT [UNDISCLOSED NoGS UNDISCLOSED BM-1 | MUL] DESIGNER WHITE PIGMENT [POLYETHYLENE TEREPHTHALATE GLYCOL (PETG) NoGS UNDISCLOSED BM-1 | CAN | END | MAM]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD utilizes Designer White pigment, however all pigment colors have a similar chemical makeup

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

COMPLIANCE See Section 3 for additional listings.
VOC emissions: UL/GreenGuard Gold Certified

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.
Pre-checked for LEED v4.1 Option 1.
Pre-checked for LEED v5 Human Health 1.

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: www.hpd-collaborative.org/hpd-3-0-standard

ALUMINUM		%: 65.3000	
MATERIAL THRESHOLD: 100 ppm		RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Metal
RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered in this HPD			
OTHER MATERIAL NOTES:			

ALUMINUM			ID: 91728-14-2	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-11 11:17:12	
%: 98.0000 - 100.0000	GreenScreen: LT-P1	RC: Both	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
CAN	MAK		Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels	
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1		H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]	
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]	
MAM	GHS - Japan		H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]	
PHY	GHS - Japan		H261 - In contact with water releases flammable gas [Substances and mixtures, which in contact with water, emit flammable gases - Category 2]	
PHY	GHS - Malaysia		H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]	
PHY	GHS - Australia		H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]	
PHY	GHS - New Zealand		Pyrophoric solids category 1	

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Children's Toy Products
SUBSTANCE NOTES: 60% pre-consumer recycled content & 10% post-consumer recycled content		

SILICON

ID: 7440-21-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-06-11 11:17:12		
%: 0.1000 - 1.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

IRON

ID: 7439-89-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-06-11 11:17:14		
%: 0.1000 - 1.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

MAGNESIUM

ID: 7439-95-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-06-11 11:17:13		
--	--	---	--	--

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
PHY	GHS - Australia	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
PHY	GHS - Australia	H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

COPPER

ID: 7440-50-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2026-06-11 11:17:15

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Cosmetics and Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Children's Toy Products
SUBSTANCE NOTES:		

MANGANESE

ID: 7439-96-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2026-06-11 11:17:12**

%: **0.0000 - 0.2000**GreenScreen: **LT-P1**RC: **None**NANO: **No**SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 3
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Children's Toy Products
SUBSTANCE NOTES:		

ZINC

ID: 7440-66-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-06-11 11:17:15		
%: 0.0000 - 0.1000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MUL	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters	
AQU	GHS - New Zealand		Hazardous to the aquatic environment - acute category 1	
AQU	GHS - New Zealand		Hazardous to the aquatic environment - chronic category 1	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)		C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025	
			Children's Toy Products	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)		C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026	
			Children's Toy Products	
SUBSTANCE NOTES:				

BISMUTH, ELEMENTAL

ID: 7440-69-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-06-11 11:17:14		
%: 0.0000 - 0.1000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

TIN

ID: 7440-31-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-06-11 11:17:13		
%: 0.0000 - 0.1000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels	
MAM	GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]	
EYE	GHS - New Zealand		Eye irritation category 2	
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]	
AQU	GHS - New Zealand		Hazardous to the aquatic environment - acute category 1	
AQU	GHS - New Zealand		Hazardous to the aquatic environment - chronic category 1	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)		C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025	
			Children's Toy Products	
SUBSTANCE NOTES:				

G2 BIOBLEND RESIN	%: 25.7000
MATERIAL THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material
RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered for this product	
OTHER MATERIAL NOTES:	

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-11 11:17:15	
#: 72.0000 - 72.0000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: None				

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-11 11:17:12	
#: 14.9000 - 14.9000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: Propriety according to supplier request				

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-11 11:17:13	
#: 13.0000 - 13.0000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: Propriety according to supplier request				

MATERIAL THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: There are no residuals or impurities to note for this material

OTHER MATERIAL NOTES:

POLYVINYL CHLORIDE

ID: 9002-86-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2026-06-11 11:17:14

%: 100.0000 GreenScreen: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Flame Retardants
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective February 1, 2025 Red List substances to avoid in Living Building Challenge V4.0 projects
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Avoidance of Organohalogens and Functionally Related Chemical Classes of Concern

SUBSTANCE NOTES:

FIRE RETARDANT

%: 3.0000

MATERIAL THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered for this material

OTHER MATERIAL NOTES: None

UNDISCLOSED				ID: Undisclosed	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-11 11:17:15		
%: 90.0000 - 90.0000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Flame retardant	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: Proprietary based on supplier information.					

UNDISCLOSED				ID: Undisclosed	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-11 11:17:15		
%: 10.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Flame retardant	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
MUL	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	Green Science Policy Institute (GSPI)		GSPI - Six Classes Precautionary List		
			Flame Retardants		
SUBSTANCE NOTES: Proprietary based on supplier information.					

DESIGNER WHITE PIGMENT	%: 1.2000	
MATERIAL THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Polymeric Material
RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered in this material		
OTHER MATERIAL NOTES: None		

POLYETHYLENE TEREPHTHALATE GLYCOL (PETG)					ID: 25640-14-6
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-11 11:17:13		
%: 63.5000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Pigment	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found	No warnings found on HPD Priority Hazard Lists				

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: None		

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-11 11:17:14		
%: 35.0800 - 35.0800	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
CAN	US CDC - Occupational Carcinogens		Occupational Carcinogen		
CAN	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route		
CAN	IARC		Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
CAN	MAK		Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value		
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor		
CAN	MAK		Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		
CAN	IARC		Group 2b - Possibly carcinogenic to humans		
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1		H351 - Suspected of causing cancer [Carcinogenicity - Category 2]		
CAN	GHS - Japan		H351 - Suspected of causing cancer [Carcinogenicity - Category 2]		
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
POSITIVE LIST	US Environmental Protection Agency (US EPA)		US EPA - DfE Safer Chemicals Ingredients list (SCIL)		
			Colorants - Green Circle (Verified Low Concern)		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)		C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025		
			Cosmetics and Personal Care Products		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)		C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026		
			Cosmetics & Personal Care Products		

Section 3: Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	UL/GreenGuard Gold Certified	
COMPLIANCE TYPE: Third Party CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: UL COMPLIANCE DETAILS: COMPLIANCE SCOPE: APPLICABLE FACILITIES: All COMPLIANCE URL: https://spot.ul.com/main-app/products/detail/5ad1e81d55b0e82d946a0bc4?page_type=Products%20Catalog COMPLIANCE NOTES: Certificate # 6626-420	ISSUE DATE: 2009-03-12	EXPIRY DATE: 2027-03-12

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

HARDWARE MANUFACTURER (OR GENERIC): Inpro
HPD URL: No HPD Available ACCESSORY TYPE: Fastener CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Hardware is used to secure the G2-BioBlend retainer portion of the corner guard to the wall. Hardware can include: #8 x 1 1/4" Philips flat head self-tapping screws, #8 x 1 1/2" Philips indented hex washer self-drilling screws, #8 x 1 1/2" Philips flat head sheet metal screws, #10 x 1 3/4" Philips pan head sheet metal screws, and/or 1/4" plastic alligator anchors
HANDRAIL RETURN PIECES MANUFACTURER (OR GENERIC): Inpro
HPD URL: No HPD Available ACCESSORY TYPE: Installation Accessory CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Return Pieces are used at the end points of the handrail to prevent snags and/or injuries
INSIDE/OUTSIDE CORNER PIECES MANUFACTURER (OR GENERIC): Inpro
HPD URL: No HPD Available ACCESSORY TYPE: Installation Accessory CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Inside/Outside Corner Pieces are used to allow the handrail to continuously flow around corners
LED LIGHT STRIP MANUFACTURER (OR GENERIC): Generic
HPD URL: No HPD Available ACCESSORY TYPE: Installation Accessory CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: LED Light Strip is provided to illuminate the handrail. Trained/Certified Electricians should be consulted for installation of electronic components

Section 5: General Notes

Combines soft illumination with the trusted 910 Handrail profile for a clean, built-in solution - Ideal for applications between a bed and bathroom or other areas where subtle nighttime lighting is needed - Soft 4000K illumination provides a neutral color temperature that supports visibility without creating harsh or disruptive lighting - 90+ CRI Color Accuracy delivers clean, natural illumination for consistent visibility in healthcare and senior living spaces - 60,000-Hour L70 Lifetime supports long-lasting performance and helps reduce maintenance needs over time - Designed for use in care environments where moisture exposure may be a consideration - Class 2 Power Supply supports safer, simplified installation with low-voltage power - Dimmer Compatible - Works with a wide range of dimmers to adjust lighting levels based on the needs of the space

MANUFACTURER INFORMATION

MANUFACTURER: **Inpro**
ADDRESS: **S80 W18766 Apollo Drive**
Muskego, Wisconsin 53150
COUNTRY: **United States**

WEBSITE: **www.inprocorp.com**
CONTACT NAME: **Jess Jenkins**
TITLE: **Environmental and Technical Project Specialist**
PHONE: **2626799010**
EMAIL: **jjenkins@inprocorp.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold	Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold	Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold	Substances listed individually per threshold indicated per product

Nano	Composed of nano scale particles or nanotechnology
Third Party Verified	Verification by independent certifier approved by HPDC
Preparer	Third party preparer, if not self-prepared by manufacturer
Applicable facilities	Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.