

SOPRASEAL VP PRIMER
by SOPREMA

SCREENING DATE: 2026-06-16
PUBLISHED DATE: 2026-06-16
EXPIRY DATE: 2029-06-16
PREPARER: Self-Prepared

Health Product
Declaration v3.0
created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 20883055818752
HPD UNIQUE PRODUCT ID: Not provided.
CLASSIFICATION: 07 27 00 Air Barriers
PRODUCT TYPE: Air Barriers
PRODUCT DESCRIPTION: SOPRASEAL VP PRIMER is a fast evaporating primer used to enhance adhesion of SOPRASEAL STICK VP on exterior gypsum boards, wood, OSB, concrete and CMU wall while maintaining the full vapour diffusion potential of SOPRASEAL STICK VP.

Section 1: SummaryBasic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format → Basic Method	Residuals/Impurities Evaluation → Not Completed	For all contents above the threshold, the manufacturer has:
Threshold Disclosed Per → Product	Explanation(s) provided : Yes	Characterized Provided weight and role. Yes
Threshold Level → 100 ppm		Screened Provided screening results using HPDC-approved methods. Yes
		Identified Provided name and CAS RN or other identifier. No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

SOPRASEAL VP PRIMER [ACETONE LT-P1] END | DEV | EYE | PHY | MAM | REP
WATER BM-4 UNDISCLOSED LT-UNK BUTYL ACETATE BM-3] MAM | EYE | PHY UNDISCLOSED LT-P1] MUL | SKI | AQU | MAM | EYE
METHOXYISOPROPYL ACETATE LT-UNK] MAM | EYE
PIGMENT VIOLET 23 LT-UNK] EYE UNDISCLOSED LT-P1] END | CAN | MUL | MAM | AQU | REP]

Number of Greenscreen BM-4/BM3 contents ... 2
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

No substance other than those listed in this HPD have been added to the finished product during its manufacturing. Residuals or impurities could not be considered because information was not provided to the manufacturer by the raw materials vendors. Many substances are undisclosed to protect proprietary information.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 750 Regulatory (g/l): 27
Does the product contain exempt VOCs: Yes
Are colorants available that do not increase the VOC content of the base paint when tinted: N/A

COMPLIANCE See Section 3 for additional listings.
VOC emissions: CDPH Standard Method - N/A
VOC content: VOC Content
Management: ISO 9001:2015 Quality management systems
Management: ISO 14001:2015 Environmental management systems

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.
Pre-checked for LEED v4 Option 2.
Pre-checked for LEED v4.1 Option 1.
Pre-checked for LEED v5 Human Health 1.

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: www.hpd-collaborative.org/hpd-3-0-standard

SOPRASEAL VP PRIMER

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

RESIDUALS AND IMPURITIES NOTES: Residuals or impurities could not be considered because information was not provided to the manufacturer by the raw materials vendors.

OTHER PRODUCT NOTES: Many substances are undisclosed to protect proprietary information.

ACETONE

ID: 67-64-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2026-06-16 19:38:09

%: 80.0000 - 82.0000

GreenScreen: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Solvent

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
DEV	MAK	Pregnancy Risk Group B
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
EYE	GHS - New Zealand	Eye irritation category 2
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
REP	GHS - Japan	H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]
PHY	GHS - New Zealand	Flammable liquids category 2
PHY	GHS - Japan	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
PHY	GHS - Malaysia	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
PHY	GHS - Australia	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
EYE	GHS - Malaysia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Acetone might be obtained from a recycled source but since it is not always the case we cannot claim recycled content.

WATER					ID: 7732-18-5
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-16 19:38:10		
%: 9.0000 - 11.0000	GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Solvent	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions Exempted from REACH Annex IV listing due to intrinsic safety
SUBSTANCE NOTES: Co-solvent used in the primer.		

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-06-16 19:38:10		
%: 5.0000 - 6.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: Adhesive-enhancing additive. Substance undisclosed to protect proprietary information.				

BUTYL ACETATE

ID: **123-86-4**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-06-16 19:38:11		
?: 3.0000 - 4.0000	GreenScreen: BM-3	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MAM	GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]	
EYE	GHS - New Zealand		Eye irritation category 2	
PHY	GHS - New Zealand		Flammable liquids category 2	
PHY	GHS - Japan		H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: Solvent present when receiving the adhesive-enhancing additive.				

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-06-16 19:38:11		
--	--	---	--	--

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
EYE	GHS - New Zealand	Serious eye damage category 1
MAM	GHS - Japan	H331 - Toxic if inhaled [Acute toxicity (inhalation: vapor) - Category 3]
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
MAM	GHS - Japan	H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2]
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Korea	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
SKI	GHS - Korea	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1]
SKI	GHS - New Zealand	Skin corrosion category 1B
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
MAM	GHS - Korea	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
MAM	GHS - Korea	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	GHS - Japan	H311 - Toxic in contact with skin [Acute Toxicity (dermal) - Category 3]
SKI	GHS - Malaysia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]

EYE	GHS - Malaysia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
MAM	GHS - Australia	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
MAM	GHS - Australia	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
MAM	GHS - New Zealand	Acute dermal toxicity category 3
MAM	GHS - New Zealand	Acute oral toxicity category 3
AQU	GHS - Malaysia	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Australia	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
MAM	GHS - Korea	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
SKI	GHS - Japan	H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1A]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: Substance undisclosed to protect proprietary information.		

METHOXYISOPROPYL ACETATE

ID: 108-65-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-16 19:38:09	
%: 0.1000 - 0.3000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MAM	GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]	
EYE	GHS - New Zealand		Eye irritation category 2	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: Solvent used in pigment dispersion.				

PIGMENT VIOLET 23

ID: 6358-30-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-06-16 19:38:10		
%: 0.2000 - 0.3000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
EYE	GHS - New Zealand	Eye irritation category 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Cosmetics and Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Cosmetics & Personal Care Products
SUBSTANCE NOTES: Pigment used for coloration of the primer.		

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-16 19:38:10	
%: 0.0000 - 0.1000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
END	ChemSec - SIN List	Endocrine Disruption		
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]		
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1		
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]		
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]		
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1		
REP	GHS - Japan	H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025
		Cosmetics and Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026
		Cosmetics & Personal Care Products

SUBSTANCE NOTES: Impurity found in trace amounts in adhesive-enhancing additive.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method - N/A	
COMPLIANCE TYPE: Self-declared CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: N/A COMPLIANCE DETAILS: COMPLIANCE SCOPE: APPLICABLE FACILITIES: Drummondville, Québec, Canada COMPLIANCE URL: COMPLIANCE NOTES: N/A - This product is an exterior product therefore is not to be tested for VOC emissions.	ISSUE DATE: 2020-06-23	EXPIRY DATE: No expiration
VOC CONTENT	VOC Content	
COMPLIANCE TYPE: Self-declared CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: N/A COMPLIANCE DETAILS: COMPLIANCE SCOPE: APPLICABLE FACILITIES: Drummondville, Québec, Canada COMPLIANCE URL: COMPLIANCE NOTES: SOPRASEAL VP PRIMER has a VOC content of 27 g/L.	ISSUE DATE: 2020-06-23	EXPIRY DATE: No expiration
MANAGEMENT	ISO 9001:2015 Quality management systems	
COMPLIANCE TYPE: Third Party CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: SGS ICS COMPLIANCE DETAILS: COMPLIANCE SCOPE: APPLICABLE FACILITIES: Facilities covered by this certification: St Julien du Sault, France; Strasbourg, France; Val de Reuil, France; Sorgues, France; Luynes, France; Ambert, France; Cestas, France; La Chapelle Saint Luc, France; Saint Rambert, France; Golbey, France; Drummondville, Québec, Canada; Chilliwack, British Columbia, Canada; Wadsworth, Ohio, USA; Richmond, Québec, Canada; Gulfport, Mississippi, USA; Beauport, Québec, Canada; Oberrosbach, Germany; Grobbendonk, Belgium; Andenne, Belgium; IJlst, Netherlands; Chignolo d'Isola Bergamo, Italy; Frosinone, Italy; San Vito al Tagliamento, Italy; Verolanuova, Italy; Salgareda, Italy; Blonie, Poland; Spreitenbach, Switzerland; Cham, Switzerland. COMPLIANCE URL: https://my.assets-library.com/m/5ca3578b6bc9370d/original/ISO-Certification-9001.pdf COMPLIANCE NOTES: Although all the plants cited above are covered by the certification, the only plant that manufactures the product covered by this HPD is the plant in Drummondville, Québec, Canada.	ISSUE DATE: 2024-06-11	EXPIRY DATE: 2027-05-07
MANAGEMENT	ISO 14001:2015 Environmental management systems	

COMPLIANCE TYPE: Third Party

CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: SGS ICS

COMPLIANCE DETAILS:

COMPLIANCE SCOPE:

APPLICABLE FACILITIES: Facilities covered by this certification: St Julien du Sault, France; Strasbourg, France; Val de Reuil, France; Sorgues, France; La Chapelle Saint Luc, France; Saint Rambert, France; Golbey, France; Drummondville, Québec, Canada; Chilliwack, British Columbia, Canada; Wadsworth, Ohio, USA; Richmond, Québec, Canada; Beauport, Québec, Canada; Grobbendonk, Belgium; Andenne, Belgium; IJlst, Netherlands; Chignolo d'Isola Bergamo, Italy; Frosinone, Italy; Salgareda, Italy; San Vito al Tagliamento, Italy; Verolanuova, Italy; Blonie, Poland; Spreitenbach, Switzerland; Cham, Switzerland.

COMPLIANCE URL: <https://my.assets-library.com/m/1fce2bb79b81bea7/original/ISO-Certification-45001.pdf>

COMPLIANCE NOTES: Although all the plants cited above are covered by the certification, the only plant that manufactures the product covered by this declaration is the plant in Drummondville, Québec, Canada.

ISSUE DATE: 2024-06-11

EXPIRY DATE: 2027-05-07

MANAGEMENT	ISO 45001:2018 Occupational health and safety management system	
COMPLIANCE TYPE: Third Party CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: SGS ICS COMPLIANCE DETAILS: COMPLIANCE SCOPE: APPLICABLE FACILITIES: Facilities covered by this certification: St Julien du Sault, France; Strasbourg, France; La Chapelle Saint Luc, France; Saint Rambert, France; Drummondville, Québec, Canada; Chilliwack, British Columbia, Canada; Beauport, Québec, Canada; Wadsworth, Ohio, USA; Gulfport, Mississippi, USA; Andenne, Belgium; Chignolo d'Isola Bergamo, Italy; Frosinone, Italy; San Vito al Tagliamento, Italy; Verolanuova, Italy; Salgareda, Italy. COMPLIANCE URL: https://my.assets-library.com/m/1fce2bb79b81bea7/original/ISO-Certification-45001.pdf COMPLIANCE NOTES: Although all the plants cited above are covered by the certification, the only plant that manufactures the product covered by this declaration is the plant in Drummondville, Québec, Canada.	ISSUE DATE: 2024-06-11	EXPIRY DATE: 2027-05-07

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

SOPRASEAL STICK VP MANUFACTURER (OR GENERIC): SOPREMA
HPD URL: https://www.soprema.ca/search-documentation/?label%5B%5D=Health%20Product%20Declaration ACCESSORY TYPE: Installation Accessory CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: SOPREASEAL VP PRIMER is used exclusively with SOPRASEAL STICK VP when a primer is needed.

VOC Content has been established after consideration of acetone and water as exempt compounds for VOC calculations.

MANUFACTURER INFORMATION

MANUFACTURER: **SOPREMA**
ADDRESS: **1688 Jean-Berchmans-Michaud St.**
Drummondville, QC J2C8E9
COUNTRY: **Canada**

WEBSITE: **www.soprema.ca**
CONTACT NAME: **Jean-François Côté**
TITLE: **Director, Standards and Scientific Affairs**
PHONE: **877-626-6688 x114211**
EMAIL: **jfcote@soprema.ca**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold	Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold	Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold	Substances listed individually per threshold indicated per product

Nano	Composed of nano scale particles or nanotechnology
Third Party Verified	Verification by independent certifier approved by HPDC
Preparer	Third party preparer, if not self-prepared by manufacturer
Applicable facilities	Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.