

DUOPRIMER-PRO
by ISOMAT S.A.

HPD UNIQUE IDENTIFIER: 1468517376
HPD UNIQUE PRODUCT ID: Not provided.
CLASSIFICATION: 09 90 00 Painting and Coating
PRODUCT DESCRIPTION: DUOPRIMER-PRO is a two-component, solventfree epoxy primer, offering high hardness and abrasion resistance

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format → Nested Materials Method	Residuals/Impurities Evaluation Completed in 2 of 2 Materials	For all contents above the threshold, the manufacturer has:
Threshold Disclosed Per → Product	Explanation(s) provided for Residuals/Impurities? Yes	Characterized Provided weight and role. Yes
Threshold Level → 1,000 ppm		Screened Provided screening results using HPDC-approved methods. Yes
		Identified Provided name and CAS RN or other identifier. No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

DUOPRIMER-PRO(A) [UNDISCLOSED BM-1 | CAN | MAM | GEN
UNDISCLOSED LT-P1 | CAN | END | SKI | MUL | EYE | AQU
UNDISCLOSED LT-P1 | MUL | SKI UNDISCLOSED LT-P1 | MUL
UNDISCLOSED LT-UNK | MAM UNDISCLOSED LT-UNK | MAM
UNDISCLOSED BM-2 | EYE | MAM | SKI | AQU UNDISCLOSED LT-UNK
UNDISCLOSED NoGS UNDISCLOSED LT-UNK | DUOPRIMER-
PRO(B) [UNDISCLOSED LT-P1 | SKI | EYE | AQU UNDISCLOSED BM-
2 | EYE | MAM | SKI | AQU UNDISCLOSED LT-UNK | DEV | EYE | SKI |
MAM | REP]

Number of Greenscreen BM-4/BM3 contents ... 0
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...
BM-1, LT-P1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Antimicrobial Pesticides Reporting: This product does not contain substance(s) that are intentionally added above the [Product - 1,000 ppm] threshold to act as antimicrobials.

This HPD was created with Nested Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

PFAS DETAILS:

This product does **not** contain intentionally added PFAS, but it is **unknown** if PFAS is contained in materials or substances from suppliers.

Attestation:

stavros moschjidis

2025-09-22

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): <750 Regulatory (g/l): <750
Does the product contain exempt VOCs: No
Are colorants available that do not increase the VOC content of the base paint when tinted: N/A

COMPLIANCE See Section 3 for additional listings.

VOC emissions: Eurofins Confirmation LEEDv4 EQ - Low emitting products - wet applied - DiBt/AgBB/SCAQMD
VOC content: Decorative Paint Directive 2004/42/CE (calculation method) - Phase 2

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.
Pre-checked for LEED v4.1 Option 1.

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: www.hpd-collaborative.org/hpd-3-0-standard

DUOPRIMER-PRO(A) %: 84.7000 - 84.7000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered and disclosed from available information. Outside chemical analysis has not been performed.

OTHER MATERIAL NOTES: Uses a set mix ratio.

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2026-06-25 23:48:37

%: 50.0000 - 60.0000	GreenScreen: BM-1	RC: UNK	NANO: Unknown	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)		
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man		
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources		
CAN	IARC	Group 1 - Agent is Carcinogenic to humans		
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen		
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]		
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]		
CAN	GHS - New Zealand	Carcinogenicity category 1		
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]		
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]		
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: The component CAS# was used to identify associated hazards		

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-06-25 23:48:38	
%: 25.0000 - 35.0000	GreenScreen: LT-P1	RC: UNK	NANO: Unknown SUBSTANCE ROLE: Curing agent
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS	
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value	
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor	
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization	
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters	
END	EU - Priority Endocrine Disruptors	Category 2 - In vitro evidence of biological activity related to Endocrine Disruption	
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]	
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]	
SKI	GHS - New Zealand	Skin irritation category 2	
EYE	GHS - New Zealand	Eye irritation category 2	
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]	
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]	
SKI	GHS - New Zealand	Skin sensitisation category 1	
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]	
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]	
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]	

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective February 1, 2025
		Red List substances to avoid in Living Building Challenge V4.0 projects
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Bisphenols and Phthalates
SUBSTANCE NOTES: The component CAS# was used to identify associated hazards		

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-25 23:48:38	
%: 5.0000 - 10.0000	GreenScreen: LT-P1	RC: UNK	NANO: Unknown	SUBSTANCE ROLE: Curing agent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MUL	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters	
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1		H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]	
SKI	GHS - New Zealand		Skin irritation category 2	
SKI	GHS - Australia		H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]	
SKI	GHS - Japan		H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]	
SKI	GHS - New Zealand		Skin sensitisation category 1	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: The component CAS# was used to identify associated hazards				

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-06-25 23:48:39	
%: 5.0000 - 10.0000	GreenScreen: LT-P1	RC: UNK	NANO: Unknown SUBSTANCE ROLE: Curing agent
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS	
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters	

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Bisphenols and Phthalates
SUBSTANCE NOTES: The component CAS# was used to identify associated hazards.		

UNDISCLOSED				ID: Undisclosed	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-25 23:48:40		
%: 0.1000 - 3.0000	GreenScreen: LT-UNK	RC: UNK	NANO: Unknown	SUBSTANCE ROLE: Solvent	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
MAM	GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: The component CAS# was used to identify associated hazards.					

UNDISCLOSED			ID: Undisclosed	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-06-25 23:48:37		
%: 0.1000 - 3.0000	GreenScreen: LT-UNK	RC: UNK	NANO: Unknown	SUBSTANCE ROLE: Solvent
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: The component CAS# was used to identify associated hazards.				

UNDISCLOSED		ID: Undisclosed	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-06-25 23:48:38	
%: 0.1000 - 1.0000	GreenScreen: BM-2	RC: UNK	NANO: Unknown SUBSTANCE ROLE: Diluent

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
EYE	GHS - New Zealand	Eye irritation category 2
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Cosmetics and Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Cosmetics & Personal Care Products

SUBSTANCE NOTES: This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED					ID: Undisclosed
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-25 23:48:39		
%: 0.1000 - 1.0000	GreenScreen: LT-UNK	RC: UNK	NANO: Unknown	SUBSTANCE ROLE: Viscosity modifier	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: The component CAS# was used to identify associated hazards		

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-06-25 23:48:39	
%: 0.1000 - 1.0000	GreenScreen: NoGS	RC: UNK	NANO: Unknown SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION	
None found		No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: The component CAS# was used to identify associated hazards			

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-06-25 23:48:40	
%: 0.1000 - 1.0000	GreenScreen: LT-UNK	RC: UNK	NANO: Unknown SUBSTANCE ROLE: Dispersant
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION	
None found		No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.			

DUOPRIMER-PRO(B)

%: 15.3000 - 15.3000

PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Polymeric Material
RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered and disclosed from available information. Outside chemical analysis has not been performed.		
OTHER MATERIAL NOTES: Uses a set mix ratio.		

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-25 23:48:38	
%: 40.0000 - 60.0000	GreenScreen: LT-P1	RC: UNK	NANO: Unknown	SUBSTANCE ROLE: Curing agent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
SKI	MAK		Sensitizing Substance Sh - Danger of skin sensitization	
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1		H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]	
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1		H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]	
SKI	GHS - New Zealand		Skin corrosion category 1C	
EYE	GHS - New Zealand		Serious eye damage category 1	
EYE	GHS - Japan		H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]	
SKI	GHS - Japan		H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]	
SKI	GHS - Australia		H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]	
AQU	GHS - New Zealand		Hazardous to the aquatic environment - chronic category 3	
SKI	GHS - New Zealand		Skin sensitisation category 1	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: The component CAS# was used to identify associated.				

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-25 23:48:39	
%: 25.0000 - 50.0000	GreenScreen: BM-2	RC: UNK	NANO: Unknown	SUBSTANCE ROLE: Curing agent

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
EYE	GHS - New Zealand	Eye irritation category 2
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Cosmetics and Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Cosmetics & Personal Care Products

SUBSTANCE NOTES: The component CAS# was used to identify associated

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-06-25 23:48:40	
%: 3.0000 - 10.0000	GreenScreen: LT-UNK	RC: UNK	NANO: Unknown	SUBSTANCE ROLE: Curing agent

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
DEV	EU - GHS (H-Statements) Annex 6 Table 3-1	H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
REP	GHS - Japan	H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 2
EYE	GHS - Australia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Cosmetics and Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Restrictions Based on Hazard Endpoints and Risk (Silver)
SUBSTANCE NOTES: The component CAS# was used to identify associated		

Section 3: Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS		Eurofins Confirmation LEEDv4 EQ - Low emitting products - wet applied - DiBt/AgBB/SCAQMD	
COMPLIANCE TYPE: Third Party		ISSUE DATE: 2024-12-19	EXPIRY DATE: No expiration
CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: Eurofins			
Product Testing Denmark A/S			
COMPLIANCE DETAILS:			
COMPLIANCE SCOPE:			
APPLICABLE FACILITIES: Agios Athanasios			
COMPLIANCE URL:			
https://www.isomat.eu/product/duroprimer-pro-2-en/			
COMPLIANCE NOTES: Meets LEED V4 Credit "Low Emitting Materials" Emissions Requirements.			
VOC CONTENT		Decorative Paint Directive 2004/42/CE (calculation method) - Phase 2	
COMPLIANCE TYPE: Self-declared		ISSUE DATE: 2025-09-18	EXPIRY DATE: No expiration
CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: ISOMAT			
SA			
COMPLIANCE DETAILS:			
COMPLIANCE SCOPE:			
APPLICABLE FACILITIES: Agios Athanasios			
COMPLIANCE URL:			
https://www.isomat.eu/product/duroprimer-pro-2-en/			
COMPLIANCE NOTES: The ready-to-use product DUOPRIMER-PRO contains a maximum of 750 g/l VOC.			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

The content of this product was assessed for health hazard warnings using PHAROS. DUOPRIMER-PRO, to the best of our knowledge, does not contain the following: •Alkylphenols •Asbestos •Cadmium •Chlorinated Polyethylene & Chlorosulfonated Polyethylene •Chlorobenzenes •Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs) •Chloroprene (Neoprene) •Chlorinated Polyvinyl Chloride (CPVC) •Formaldehyde (all types-added) •Halogenated Flame Retardants (HFRs) •Lead (added) •Mercury •Polychlorinated Biphenyls (PCBs) •Perfluorinated Compounds (PFCs) •Phthalates •Polyvinyl Chloride (PVC) •Polyvinylidene Chloride (PVDC) •Short Chain Chlorinated Paraffins •Wood treatments containing Creosote, Arsenic or Pentachlorophenol.

MANUFACTURER INFORMATION

MANUFACTURER: **ISOMAT S.A.**
ADDRESS: **17 km Thessaloniki - Agios Athanasios**
THESSALONIKI, CENTRAL MACEDONIA 57003
COUNTRY: **GREECE**

WEBSITE: **www.isomat.eu**
CONTACT NAME: **STAVROS MOSCHIDIS**
TITLE: **REGULATORY AFFAIRS MANAGER**
PHONE: **+30 2310 576 000**
EMAIL: **s.moschidis@isomat.gr**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold	Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold	Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold	Substances listed individually per threshold indicated per product

Nano	Composed of nano scale particles or nanotechnology
Third Party Verified	Verification by independent certifier approved by HPDC
Preparer	Third party preparer, if not self-prepared by manufacturer
Applicable facilities	Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.