

Coral Brush
by Forbo Flooring Systems

HPD UNIQUE IDENTIFIER: 10707163981824
HPD UNIQUE PRODUCT ID: Extensive list provided, see Section 5 General Notes for complete list.
CLASSIFICATION: 09 68 16 Sheet Carpeting
PRODUCT TYPE: Sheet Carpet Flooring
PRODUCT DESCRIPTION: Forbo Coral Brush entrance flooring incorporates three types of 100% Econyl regenerated solution dyed polyamide yarns, creating a blended appearance – capillary yarns for absorbing moisture, active dirt scraping yarns to quickly brush off soil, and heavy-duty textured yarns which retain its appearance. The solid vinyl backing is flexible, strong, and heavy in weight. It lays flat, making installation easier. It is impervious to water, making it suitable for intensive wet cleaning. Gauge - 9 mm (0.354"); Width - 80.7" (With Edging); Length - 90.22'; Roll Size - 65.78 square yards.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Residuals/Impurities Evaluation	For all contents above the threshold, the manufacturer has:
→ Basic Method	→ Not Completed	
Threshold Disclosed Per	Explanation(s) provided :	Characterized
→ Product	Yes	Provided weight and role.
Threshold Level		Screened
→ 100 ppm		Provided screening results using HPDC-approved methods.
		Identified
		Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

CORAL BRUSH | CALCIUM CARBONATE BM-3 | EYE REGENERATED
PA6 NYLON LT-UNK | POLYVINYL CHLORIDE (PVC) LT-P1 | CAN | MAM
BIS(2-ETHYLHEXYL) TEREPHTHALATE (DOTP) BM-3dg
POLYETHYLENE TEREPHTHALATE (PET) LT-UNK | CARBON BLACK
BM-1 * | CAN | EYE | MAM | PHY]

Number of Greenscreen BM-4/BM3 contents ... 2
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1
Nanomaterial ... Yes

INVENTORY AND SCREENING NOTES:

Percentage (%) ranges for ingredients are used as a means of keeping the exact formulations proprietary.

*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

PFAS DETAILS:

This product does not contain intentionally added PFAS, but it is unknown if PFAS is contained in materials or substances from suppliers.

Attestation:

J.S. Miller

2026-03-25

VOLATILE ORGANIC COMPOUND (VOC) CONTENT
VOC Content data is not applicable for this product category.

COMPLIANCE See Section 3 for additional listings.
VOC emissions: ClearChem Standard BkA-CC-01.3
VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario
VOC emissions: Environmental Product Declaration (EPD) by UL

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4.1 Option 1.

Pre-checked for LEED v5 Human Health 1.

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: www.hpd-collaborative.org/hpd-3-0-standard

CORAL BRUSH

PRODUCT THRESHOLD: 100 ppm		RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No		
RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected to be present in the product at or above the reporting threshold.				
OTHER PRODUCT NOTES:				
CALCIUM CARBONATE				ID: 471-34-1
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-07-06 9:45:43	
%, 42.0000 - 44.0000	GreenScreen: BM-3	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
EYE	GHS - New Zealand		Eye irritation category 2	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

REGENERATED PA6 NYLONID: 25038-54-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-07-06 9:45:43		
%: 20.0000 - 24.0000	GreenScreen: LT-UNK	RC: PreC	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (GSPI)		GSPI - Six Classes Precautionary List	
			Flame Retardants	
SUBSTANCE NOTES: The yarn used in the manufacture of Coral Brush is 100% recycled Econyl Nylon.				

POLYVINYL CHLORIDE (PVC)ID: 9002-86-2

%: 14.0000 - 18.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]		
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List		
		Precautionary list of substances recommended for avoidance		
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective February 1, 2025		
		Red List substances to avoid in Living Building Challenge V4.0 projects		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025		
		Avoidance of Organohalogens and Functionally Related Chemical Classes of Concern		
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List		
		Flame Retardants		

BIS(2-ETHYLHEXYL) TEREPHTHALATE (DOTP)

ID: **6422-86-2**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-07-06 9:45:44		
%: 14.0000 - 18.0000	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Plasticizer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (GSPI)		GSPI - Six Classes Precautionary List	
			Bisphenols and Phthalates	
SUBSTANCE NOTES:				

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-07-06 9:45:44	
%: 2.0000 - 4.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (GSPI)		GSPI - Six Classes Precautionary List	
			Bisphenols and Phthalates	
SUBSTANCE NOTES:				

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-07-06 9:45:43	
%: 0.0000 - 1.0000	GreenScreen: BM-1	RC: None	NANO: Yes	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen**		
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification**		
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route**		
CAN	IARC	Group 2b - Possibly carcinogenic to humans**		
EYE	GHS - New Zealand	Eye irritation category 2**		
CAN	GHS - New Zealand	Carcinogenicity category 2**		
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**		
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**		
PHY	GHS - Japan	H251 - Self-heating;; may catch fire [Self-heating substances and mixtures - Category 1]**		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: **Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.				

Section 3: Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS		ClearChem Standard BkA-CC-01.3	
COMPLIANCE TYPE: Pledge		ISSUE DATE: 2025-07-10	EXPIRY DATE: 2028-07-10
CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: Berkeley Analytical			
COMPLIANCE DETAILS:			
COMPLIANCE SCOPE: Product			
APPLICABLE FACILITIES: Classroom & Office			
COMPLIANCE URL:			
https://clearchem.berkeleyanalytical.com/clearchem-declared/forbo-flooring-systems			
COMPLIANCE NOTES:			
VOC EMISSIONS		CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario	
COMPLIANCE TYPE: Third-party certification		ISSUE DATE: 2025-07-10	EXPIRY DATE: 2028-07-10
CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: Berkeley Analytical			
COMPLIANCE DETAILS:			
COMPLIANCE SCOPE: Product			
APPLICABLE FACILITIES: Classroom & Office			
COMPLIANCE URL:			
https://clearchem.berkeleyanalytical.com/clearchem-declared/forbo-flooring-systems			
COMPLIANCE NOTES:			
VOC EMISSIONS		Environmental Product Declaration (EPD) by UL	
COMPLIANCE TYPE: Third-party certification		ISSUE DATE: 2026-02-18	EXPIRY DATE: 2031-02-18
CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: UL Environment			
COMPLIANCE DETAILS:			
COMPLIANCE SCOPE: Product			
APPLICABLE FACILITIES: All			
COMPLIANCE URL: https://www.forbo.com/flooring/en-us/sustainability/pm wz1i			
COMPLIANCE NOTES:			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

FORBO 660 ADHESIVE	
MANUFACTURER (OR GENERIC): Forbo Flooring Systems	
HPD URL: No HPD Available	
ACCESSORY TYPE: Adhesive	
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Forbo 660 is the standard recommended adhesive for Coral Brush installations. Refer to Forbo's 660 Technical Data Sheet for full installation recommendations and requirements.	

HPD URL: No HPD Available
ACCESSORY TYPE: Cleaning Product
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Forbo Neutral pH Cleaner is a recommended cleaning product for use with Coral Duo.

 Section 5: General Notes

By stopping up to 95% of walked in dirt and moisture, Coral entrance floors can prolong the life of the whole flooring system as well as greatly reduce cleaning costs and the risk for slipping. 100% of Coral Brush yarn is Regenerated Econyl Nylon. Coral Brush contains no Isocyanates, is phthalate free and is manufactured with 100% renewable energy.

HPD UNIQUE PRODUCT ID: US-74-137641, US-74-148321, US-74-148323, US-74-148327, US-74-148328, US-74-148330, US-74-148340, US-74-148342, US-74-148344, US-74-148348, US-74-148349, US-74-148351, US-74-148353, US-74-148561, US-74-148563, US-74-148567, US-74-148568, US-74-148570, US-74-148572, US-74-148573, US-74-148603, US-74-148605, US-74-171835, US-74-181657, US-74-181658, US-74-181660, US-74-181681, US-74-181682, US-74-181683, US-74-181684, US-74-181685, US-74-181686, US-74-181687, US-74-181691, US-74-181692, US-74-181731, US-74-181732, US-74-181735, US-74-181738, US-74-213627, US-74-218356, US-74-226284, US-74-233263, US-74-233264, US-74-233265, US-74-233266, US-74-233267, US-74-233274, US-74-233275, US-74-233277, US-74-233292, US-74-233293, US-74-233295, US-74-233296, US-74-233811, US-74-233812, US-74-233818, US-74-233829, US-74-233830, US-74-233831, US-74-233832, US-74-233833, US-74-233834, US-74-233835, US-74-233836, US-74-233837, US-74-264464, US-74-233839, US-74-233847, US-74-233850, US-74-233853, US-74-233855

MANUFACTURER INFORMATION

MANUFACTURER: **Forbo Flooring Systems**
ADDRESS: **8 Maplewood Drive**
Hazleton, PA 18202
COUNTRY: **United States**

WEBSITE: **www.forboflooringNA.com**
CONTACT NAME: **Jeff Miller**
TITLE: **Sustainability & Documentation Administrator**
PHONE: **5704500319**
EMAIL: **jeff.miller@forbo.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.