

HPD UNIQUE IDENTIFIER: 17519819
HPD UNIQUE PRODUCT ID: Not provided.
CLASSIFICATION: 09 69 33 Low-Profile Fixed Height Access Flooring
PRODUCT TYPE: Access Floor Frames
Access Flooring Components
Access Floor Infill Panels
Floor Mats
Tile Flooring

PRODUCT DESCRIPTION: The industry leading fixed height low profile raised access floor for over 30 years. Known for its durability and flexibility, the Network Floor System is one of the most successful wire management systems worldwide, installed in more than 150 million square feet of space. At just 1.57" finished floor height the Network Floor System manages cabling below the floor to organize any work area and maximize the floor to ceiling height of the space. The combination of high strength, light weight concrete and high-density plastic forms this unique floor system.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Residuals/Impurities Evaluation	For all contents above the threshold, the manufacturer has:
→ Nested Materials Method	Completed in 5 of 5 Materials	
Threshold Disclosed Per	Explanation(s) provided for Residuals/Impurities?	Characterized Yes
→ Product	Yes	Provided weight and role. Yes
Threshold Level		Screened Yes
→ 100 ppm		Provided screening results using HPDC-approved methods. Identified No
		Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

BASE 40 SYSTEM [CEMENT DUST LT-P1] CAN | END | MAM | EYE | SKI STEEL NoGS WATER BM-4 SC:GEOMAT PERLITE LT-UNK | EYE POLYVINYL CHLORIDE (PVC) (PRIMARY CASRN IS 9002-86-2) LT-P1] CAN | MAM ETHYLENEVINYLACETATE COPOLYMER LT-UNK CATION COATING LT-UNK POLYETHYLENE LT-UNK POLYETHYLENE TEREPHTHALATE (PET) LT-UNK BUTYL ACRYLATE LT-UNK | SKI | EYE | MAM | REP | AQU POLYPROPYLENE LT-UNK] BORDER 40 SYSTEM [CEMENT DUST LT-P1] CAN | END | MAM | EYE | SKI WATER BM-4 STEEL NoGS POLYVINYL CHLORIDE-ACRYLIC COPOLYMER LT-UNK SC:GEOMAT PERLITE LT-UNK | EYE POLYVINYL CHLORIDE (PVC) (PRIMARY CASRN IS 9002-86-2) LT-P1] CAN | MAM UNDISCLOSED Not Screened CATION COATING LT-UNK] FEED-IN 40 SYSTEM [STEEL NoGS CEMENT DUST LT-P1] CAN | END | MAM | EYE | SKI WATER BM-4 POLYVINYL CHLORIDE (PVC) (PRIMARY CASRN IS 9002-86-2) LT-P1] CAN | MAM POLYVINYL CHLORIDE-ACRYLIC COPOLYMER LT-UNK SC:GEOMAT CATION COATING LT-UNK PERLITE LT-UNK | EYE UNDISCLOSED Not Screened POLYETHYLENE TEREPHTHALATE (PET) LT-UNK 2-PROPENOIC ACID, 2-METHYL-, 2-HYDROXYETHYL ESTER, POLYMER WITH 2-ETHYLHEXYL 2-PROPENOATE AND METHYL 2-METHYL-2-PROPENOATE LT-UNK] UNDER SHEET [POLYPROPYLENE LT-UNK] TITANIUM DIOXIDE BM-1] CAN | END | MAM] GLUE FOR UNDER

Number of Greenscreen BM-4/BM3 contents ... 3
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, BM-1
Nanomaterial ... No
INVENTORY AND SCREENING NOTES:
Special Conditions applied: [GeologicalMaterial]
Special Conditions applied: [Polymers]

"Yes ex/SC " result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.
PFAS DETAILS:
This product does not contain intentionally added PFAS and materials and substances from suppliers are verified to not contain PFAS.
Attestation:

TSUNGLIN CHIANG
2026-07-07

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -
Classroom & Office scenario

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4.1 Option 1.

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: www.hpd-collaborative.org/hpd-3-0-standard

BASE 40 SYSTEM

?: 91.9175

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were evaluated based on the information currently available from supplier documentation. Certain substances could not be fully identified or quantified due to proprietary or incomplete supplier information. Evaluation will be updated as additional information becomes available.

OTHER MATERIAL NOTES: Polymeric material used within the Base 40 System network flooring assembly to provide structural performance, stability, and system functionality.

Cation coating is a proprietary formulated material comprised of multiple substances. No CAS RN is available for the mixture as supplied.

CEMENT DUST

ID: 65997-15-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2026-03-04 9:25:42

?: 34.3275 GreenScreen: LT-P1 RC: None NANO: Unknown SUBSTANCE ROLE: Binder

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Japan	H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

STEEL

ID: 12597-69-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2026-03-04 9:25:43

?: 28.9453 GreenScreen: NoGS RC: Both NANO: Unknown SUBSTANCE ROLE: Structure component

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: Industry Average: The Steel Recycling Institute has reported 56.9% post-consumer and 31.4% pre-consumer content in steel.		

WATER

ID: 7732-18-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-03-04 9:25:44		
%: 25.5660	GreenScreen: BM-4	RC: None	NANO: Unknown	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
EXEMPT	European Union / European Commission (EU EC)		EU - REACH Exemptions	
			Exempted from REACH Annex IV listing due to intrinsic safety	
SUBSTANCE NOTES:				

SC:GEOMAT

ID: Geological Material

HAZARD DATA SOURCE: HPDC Special Conditions Policy				
%: 4.8274	GreenScreen: Not Required	RC: UNK	NANO: No	MATERIAL ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
Hazard Screening is not applicable to this Special Condition				
INGREDIENT DESCRIPTION AND COMPOSITION: SiO2 at 75 - 78%, Al2O3 at 11 - 14%, Fe2O3 at 1 - 2, CaO at 1 - 2%, MgO at 0.05 - 0.12%, K2O at 1.5 - 3.5%, Na2O at 1.8 - 3.2%, lg. loss at 0.5 - 1.3%				
COUNTRY OF ORIGIN: Japan				
RADIOACTIVE ELEMENTS: According to supplier provided information and/or internal testing, it is determined that no radioactive elements are found in this material.				
POTENTIAL PRESENCE OF TOXIC METALS: According to supplier provided information and/or internal testing, it is determined that no toxic metals are found in this material.				
MATERIAL CONTENT NOTES: SpecialConditionApplied:Geological Material" Also known as Shirasu Balloons				

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-03-04 9:25:46			
%: 3.5097	GreenScreen: LT-UNK	RC: UNK	NANO: Unknown	SUBSTANCE ROLE: Structure component		
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS			
EYE	GHS - New Zealand		Eye irritation category 2			
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION			
None found						No listings found on Additional Hazard Lists
SUBSTANCE NOTES: This substance is part of a material for which recycled content information is currently unknown.						

POLYVINYL CHLORIDE (PVC) (PRIMARY CASRN IS 9002-86-2)

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-03-04 9:25:48		
%: 2.4962	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Structure component	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
CAN	MAK		Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		
MAM	GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]		
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	Perkins+Will (P+W)		P&W - Precautionary List		
			Precautionary list of substances recommended for avoidance		
RESTRICTED LIST	International Living Future Institute (ILFI)		Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective February 1, 2025		
			Red List substances to avoid in Living Building Challenge V4.0 projects		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)		C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025		
			Avoidance of Organohalogens and Functionally Related Chemical Classes of Concern		
SUBSTANCE NOTES: Substance is the Formed PVC Box for the Base Mat 40. Supplier confirmed that impurities and residuals are not intentionally added at concentrations of 100 ppm or greater.					

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-03-04 9:25:43		
%: 0.1140	GreenScreen: LT-UNK	RC: UNK	NANO: Unknown	SUBSTANCE ROLE: Structure component	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: This substance is part of a material for which recycled content information is currently unknown.					

CATION COATING

ID: Polymer

HAZARD DATA SOURCE: GHS-compliant CLP			HAZARD SCREENING DATE: 2026-06-25 14:31:30		
%: 0.1000	GreenScreen: LT-UNK	RC: None	NANO: Unknown	POLYMER ROLE: Coating	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
Hazards Screening not applicable for this special condition. See GHS or CLP warnings below.					
POLYMER TYPE: Thermoset prepolymer (i.e. partially reacted)					
AVERAGE MOLECULAR WEIGHT : Unknown					
PERCENTAGE OF POLYMER WITH MOLECULAR WEIGHT LESS THAN 500 DA : Unknown					
ADDITIONAL SUBSTANCES CONSIDERED: No					
GHS HAZARD STATEMENTS: No GHS hazard statements identified					
HAZARD SCREENING COMPLIANCE: Hazard screening data sourced from OSHA and/or EU compliance CLP or SDS, as allowed by HPDC Special Conditions policy for polymers.					
POLYMER NOTES: This polymer has been reported in accordance to HPDC Special Conditions Policy for polymers without disclosed CAS numbers.					
ADDITIONAL NOTES: Proprietary cationic coating system.					
Hazard information is based on available supplier disclosures and product documentation.					
Polymer-level SDS was not available.					
Functional coating applied to improve adhesion and surface performance. Composition is proprietary and based on supplier disclosure.					

POLYETHYLENE

ID: 9002-88-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-03-04 9:25:44		
%: 0.0970	GreenScreen: LT-UNK	RC: None	NANO: Unknown	SUBSTANCE ROLE: Structure component	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		

SUBSTANCE NOTES:

POLYETHYLENE TEREPHTHALATE (PET)

ID: 25038-59-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-03-04 9:25:45		
%: 0.0120	GreenScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Structure component	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: Recycled content, if any, has not been confirmed by the supplier.					

BUTYL ACRYLATE

ID: 141-32-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-03-04 9:25:46		
%: 0.0037	GreenScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Adhesive	

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
MAM	GHS - Japan	H331 - Toxic if inhaled [Acute toxicity (inhalation: vapor) - Category 3]
MAM	GHS - New Zealand	Acute inhalation toxicity category 3
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
SKI	GHS - New Zealand	Skin sensitisation category 1
REP	GHS - New Zealand	Reproductive toxicity category 2
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
MAM	Québec CSST - WHMIS 1988	Class D1A - Very toxic material causing immediate and serious toxic effects
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Some Solvents
SUBSTANCE NOTES: Supplier confirmed that impurities and residuals are not intentionally added at concentrations of 100 ppm or greater		

POLYPROPYLENE

ID: **9003-07-0**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2026-03-04 9:25:43**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: Screened per HPD lists; functional but very low weight. Supplier confirmed that impurities and residuals are not intentionally added at concentrations of 100 ppm or greater		

BORDER 40 SYSTEM

%: 7.5891

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were evaluated based on the information currently available from supplier documentation. Certain substances could not be fully identified or quantified due to proprietary or incomplete supplier information. Evaluation will be updated as additional information becomes available.

OTHER MATERIAL NOTES: PVC-based polymeric material used as the decorative and wear border component of the Border 40 System flooring. Cation coating is a proprietary formulated material comprised of multiple substances. No CAS RN is available for the mixture as supplied.

CEMENT DUST

ID: 65997-15-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-03-04 9:25:44		
%: 37.9383	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification	
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	
MAM	GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]	
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]	
EYE	GHS - Japan		H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]	
SKI	GHS - Japan		H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

WATER

ID: 7732-18-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-03-04 9:25:45		
%: 28.8751	GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
EXEMPT	European Union / European Commission (EU EC)		EU - REACH Exemptions Exempted from REACH Annex IV listing due to intrinsic safety	
SUBSTANCE NOTES:				

STEEL				ID: 12597-69-2
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-03-04 9:25:47	
%: 16.2648	GreenScreen: NoGS	RC: UNK	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: Industry Average: The Steel Recycling Institute has reported 56.9% post-consumer and 31.4% pre-consumer content in steel.				

POLYVINYL CHLORIDE-ACRYLIC COPOLYMER			ID: 25702-80-1	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-03-04 9:25:48	
%: 6.2258	GreenScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)		C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Avoidance of Organohalogens and Functionally Related Chemical Classes of Concern	

SUBSTANCE NOTES: Substance is the PVC Sheet (Border Sheet) for the Border Mat 40
Supplier confirmed that DEHP is intentionally added as a plasticizer to increase the flexibility of the border sheet and is not considered an impurity or residual.

SC:GEOMAT ID: Geological Material

HAZARD DATA SOURCE: HPDC Special Conditions Policy				
%: 4.2867	GreenScreen: Not Required	RC: UNK	NANO: No	MATERIAL ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
Hazard Screening is not applicable to this Special Condition				
INGREDIENT DESCRIPTION AND COMPOSITION: SiO2 at 75 - 78%, Al2O3 at 11 - 14%, Fe2O3 at 1 - 2, CaO at 1 - 2%, MgO at 0.05 - 0.12%, K2O at 1.5 - 3.5%, Na2O at 1.8 - 3.2%, Ig. loss at 0.5 - 1.3%				
COUNTRY OF ORIGIN: Japan				
RADIOACTIVE ELEMENTS: According to supplier provided information and/or internal testing, it is determined that no radioactive elements are found in this material.				
POTENTIAL PRESENCE OF TOXIC METALS: According to supplier provided information and/or internal testing, it is determined that no toxic metals are found in this material.				
MATERIAL CONTENT NOTES: SpecialConditionApplied:Geological Material” Also known as Shirasu Balloons				

PERLITE ID: 93763-70-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-03-04 9:25:44	
%: 3.8392	GreenScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
EYE	GHS - New Zealand		Eye irritation category 2	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: This substance is part of a material for which recycled content information is currently unknown.				

POLYVINYL CHLORIDE (PVC) (PRIMARY CASRN IS 9002-86-2) ID: 93050-82-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-03-04 9:25:45	
%: 2.0389	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Structure component

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective February 1, 2025 Red List substances to avoid in Living Building Challenge V4.0 projects
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Avoidance of Organohalogens and Functionally Related Chemical Classes of Concern

SUBSTANCE NOTES: Substance is the Formed PVC Box for the Border Mat 40. Dioctyltin compounds are intentionally added as a stabilizer during PVC formulation. This substance is disclosed as an intentionally added component and was not evaluated as a residual/impurity. The presence and concentration are based on supplier-provided formulation information.

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library				HAZARD SCREENING DATE: Not Screened	
%: 0.4533	GreenScreen: Not Screened		RC: UNK	NANO: No	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	LIST NAME AND SOURCE			WARNINGS	
	Hazard Screening not performed				
ADDITIONAL LISTINGS	LIST NAME AND SOURCE			NOTIFICATION	
	Additional Hazard Screening not performed				

SUBSTANCE NOTES: The adhesive is used for sticking and releasing PVC SHEET (BORDER SHEET) with concrete surface of BORDER MAT 40 by its purposes of installation.
Hazard screening was completed using the supplier-provided CAS Registry Number. The chemical identity and CAS number are not disclosed in the published HPD due to confidentiality.

CATION COATING

ID: Polymer

HAZARD DATA SOURCE: GHS-compliant CLP			HAZARD SCREENING DATE: 2026-06-26 16:08:34		
%: 0.0800	GreenScreen: LT-UNK	RC: None	NANO: Unknown	POLYMER ROLE: Coating	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
Hazards Screening not applicable for this special condition. See GHS or CLP warnings below.					
POLYMER TYPE: Thermoset prepolymer (i.e. partially reacted)					
AVERAGE MOLECULAR WEIGHT : Unknown					
PERCENTAGE OF POLYMER WITH MOLECULAR WEIGHT LESS THAN 500 DA : Unknown					
ADDITIONAL SUBSTANCES CONSIDERED: No					
GHS HAZARD STATEMENTS: No GHS hazard statements identified					
HAZARD SCREENING COMPLIANCE: Hazard screening data sourced from OSHA and/or EU compliance CLP or SDS, as allowed by HPDC Special Conditions policy for polymers.					
POLYMER NOTES: This polymer has been reported in accordance to HPDC Special Conditions Policy for polymers without disclosed CAS numbers.					
ADDITIONAL NOTES: Proprietary cationic coating system. Hazard information is based on available supplier disclosures and product documentation. Polymer-level SDS was not available. Functional coating applied to improve adhesion and surface performance. Composition is proprietary and based on supplier disclosure.					

FEED-IN 40 SYSTEM		%: 0.3900	
PRODUCT THRESHOLD: 100 ppm		RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Polymeric Material
RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were evaluated based on the information currently available from supplier documentation. Certain substances could not be fully identified or quantified due to proprietary or incomplete supplier information. Evaluation will be updated as additional information becomes available.			
OTHER MATERIAL NOTES: Polymeric material used within the Feed-in 40 System flooring assembly to support transition functionality, structural stability, and integration within the modular flooring system.			
Cation coating is a proprietary formulated material comprised of multiple substances. No CAS RN is available for the mixture as supplied.			

STEEL				ID: 12597-69-2	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library				HAZARD SCREENING DATE: 2026-03-04 9:25:46	
%: 85.6645	GreenScreen: NoGS		RC: Both	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: Industry Average: The Steel Recycling Institute has reported 56.9% post-consumer and 31.4% pre-consumer content in steel.					

CEMENT DUST	ID: 65997-15-1
--------------------	-----------------------

%: **6.1703**

GreenScreen: **LT-P1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Japan	H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

WATER

ID: **7732-18-5**

%: **3.2176**

GreenScreen: **BM-4**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions Exempted from REACH Annex IV listing due to intrinsic safety

SUBSTANCE NOTES:

POLYVINYL CHLORIDE (PVC) (PRIMARY CASRN IS 9002-86-2)

ID: **93050-82-9**

%: **2.2713**

GreenScreen: **LT-P1**

RC: **UNK**

NANO: **No**

SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective February 1, 2025 Red List substances to avoid in Living Building Challenge V4.0 projects
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Avoidance of Organohalogens and Functionally Related Chemical Classes of Concern
SUBSTANCE NOTES: Substance is the Formed PVC Box for the Feed-In Mat 40		

POLYVINYL CHLORIDE-ACRYLIC COPOLYMER

ID: 25702-80-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-03-04 9:25:49	
0.6814	GreenScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)		C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025	
			Avoidance of Organohalogens and Functionally Related Chemical Classes of Concern	
SUBSTANCE NOTES: Substance is the Sound Absorb Rubber Seal for the Feed-In Mat 40				
CATION				

SC:GEOMAT

ID: Geological Material

HAZARD DATA SOURCE: **HPDC Special Conditions Policy**

%: 0.6814		GreenScreen: Not Required	RC: UNK	NANO: No	MATERIAL ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
Hazard Screening is not applicable to this Special Condition					
INGREDIENT DESCRIPTION AND COMPOSITION: SiO2 at 75 - 78%, Al2O3 at 11 - 14%, Fe2O3 at 1 - 2, CaO at 1 - 2%, MgO at 0.05 - 0.12%, K2O at 1.5 - 3.5%, Na2O at 1.8 - 3.2%, lg. loss at 0.5 - 1.3%					
COUNTRY OF ORIGIN: Japan					
RADIOACTIVE ELEMENTS: According to supplier provided information and/or internal testing, it is determined that no radioactive elements are found in this material.					
POTENTIAL PRESENCE OF TOXIC METALS: According to supplier provided information and/or internal testing, it is determined that no toxic metals are found in this material.					
MATERIAL CONTENT NOTES: SpecialConditionApplied:Geological Material" Also known as Shirasu Balloons					

CATION COATING				ID: Polymer
HAZARD DATA SOURCE: GHS-compliant CLP			HAZARD SCREENING DATE: 2026-06-26 16:10:34	
%: 0.6800	GreenScreen: LT-UNK	RC: None	NANO: Unknown	POLYMER ROLE: Coating
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
Hazards Screening not applicable for this special condition. See GHS or CLP warnings below.				
POLYMER TYPE: Thermoset prepolymer (i.e. partially reacted)				
AVERAGE MOLECULAR WEIGHT : Unknown				
PERCENTAGE OF POLYMER WITH MOLECULAR WEIGHT LESS THAN 500 DA : Unknown				
ADDITIONAL SUBSTANCES CONSIDERED: No				
GHS HAZARD STATEMENTS: No GHS hazard statements identified				
HAZARD SCREENING COMPLIANCE: Hazard screening data sourced from OSHA and/or EU compliance CLP or SDS, as allowed by HPDC Special Conditions policy for polymers.				
POLYMER NOTES: This polymer has been reported in accordance to HPDC Special Conditions Policy for polymers without disclosed CAS numbers.				
ADDITIONAL NOTES: Proprietary cationic coating system. Hazard information is based on available supplier disclosures and product documentation. Polymer-level SDS was not available. Functional coating applied to improve adhesion and surface performance. Composition is proprietary and based on supplier disclosure.				

PERLITE					ID: 93763-70-3
HAZARD DATA SOURCE: Pharos Chemical and Materials Library				HAZARD SCREENING DATE: 2026-03-04 9:25:47	
%: 0.6057	GreenScreen: LT-UNK		RC: UNK	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE		LIST NAME AND SOURCE		WARNINGS	
EYE		GHS - New Zealand		Eye irritation category 2	

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: This substance is part of a material for which recycled content information is currently unknown.

UNDISCLOSED ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **Not Screened**

%: **0.0114** GreenScreen: **Not Screened** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Adhesive**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
-------------	----------------------	----------

Hazard Screening not performed

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
---------------------	----------------------	--------------

Additional Hazard Screening not performed

SUBSTANCE NOTES: The adhesive is used for sticking SOUND ABSORB RUBBER SEAL with FORMED PVC BOX surface of FEED-IN MAT 40.
The chemical identity and CAS number are not disclosed in the published HPD due to confidentiality.

POLYETHYLENE TEREPHTHALATE (PET) ID: **25038-59-9**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2026-03-04 9:25:48**

%: **0.0076** GreenScreen: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
-------------	----------------------	----------

None found No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
---------------------	----------------------	--------------

None found No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Recycled content information for this non-woven fabric material is currently unknown.

2-PROPENOIC ACID, 2-METHYL-, 2-HYDROXYETHYL ESTER, POLYMER WITH 2-ETHYLHEXYL 2-PROPENOATE AND METHYL 2-METHYL-2-PROPENOATE ID: **40704-95-8**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2026-03-04 9:25:49**

%: **0.0076** GreenScreen: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Adhesive**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: Recycled content information for this adhesive material is currently unknown.		

UNDER SHEET

%: 0.0591

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Supplier confirmed that impurities and residuals are not intentionally added at concentrations of 100 ppm or greater. This evaluation was prepared using SDS information for the raw materials and other information currently available; no analytical testing or similar assessments were performed.

OTHER MATERIAL NOTES: Polymeric under sheet material used within the flooring system to provide cushioning, structural support, and dimensional stability.

POLYPROPYLENE

ID: 9003-07-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-03-04 9:25:49		
%: 99.5000	GreenScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: This substance is part of a material for which recycled content information is currently unknown.				

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-03-04 9:25:48		
%: 0.5000	GreenScreen: BM-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Structure component

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)
		Colorants - Green Circle (Verified Low Concern)
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025
		Cosmetics and Personal Care Products

SUBSTANCE NOTES: This substance is part of a nested material; recycled content information is currently unknown. Chemical identity remains unchanged.

GLUE FOR UNDER SHEET %: 0.0443

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: PFAS are not intentionally added and are not known to be present above 100 ppm. Residuals and impurities are not intentionally added and are not known to be present above 100 ppm based on supplier-provided information.

OTHER MATERIAL NOTES: All substances in this material are below the reportable threshold.

Section 3: Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario	
COMPLIANCE TYPE: Third-party certification CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: Intertek COMPLIANCE DETAILS: COMPLIANCE SCOPE: Product APPLICABLE FACILITIES: All COMPLIANCE URL: https://sustainabilitydirectory.intertek.com/images/certificates/9bb19812-de4f-44bd-a586-e794b0fafdc3_CA-12943-2022a.pdf COMPLIANCE NOTES: This certification is applicable to the Network Floor	ISSUE DATE: 2025-10-27	EXPIRY DATE: 2026-11-28

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

- *Cation Coating is intentionally applied to prevent the product from corrosion.
- *The adhesive is used for sticking and releasing PVC SHEET (BORDER SHEET) with concrete surface of BORDER MAT 40 by its purposes of installation.
- *The adhesive for under sheet is used for not only prevent the flying dust by sticking it to the slab floor but also creates the friction between Network floor and the slab floor.
- *Water is part of the binder system in the concrete mixture of Network Floor. It is a functional ingredient necessary for the performance of these materials. Percentages are approximate and may vary by batch.

MANUFACTURER INFORMATION

MANUFACTURER: **KYODO KY-TEC CORP**
 ADDRESS: **Yebisu Garden Place Tower, 4-20-3 Ebisu**
Shibuya-ku, Tokyo 150-6023
 COUNTRY: **Japan**

WEBSITE: **<https://www.ky-tec.co.jp/en/>**
 CONTACT NAME: **Tsunglin Chiang**
 TITLE: **Manager**
 PHONE: **+81-3-6825-7040**
 EMAIL: **kou.sourin@ky-tec.co.jp**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY
Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold	Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold	Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold	Substances listed individually per threshold indicated per product

Nano	Composed of nano scale particles or nanotechnology
Third Party Verified	Verification by independent certifier approved by HPDC
Preparer	Third party preparer, if not self-prepared by manufacturer
Applicable facilities	Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.