

Stainless Steel Entrance Grilles

by Babcock-Davis

HPD UNIQUE IDENTIFIER: 28744906

HPD UNIQUE PRODUCT ID: Not provided.

CLASSIFICATION: 12 48 16 Entrance Floor Grilles

PRODUCT TYPE: Floor Mats And Grilles

PRODUCT DESCRIPTION: Babcock-Davis Stainless Steel Entrance Grilles provide an attractive entrance flooring system that will stop dirt, debris and particulates from entering your building. Ensure a safe entrance, significantly reduce maintenance cost and improve Indoor Environmental Quality by stopping dirt from entering the building. This HPD covers Babcock-Davis eleGRIL (BGE38H/BGE58H/BGE98H) and proGRIL (BGP34/BGP98) products.

SCREENING DATE: 2026-08-13

PUBLISHED DATE: 2026-08-13

EXPIRY DATE: 2029-08-13

PREPARER: Self-Prepared

Health Product Declaration v3.0

created via: HPDC Online Builder

Section 1: Summary

Nested Method / Material Threshold

CONTENT INVENTORY

Inventory Reporting Format	Residuals/Impurities Evaluation	
→ Nested Materials Method	Completed in 1 of 1 Materials	For all contents above the threshold, the manufacturer has:
Threshold Disclosed Per	Explanation(s) provided for Residuals/Impurities?	Characterized Yes
→ Material	Yes	Provided weight and role.
Threshold Level		Screened Yes
→ 100 ppm		Provided screening results using HPDC-approved methods.
		Identified Yes
		Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

Nested Material | Material or Substance | Residual or Impurity

Greenscreen Score | Hazard Type

Stainless Steel Alloy [Iron, Elemental LT-P1 | END Chromium LT-P1 | END | SKI | MAM | REP | RES Nickel LT-1 | CAN | RES | MAM | SKI | AQU Molybdenum LT-UNK | MAM | SKI | REP Manganese LT-P1 | END | REP | MAM | AQU Silicon, Elemental LT-UNK Nitrogen NoGS Phosphorus BM-2 | MAM | PHY | EYE | AQU | SKI Carbon LT-UNK |

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 3.0, and discloses hazards associated with all substances present at or above 100 parts per million (ppm) in the finished product, along with the role and percent weight.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

COMPLIANCE See Section 3 for additional listings.

VOC emissions: Inherently non-emitting source per LEED

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4.1 Option 1.

Pre-checked for LEED v5 Human Health 1.

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: www.hpd-collaborative.org/hpd-3-0-standard

STAINLESS STEEL ALLOY

%: 100.0000

MATERIAL THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier disclosures and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Metal alloys have different intrinsic characteristics than their alloying elements encapsulated therein, including health and environmental hazards. As such, alloys are generally expected to have different hazards than their alloying elements. Product-Specific (Type III) Environmental Product Declarations (EPD) available from suppliers of 304 and 316 Stainless Steel. Suppliers confirm total recycled content of 84.4% (Type 304) and 95% (Type 316).

IRON, ELEMENTAL

ID: 7439-89-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2026-08-13 13:40:02

%: 60.0000 - 76.0000

GreenScreen: LT-P1

RC: Both

NANO: No

SUBSTANCE ROLE: Structure component

HAZARD TYPE

END

LIST NAME AND SOURCE

TEDX - Potential Endocrine Disruptors

WARNINGS

Potential Endocrine Disruptor

ADDITIONAL LISTINGS

None found

LIST NAME AND SOURCE

NOTIFICATION

No listings found on Additional Hazard Lists

SUBSTANCE NOTES: See Material Notes for information about recycled content of Stainless Steel.

CHROMIUM

ID: 7440-47-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2026-08-13 13:40:03

%: 16.0000 - 20.0000

GreenScreen: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Alloy element

HAZARD TYPE

END

LIST NAME AND SOURCE

TEDX - Potential Endocrine Disruptors

WARNINGS

Potential Endocrine Disruptor

HAZARD TYPE

SKI

LIST NAME AND SOURCE

MAK

WARNINGS

Sensitizing Substance Sh - Danger of skin sensitization

HAZARD TYPE

MAM

LIST NAME AND SOURCE

GHS - Japan

WARNINGS

H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]

HAZARD TYPE

REP

LIST NAME AND SOURCE

GHS - New Zealand

WARNINGS

Reproductive toxicity category 2

HAZARD TYPE

RES

LIST NAME AND SOURCE

GHS - Japan

WARNINGS

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled [Respiratory sensitization - Category 1A]

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPiI)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPiI)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Cosmetics and Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPiI)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPiI)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Cosmetics & Personal Care Products
SUBSTANCE NOTES:		

NICKEL		ID: 7440-02-0	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-08-13 13:40:04	
%: 8.0000 - 14.0000	GreenScreen: LT-1	RC: None	NANO: No
		SUBSTANCE ROLE: Alloy element	
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS	
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen	
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man	
CAN	IARC	Group 1 - Agent is Carcinogenic to humans	
CAN	CA EPA - Prop 65	Carcinogen	
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen	
CAN	IARC	Group 2b - Possibly carcinogenic to humans	
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen	
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization	
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]	
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]	
CAN	GHS - New Zealand	Carcinogenicity category 2	
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]	
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]	
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]	
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]	
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen	
SKI	GHS - New Zealand	Skin sensitisation category 1	
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1	
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1	
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]	

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Certain Metals
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025
		All Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025
		Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025
		Cosmetics and Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026
		Core List - Articles Only
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026
		Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026
		Restrictions Based on Hazard Endpoints and Risk (Silver)
SUBSTANCE NOTES:		

MOLYBDENUM

ID: 7439-98-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-08-13 13:40:04		
%: 0.5000 - 3.0000		GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE		LIST NAME AND SOURCE		WARNINGS	
MAM		GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]	
SKI		GHS - Japan		H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]	
REP		GHS - New Zealand		Reproductive toxicity category 2	
ADDITIONAL LISTINGS		LIST NAME AND SOURCE		NOTIFICATION	
None found		No listings found on Additional Hazard Lists			
SUBSTANCE NOTES:					

MANGANESE

ID: 7439-96-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library				HAZARD SCREENING DATE: 2026-08-13 13:40:05
%: 0.5000 - 2.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		

REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 3
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPiI)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPiI)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Children's Toy Products
SUBSTANCE NOTES:		

SILICON, ELEMENTAL		ID: 7440-21-3
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-08-13 13:40:03
%: 0.1000 - 1.0000	GreenScreen: LT-UNK	RC: None
		NANO: No
		SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

NITROGEN		ID: 7727-37-9
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-08-13 13:40:03
%: 0.0300 - 0.0800	GreenScreen: NoGS	RC: None
		NANO: No
		SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions Exempted from REACH Annex IV listing due to intrinsic safety

RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Antimicrobials
SUBSTANCE NOTES:		

PHOSPHORUS

ID: 7723-14-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library				HAZARD SCREENING DATE: 2026-08-13 13:40:04	
%: 0.0200 - 0.0400		GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE		LIST NAME AND SOURCE		WARNINGS	
MAM		US EPA - EPCRA Extremely Hazardous Substances		Extremely Hazardous Substances	
MAM		GHS - New Zealand		Specific target organ toxicity - repeated exposure category 1	
PHY		GHS - New Zealand		Pyrophoric solids category 1	
EYE		GHS - New Zealand		Serious eye damage category 1	
AQU		GHS - New Zealand		Hazardous to the aquatic environment - acute category 1	
AQU		GHS - New Zealand		Hazardous to the aquatic environment - chronic category 1	
MAM		Québec CSST - WHMIS 1988		Class D1A - Very toxic material causing immediate and serious toxic effects	
SKI		GHS - New Zealand		Skin corrosion category 1A	
MAM		GHS - New Zealand		Acute dermal toxicity category 1	
MAM		GHS - New Zealand		Acute inhalation toxicity category 1	
MAM		GHS - New Zealand		Acute oral toxicity category 1	
ADDITIONAL LISTINGS		LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST		Cradle to Cradle Products Innovation Institute (C2CP II)		C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025	
				Cosmetics and Personal Care Products	
RESTRICTED LIST		Cradle to Cradle Products Innovation Institute (C2CP II)		C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026	
				Cosmetics & Personal Care Products	

CARBON

ID: 7440-44-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-08-13 13:40:05			
%: 0.0200 - 0.0300			GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE		LIST NAME AND SOURCE			WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists				
ADDITIONAL LISTINGS		LIST NAME AND SOURCE			NOTIFICATION	
None found		No listings found on Additional Hazard Lists				

Section 3: Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Inherently non-emitting source per LEED	
COMPLIANCE TYPE: Self-declaration	ISSUE DATE: 2026-05-11	EXPIRY DATE: No expiration
CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: None		
COMPLIANCE DETAILS:		
COMPLIANCE SCOPE:		
APPLICABLE FACILITIES: Owensboro, KY USA		
COMPLIANCE URL:		
COMPLIANCE NOTES: This product consists entirely of Stainless Steel, which is considered an inherently non-emitting source of VOCs as per LEED®.		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes



MANUFACTURER INFORMATION

MANUFACTURER: **Babcock-Davis**
ADDRESS: **9300 73rd Avenue North**
Minneapolis, MN 55428
COUNTRY: **United States**

WEBSITE: **https://www.babcockdavis.com/**
CONTACT NAME: **Dave Alfveby**
TITLE: **Technical Product Specialist**
PHONE: **(763) 447-2862**
EMAIL: **dalfveby@babcockdavis.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.