

Ceramic Wall Tiles BIII

by Pavigrés Cerâmicas SA

HPD UNIQUE IDENTIFIER: 99292395
HPD UNIQUE PRODUCT ID: Not provided.
CLASSIFICATION: 09 30 13 Ceramic Tiling
PRODUCT TYPE: Wall Tiles, Ceramic
PRODUCT DESCRIPTION: Dry-pressed ceramic tiles with water absorption greater than 10% (Eb > 10%), manufactured by Pavigrés Cerâmicas S.A. The tiles are intended for internal walls. The tiles are fired at high temperature, resulting in a durable, inert ceramic body.

SCREENING DATE: 2026-08-12
PUBLISHED DATE: 2026-08-21
EXPIRY DATE: 2029-08-12
PREPARER: Self-Prepared

Health Product
Declaration v3.0
created via: HPDC Online Builder

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Residuals/Impurities Evaluation	For all contents above the threshold, the manufacturer has:
→ Basic Method	→ Completed	
Threshold Disclosed Per	Explanation(s) provided :	Characterized
→ Product	Yes	Provided weight and role.
Threshold Level		Screened
→ 100 ppm		Provided screening results using HPDC-approved methods.
		Identified
		Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

CERAMIC WALL TILES BIII [SILICA, VITREOUS (AMORPHOUS SILICA) LT-1] CAN

ALUMINUM OXIDE BM-2] CAN | MAM CALCIUM OXIDE (PRIMARY CASRN IS 1305-78-8) BM-2] SKI | MAM | EYE POTASSIUM OXIDE BM-2] MAGNESIUM OXIDE BM-3dg] CAN | MAM SODIUM OXIDE BM-2] FERRIC OXIDE BM-1 *] CAN | MAM TITANIUM DIOXIDE BM-1 *] CAN | END | MAM MANGANESE (II) OXIDE LT-UNK] SKI | EYE | MAM]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Antimicrobial Pesticides Reporting: This product does not contain substance(s) that are intentionally added above the [Product - 100 ppm] threshold to act as antimicrobials.

Ceramic tile is considered as a single component resulting from the vitrification process in the high temperature kiln process. No warnings or hazards are associated with the final, finished product.

*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

COMPLIANCE See Section 3 for additional listings.

VOC emissions: Inherently non-emitting source per LEED

Management: ISO 9001:2015 Quality management systems

Management: ISO 14001:2015 - Environmental management systems

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: www.hpd-collaborative.org/hpd-3-0-standard

CERAMIC WALL TILES BIII

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: The physical and chemical reactions in the kiln-firing process transform 100% of the initial ingredients (water and mineral based naturally occurring materials) into the final fired tile product and no residuals remain.

OTHER PRODUCT NOTES:

SILICA, VITREOUS (AMORPHOUS SILICA)

ID: 60676-86-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2026-08-13 0:40:04

%: 65.9100 - 69.9100

GreenScreen: LT-1

RC: PreC

NANO: No

SUBSTANCE ROLE: Ceramic body

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The finished tiles are stable, odourless, non-flammable and there is no release of hazardous substances, therefore do not present any kind of immediate hazard to health. Even though crystalline silica (SiO2) is present in the finished product, it does not exist nor is released as respirable fraction. This respirable fraction can only be formed when altering the finished product in operations such as cutting. Only in this case it should be considered as a hazard.

ALUMINUM OXIDE

ID: 1344-28-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2026-08-13 0:53:15

%: 17.7300 - 19.7300

GreenScreen: BM-2

RC: PreC

NANO: No

SUBSTANCE ROLE: Ceramic body

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Children's Toy Products

SUBSTANCE NOTES: The final product is fully vetrified, fired at high temperature and no warnings or hazards are associated with it.

CALCIUM OXIDE (PRIMARY CASRN IS 1305-78-8)

ID: 60873-85-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2026-08-13 0:55:44

5.2300 - 7.2300		GreenScreen: BM-2	RC: PreC	NANO: No	SUBSTANCE ROLE: Ceramic body
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
SKI	GHS - Australia		H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
MAM	GHS - Japan		H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]		
SKI	GHS - New Zealand		Skin corrosion category 1C		
EYE	GHS - New Zealand		Serious eye damage category 1		
EYE	GHS - Japan		H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]		
SKI	GHS - Japan		H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]		
EYE	GHS - Australia		H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: The final product is fully vetrified, fired at high temperature and no warnings or hazards are associated with it.

POTASSIUM OXIDE

ID: 12136-45-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2026-08-13 1:13:02

1.1800 - 2.1800		GreenScreen: BM-2	RC: PreC	NANO: No	SUBSTANCE ROLE: Ceramic body
HAZARD TYPE		LIST NAME AND SOURCE		WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists			
ADDITIONAL LISTINGS		LIST NAME AND SOURCE		NOTIFICATION	
None found		No listings found on Additional Hazard Lists			

SUBSTANCE NOTES: The final product is fully vetrified, fired at high temperature and no warnings or hazards are associated with it.

MAGNESIUM OXIDE

ID: 1309-48-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2026-08-13 1:14:55

%: 0.9000 - 1.9000	GreenScreen: BM-3dg	RC: PreC	NANO: No	SUBSTANCE ROLE: Ceramic body
--------------------	---------------------	----------	----------	------------------------------

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: The final product is fully vetrified, fired at high temperature and no warnings or hazards are associated with it.		

SODIUM OXIDE		ID: 1313-59-3
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-08-13 1:17:46
%: 0.7800 - 1.7800	GreenScreen: BM-2	RC: PreC
		NANO: No
SUBSTANCE ROLE: Ceramic body		
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: The final product is fully vetrified, fired at high temperature and no warnings or hazards are associated with it.		

FERRIC OXIDE		ID: 1309-37-1
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-08-13 1:22:32
%: 0.5700 - 1.5700	GreenScreen: BM-1	RC: PreC
		NANO: No
SUBSTANCE ROLE: Ceramic body		
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification**
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]**
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: The final product is fully vetrified, fired at high temperature and no warnings or hazards are associated with it.		
**Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.		

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2026-08-13 1:24:28

%		0.2800 - 0.4800		GreenScreen: BM-1	RC: PreC	NANO: No	SUBSTANCE ROLE: Ceramic body
HAZARD TYPE		LIST NAME AND SOURCE			WARNINGS		
CAN		US CDC - Occupational Carcinogens			Occupational Carcinogen**		
CAN		CA EPA - Prop 65			Carcinogen - specific to chemical form or exposure route**		
CAN		IARC			Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources**		
CAN		MAK			Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value**		
END		TEDX - Potential Endocrine Disruptors			Potential Endocrine Disruptor**		
CAN		MAK			Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels**		
CAN		IARC			Group 2b - Possibly carcinogenic to humans**		
CAN		EU - GHS (H-Statements) Annex 6 Table 3-1			H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**		
CAN		GHS - Japan			H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**		
MAM		GHS - Japan			H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**		
ADDITIONAL LISTINGS		LIST NAME AND SOURCE			NOTIFICATION		
POSITIVE LIST		US Environmental Protection Agency (US EPA)			US EPA - DfE Safer Chemical Ingredients list (SCIL) Colorants - Green Circle (Verified Low Concern)		
RESTRICTED LIST		Cradle to Cradle Products Innovation Institute (C2CPll)			C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Cosmetics and Personal Care Products		
RESTRICTED LIST		Cradle to Cradle Products Innovation Institute (C2CPll)			C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026 Cosmetics & Personal Care Products		
SUBSTANCE NOTES: The final product is fully vetrified, fired at high temperature and no warnings or hazards are associated with it.							
**Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.							

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2026-08-13 1:27:43

%: 0.0100 - 0.0300	GreenScreen: LT-UNK	RC: PreC	NANO: No	SUBSTANCE ROLE: Ceramic body
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
SKI	GHS - New Zealand	Skin irritation category 2		
EYE	GHS - New Zealand	Eye irritation category 2		
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		

RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025
		Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026
		Children's Toy Products
SUBSTANCE NOTES: The final product is fully vetrified, fired at high temperature and no warnings or hazards are associated with it.		



Section 3: Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Inherently non-emitting source per LEED	
COMPLIANCE TYPE: Self-declaration	ISSUE DATE: 2026-08-17	EXPIRY DATE: No expiration
CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: None		
COMPLIANCE DETAILS:		
COMPLIANCE SCOPE:		
APPLICABLE FACILITIES: EUROPEAN CERAMIC TILE MANUFACTURERS' FEDERATION - CET guidance concerning the French Regulation on labelling of products' performance in terms of emissions of volatile organic compounds (VOC) – application to ceramic tiles. "Application to ceramic wall and floor tiles: Ceramic wall and floor tile containing no post-fire adhesives, waxes, coatings or surface applications can claim to belong to the top class without testing, since tile is fired at very high temperatures, usually in excess of 1.000°C1. At such high temperatures, any organics that might be present in clays or binders are completely burned away. As a result, the final product is inert and has no VOCs that can be emitted."		
COMPLIANCE URL: https://pavigres.com/		
COMPLIANCE NOTES:		

MANAGEMENT	ISO 9001:2015 Quality management systems	
COMPLIANCE TYPE: Third-party certification	ISSUE DATE: 2023-11-17	EXPIRY DATE: 2026-11-21
CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: APCER		
COMPLIANCE DETAILS:		
COMPLIANCE SCOPE: Company-wide		
APPLICABLE FACILITIES: All		
COMPLIANCE URL: https://pavigres.com		
COMPLIANCE NOTES:		

MANAGEMENT	ISO 14001:2015 - Environmental management systems	
COMPLIANCE TYPE: Third-party certification	ISSUE DATE: 2023-11-17	EXPIRY DATE: 2026-11-30
CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: APCER		
COMPLIANCE DETAILS:		
COMPLIANCE SCOPE:		
APPLICABLE FACILITIES: All		
COMPLIANCE URL: https://pavigres.com		
COMPLIANCE NOTES:		



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

Additional technical documentation, including product datasheets, the CE Declaration of Performance (DoP), Environmental Product Declarations (EPD), FDES, other environmental information, and management system certifications such as ISO 9001 and ISO 14001, is available on the Pavigrés Cerâmicas website. These documents provide complementary product and sustainability information that is not included within the scope of this HPD.



MANUFACTURER INFORMATION

MANUFACTURER: **Pavigrés Cerâmicas SA**
ADDRESS: **Avenida Almas Domingas, n.º 12**
Anadia, Aveiro 3780-244
COUNTRY: **Portugal**

WEBSITE: **<https://pavigres.com>**
CONTACT NAME: **Pavigrés Cerâmicas S.A.**
TITLE: **Pavigrés Cerâmicas S.A.**
PHONE: **(+351) 231 510 600**
EMAIL: **geral@pavigres.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.