

EverGlean Mat / EverGlean Guard Tile

by Carpets International Thailand Public Company Limited

HPD UNIQUE IDENTIFIER: 30971778

HPD UNIQUE PRODUCT ID: Not provided.

CLASSIFICATION: 09 68 13 Tile Carpeting

PRODUCT TYPE: Carpet Tiles, Nylon  
Carpet Flooring

**PRODUCT DESCRIPTION:** EverGlean Guard Tile is thoughtfully engineered from a high-performance blend of recycled fibers, offering a sustainable solution for a cleaner commercial interior. Its unique design effectively traps moisture and scrapes away dirt, ensuring the mess from the outside stays outside. Make a responsible choice for a beautiful and dry interior.

SCREENING DATE: 2026-08-23

PUBLISHED DATE: 2026-08-23

EXPIRY DATE: 2029-08-23

PREPARER: Self-Prepared

Health Product Declaration v3.0

created via: HPDC Online Builder

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

|                                                                 |                                                                   |                                                                                        |
|-----------------------------------------------------------------|-------------------------------------------------------------------|----------------------------------------------------------------------------------------|
| <div>Inventory Reporting Format</div> <div>→ Basic Method</div> | <div>Residuals/Impurities Evaluation</div> <div>→ Completed</div> | <div>For all contents above the threshold, the manufacturer has:</div>                 |
| <div>Threshold Disclosed Per</div> <div>→ Product</div>         | <div>Explanation(s) provided :</div> <div>Yes</div>               | <div>Characterized</div> <div>Provided weight and role.</div>                          |
| <div>Threshold Level</div> <div>→ 100 ppm</div>                 |                                                                   | <div>Screened</div> <div>Provided screening results using HPDC-approved methods.</div> |
|                                                                 |                                                                   | <div>Identified</div> <div>Provided name and CAS RN or other identifier.</div>         |

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

EVERGLEAN MAT / EVERGLEAN GUARD TILE [ NYLON 6 (WITH STAIN RESISTANCE) LT-UNK | POLYETHYLENE LT-UNK | POLYETHYLENE TEREPHTHALATE (PET) (POST-CONSUMER RECYCLED) (POLYETHYLENE TEREPHTHALATE (PET) (POST-CONSUMER RECYCLED)) LT-UNK | ALUMINA TRIHYDRATE (PRIMARY CASRN IS 21645-51-2) BM-2 | SKI | EYE ETHYLENE VINYL ACETATE POLYMER (EVA) LT-UNK | LIMESTONE; CALCIUM CARBONATE BM-3dg |

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... None

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

As included in the finished product, none of materials identified with "Hazard Type"

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

COMPLIANCE See Section 3 for additional listings.

VOC emissions: CRI Green Label Plus - Carpets

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: [www.hpd-collaborative.org/hpd-3-0-standard](http://www.hpd-collaborative.org/hpd-3-0-standard)

### EVERGLEAN MAT / EVERGLEAN GUARD TILE

|                                                                                                                      |                                                    |
|----------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|
| PRODUCT THRESHOLD: 100 ppm                                                                                           | RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes |
| RESIDUALS AND IMPURITIES NOTES: As included in the finished product, none of materials identified with "Hazard Type" |                                                    |
| OTHER PRODUCT NOTES: VOC content data is not applicable for this product category.                                   |                                                    |

NYLON 6 (WITH STAIN RESISTANCE)

ID: 25038-54-4

|                                                                                            |  |                                                |                                                   |                                       |                                          |
|--------------------------------------------------------------------------------------------|--|------------------------------------------------|---------------------------------------------------|---------------------------------------|------------------------------------------|
| HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>                           |  |                                                | HAZARD SCREENING DATE: <b>2026-08-23 21:05:02</b> |                                       |                                          |
|                                                                                            |  |                                                |                                                   |                                       |                                          |
| %: <b>46.6000 - 48.2000</b>                                                                |  | GreenScreen: <b>LT-UNK</b>                     | RC: <b>PostC</b>                                  | NANO: <b>No</b>                       | SUBSTANCE ROLE: <b>Textile component</b> |
|                                                                                            |  |                                                |                                                   |                                       |                                          |
| HAZARD TYPE                                                                                |  | LIST NAME AND SOURCE                           |                                                   | WARNINGS                              |                                          |
|                                                                                            |  |                                                |                                                   |                                       |                                          |
| None found                                                                                 |  | No warnings found on HPD Priority Hazard Lists |                                                   |                                       |                                          |
|                                                                                            |  |                                                |                                                   |                                       |                                          |
| ADDITIONAL LISTINGS                                                                        |  | LIST NAME AND SOURCE                           |                                                   | NOTIFICATION                          |                                          |
|                                                                                            |  |                                                |                                                   |                                       |                                          |
| RESTRICTED LIST                                                                            |  | Green Science Policy Institute (GSPI)          |                                                   | GSPI - Six Classes Precautionary List |                                          |
|                                                                                            |  |                                                |                                                   | Flame Retardants                      |                                          |
|                                                                                            |  |                                                |                                                   |                                       |                                          |
| SUBSTANCE NOTES: Nylon 6 (with stain resistance) is yarn component of surface pile carpet. |  |                                                |                                                   |                                       |                                          |

POLYETHYLENE

ID: 9002-88-4

|                                                                         |                      |          |                                                |                          |
|-------------------------------------------------------------------------|----------------------|----------|------------------------------------------------|--------------------------|
| HAZARD DATA SOURCE: Pharos Chemical and Materials Library               |                      |          | HAZARD SCREENING DATE: 2026-08-23 21:05:03     |                          |
| %: 18.0000 - 18.5000                                                    |                      |          |                                                |                          |
| GreenScreen: LT-UNK                                                     |                      | RC: None | NANO: No                                       | SUBSTANCE ROLE: Adhesive |
| HAZARD TYPE                                                             | LIST NAME AND SOURCE |          | WARNINGS                                       |                          |
| None found                                                              |                      |          | No warnings found on HPD Priority Hazard Lists |                          |
| ADDITIONAL LISTINGS                                                     | LIST NAME AND SOURCE |          | NOTIFICATION                                   |                          |
| None found                                                              |                      |          | No listings found on Additional Hazard Lists   |                          |
| SUBSTANCE NOTES: LDPE is binder between Top cloth and secondary backing |                      |          |                                                |                          |

POLYETHYLENE TEREPHTHALATE (PET) (POST-CONSUMER RECYCLED) (POLYETHYLENE TEREPHTHALATE (PET) (POST-CONSUMER RECYCLED))

ID: 25038-59-9

%: **12.2000 - 12.5000**

GreenScreen: **LT-UNK**

RC: **Both**

NANO: **No**

SUBSTANCE ROLE: **Structure component**

| HAZARD TYPE                                                        | LIST NAME AND SOURCE                  | WARNINGS                                                               |
|--------------------------------------------------------------------|---------------------------------------|------------------------------------------------------------------------|
| None found                                                         |                                       | No warnings found on HPD Priority Hazard Lists                         |
| ADDITIONAL LISTINGS                                                | LIST NAME AND SOURCE                  | NOTIFICATION                                                           |
| RESTRICTED LIST                                                    | Green Science Policy Institute (GSPI) | GSPI - Six Classes Precautionary List<br><br>Bisphenols and Phthalates |
| SUBSTANCE NOTES: PET is component in primary and secondary backing |                                       |                                                                        |

ALUMINA TRIHYDRATE (PRIMARY CASRN IS 21645-51-2)

ID: **8064-00-4**

%: **9.0000 - 10.0000**

GreenScreen: **BM-2**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Flame retardant**

| HAZARD TYPE                                                        | LIST NAME AND SOURCE                                    | WARNINGS                                                                                                            |
|--------------------------------------------------------------------|---------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| SKI                                                                | GHS - New Zealand                                       | Skin irritation category 2                                                                                          |
| EYE                                                                | GHS - New Zealand                                       | Eye irritation category 2                                                                                           |
| ADDITIONAL LISTINGS                                                | LIST NAME AND SOURCE                                    | NOTIFICATION                                                                                                        |
| RESTRICTED LIST                                                    | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025<br><br>Children's Toy Products   |
| RESTRICTED LIST                                                    | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026<br><br>Children's Toy Products |
| SUBSTANCE NOTES: Alumina trihydrate is flame retardant in adhesive |                                                         |                                                                                                                     |

ETHYLENE VINYL ACETATE POLYMER (EVA)

ID: **24937-78-8**

%: **6.5000 - 7.2000**

GreenScreen: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Adhesive**

| HAZARD TYPE                                                                        | LIST NAME AND SOURCE                  | WARNINGS                                                      |
|------------------------------------------------------------------------------------|---------------------------------------|---------------------------------------------------------------|
| None found                                                                         |                                       | No warnings found on HPD Priority Hazard Lists                |
| ADDITIONAL LISTINGS                                                                | LIST NAME AND SOURCE                  | NOTIFICATION                                                  |
| RESTRICTED LIST                                                                    | Green Science Policy Institute (GSPI) | GSPI - Six Classes Precautionary List<br><br>Flame Retardants |
| SUBSTANCE NOTES: Ethylene vinyl acetate polymer is latex base in pre-coat adhesive |                                       |                                                               |

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2026-08-23 21:05:02

%: 3.9000 - 4.2000

GreenScreen: BM-3dg

RC: PreC

NANO: No

SUBSTANCE ROLE: Filler

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS                                       |
|-------------|----------------------|------------------------------------------------|
| None found  |                      | No warnings found on HPD Priority Hazard Lists |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION                                 |
|---------------------|----------------------|----------------------------------------------|
| None found          |                      | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: Calcium Carbonate is filler in latex adhesive

### Section 3: Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

| VOC EMISSIONS                                                                                                                                                                                                                     | CRI Green Label Plus - Carpets |                         |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|-------------------------|
| COMPLIANCE TYPE: Third-party certification                                                                                                                                                                                        | ISSUE DATE: 2017-05-12         | EXPIRY DATE: 2026-09-30 |
| CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: CRI - The Carpet and Rug Institute                                                                                                                                                        |                                |                         |
| COMPLIANCE DETAILS:                                                                                                                                                                                                               |                                |                         |
| COMPLIANCE SCOPE: Product                                                                                                                                                                                                         |                                |                         |
| APPLICABLE FACILITIES: All color of EverGlean Mat / EverGlean Guard Tile                                                                                                                                                          |                                |                         |
| COMPLIANCE URL: <a href="https://carpet-rug.org/wp-content/uploads/glp/certificates/carpet/GLP2343_2025-10-20_15-09-19.pdf">https://carpet-rug.org/wp-content/uploads/glp/certificates/carpet/GLP2343_2025-10-20_15-09-19.pdf</a> |                                |                         |
| COMPLIANCE NOTES: Private Office Range of Total VOCs: 0.5 mg/m <sup>3</sup> or less School Classroom Range of Totals VOCs: 0.5 mg/m <sup>3</sup> or less                                                                          |                                |                         |

### Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

### Section 5: General Notes

As included in the finished product, none of materials identified with "Hazard Type"



MANUFACTURER INFORMATION

MANUFACTURER: **Carpets International Thailand Public Company Limited**  
ADDRESS: **80 Moo.1 Patumthani- Bangbuathong Rd, Tambol Bangkoowat**  
**Muang, Patumthani 12000**  
COUNTRY: **Thailand**

WEBSITE: **80 Moo.1 Patumthani- Bangbuathong Rd,, Tambol Bangkoowat**  
CONTACT NAME: **Narupat Kuptiyanuwat**  
TITLE: **Asst R&D Mgr**  
PHONE: **29760123**  
EMAIL: **narupat@carpetsinter.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

|                                       |                                                   |                                                      |
|---------------------------------------|---------------------------------------------------|------------------------------------------------------|
| <b>AQU</b> Aquatic toxicity           | <b>LAN</b> Land toxicity                          | <b>PHY</b> Physical hazard (flammable or reactive)   |
| <b>CAN</b> Cancer                     | <b>MAM</b> Mammalian/systemic/organ toxicity      | <b>REP</b> Reproductive                              |
| <b>DEV</b> Developmental toxicity     | <b>MUL</b> Multiple                               | <b>RES</b> Respiratory sensitization                 |
| <b>END</b> Endocrine activity         | <b>NEU</b> Neurotoxicity                          | <b>SKI</b> Skin sensitization/irritation/corrosivity |
| <b>EYE</b> Eye irritation/corrosivity | <b>NF</b> Not found on Priority Hazard Lists      | <b>UNK</b> Unknown                                   |
| <b>GEN</b> Gene mutation              | <b>OZO</b> Ozone depletion                        |                                                      |
| <b>GLO</b> Global warming             | <b>PBT</b> Persistent, bioaccumulative, and toxic |                                                      |

GreenScreen (GS)

|                                                                     |                                                                |
|---------------------------------------------------------------------|----------------------------------------------------------------|
| <b>BM-4</b> Benchmark 4 (prefer-safer chemical)                     | <b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1) |
| <b>BM-3</b> Benchmark 3 (use but still opportunity for improvement) | <b>LT-1</b> List Translator 1 (Likely Benchmark-1)             |
| <b>BM-2</b> Benchmark 2 (use but search for safer substitutes)      | <b>LT-UNK</b> List Translator Benchmark Unknown                |
| <b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)          | <b>NoGS</b> No GreenScreen.                                    |
| <b>BM-U</b> Benchmark Unspecified (due to insufficient data)        |                                                                |

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

Recycled Types

|                                                     |
|-----------------------------------------------------|
| <b>PreC</b> Pre-consumer recycled content           |
| <b>PostC</b> Post-consumer recycled content         |
| <b>UNK</b> Inclusion of recycled content is unknown |
| <b>None</b> Does not include recycled content       |

Other Terms:

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

|                                                                                                                       |
|-----------------------------------------------------------------------------------------------------------------------|
| <b>Nested Method / Material Threshold</b> Substances listed within each material per threshold indicated per material |
| <b>Nested Method / Product Threshold</b> Substances listed within each material per threshold indicated per product   |
| <b>Basic Method / Product Threshold</b> Substances listed individually per threshold indicated per product            |

|                                                                                    |
|------------------------------------------------------------------------------------|
| <b>Nano</b> Composed of nano scale particles or nanotechnology                     |
| <b>Third Party Verified</b> Verification by independent certifier approved by HPDC |
| <b>Preparer</b> Third party preparer, if not self-prepared by manufacturer         |
| <b>Applicable facilities</b> Manufacturing sites to which testing applies          |

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.