

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format → Basic Method	Residuals/Impurities Evaluation → Not Completed	For all contents above the threshold, the manufacturer has:
Threshold Disclosed Per → Product	Explanation(s) provided : Yes	Characterized Provided weight and role. Yes
Threshold Level → 100 ppm		Screened Provided screening results using HPDC-approved methods. Yes
		Identified Provided name and CAS RN or other identifier. No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details. PRODUCT MATERIAL OR SUBSTANCE RESIDUAL OR IMPURITY GREENSCREEN SCORE HAZARD TYPE ELASTOCOL STICK ZERO METHYL ACETATE LT-UNK EYE PHY MAM SKI UNDISCLOSED LT-UNK TERT-BUTYL ACETATE LT-UNK PHY EYE UNDISCLOSED LT-UNK PETROLEUM RESINS LT-UNK METHOXYISOPROPYL ACETATE LT-UNK MAM EYE PIGMENT RED 48 NoGS	Number of Greenscreen BM-4/BM3 contents ... 0 Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... None Nanomaterial ... No INVENTORY AND SCREENING NOTES: Antimicrobial Pesticides Reporting: This product does not contain substance(s) that are intentionally added above the [Product - 100 ppm] threshold to act as antimicrobials. No substance other than those listed in this HPD have been added to the finished product during its manufacturing. Residuals or impurities could not be considered because information was not provided to the manufacturer by the raw materials vendors. Many substances are undisclosed to protect proprietary information.
--	---

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 490 Regulatory (g/l): 0.0 Does the product contain exempt VOCs: Yes Are colorants available that do not increase the VOC content of the base paint when tinted: N/A	COMPLIANCE See Section 3 for additional listings. VOC emissions: CDPH Standard Method - N/A VOC content: VOC Content Management: ISO 9001:2015 Quality management systems Management: ISO 14001:2015 Environmental management systems CONSISTENCY WITH OTHER PROGRAMS Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4 Option 2. Pre-checked for LEED v4.1 Option 1.
---	--

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: www.hpd-collaborative.org/hpd-3-0-standard

ELASTOCOL STICK ZERO

PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No
RESIDUALS AND IMPURITIES NOTES: Residuals or impurities could not be considered because information was not provided to the manufacturer by the raw materials vendors.	
OTHER PRODUCT NOTES: Many substances are undisclosed to protect proprietary information.	

METHYL ACETATE

ID: 79-20-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2026-08-24 7:31:58
---	---

%: 33.0000 - 35.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
----------------------	---------------------	----------	----------	-------------------------

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
PHY	GHS - New Zealand	Flammable liquids category 2
PHY	GHS - Japan	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
PHY	GHS - Malaysia	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
PHY	GHS - Australia	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
EYE	GHS - Malaysia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: ELASTOCOL STICK ZERO is prepared with a blend of exempt solvents of the acetate family.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2026-08-24 7:31:59**

%: 25.0000 - 30.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: Adhesive-enhancing resin. Substance undisclosed to protect proprietary information.

TERT-BUTYL ACETATE

ID: **540-88-5**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2026-08-24 7:31:59**

%: 15.0000 - 18.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]		
EYE	GHS - New Zealand	Eye irritation category 2		
PHY	GHS - New Zealand	Flammable liquids category 2		
PHY	GHS - Japan	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]		
PHY	GHS - Malaysia	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]		
PHY	GHS - Australia	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Certain Metals		

SUBSTANCE NOTES: ELASTOCOL STICK ZERO is prepared with a blend of exempt solvents of the acetate family.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2026-08-24 7:32:00**

%: 10.0000 - 15.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		

None found

No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: Adhesive-enhancing substance undisclosed to protect proprietary information.		

PETROLEUM RESINS

ID: 64742-16-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-08-24 7:32:00		
%: 7.0000 - 10.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES:				

METHOXYISOPROPYL ACETATE

ID: 108-65-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-08-24 7:31:59		
%: 0.5000 - 1.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]		
EYE	GHS - New Zealand	Eye irritation category 2		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES:				

PIGMENT RED 48

ID: 16013-44-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-08-24 7:32:00		
%: 0.1000 - 0.3000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method - N/A	
COMPLIANCE TYPE: Self-declaration	ISSUE DATE: 2020-06-23	EXPIRY DATE: No expiration
CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: N/A		
COMPLIANCE DETAILS:		
COMPLIANCE SCOPE: Product		
APPLICABLE FACILITIES: Drummondville, Québec, Canada		
COMPLIANCE URL:		
COMPLIANCE NOTES: N/A - This product is an exterior product therefore is not to be tested for VOC emissions.		

VOC CONTENT	VOC Content	
COMPLIANCE TYPE: Self-declaration	ISSUE DATE: 2020-06-23	EXPIRY DATE: No expiration
CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: N/A		
COMPLIANCE DETAILS:		
COMPLIANCE SCOPE: Product		
APPLICABLE FACILITIES: Drummondville, Québec, Canada		
COMPLIANCE URL:		
COMPLIANCE NOTES: ELSTOCOL STICK ZERO has a VOC content of 0 g/L according to EPA rules for exempt solvents. It has a VOC content of 240 g/L according to SCAQMD rules.		

MANAGEMENT	ISO 9001:2015 Quality management systems	
COMPLIANCE TYPE: Third-party certification	ISSUE DATE: 2024-06-11	EXPIRY DATE: 2027-05-07
CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: SGS ICS		
COMPLIANCE DETAILS:		
COMPLIANCE SCOPE: Company-wide		
APPLICABLE FACILITIES: Facilities covered by this certification: St Julien du Sault, France; Strasbourg, France; Val de Reuil, France; Sorgues, France; Luynes, France; Ambert, France; Cestas, France; La Chapelle Saint Luc, France; Saint Rambert, France; Golbey, France; Drummondville, Québec, Canada; Chilliwack, British Columbia, Canada; Wadsworth, Ohio, USA; Richmond, Québec, Canada; Gulfport, Mississippi, USA; Beauport, Québec, Canada; Oberrosbach, Germany; Grobbendonk, Belgium; Andenne, Belgium; Ijlst, Netherlands; Chignolo d'Isola Bergamo, Italy; Frosinone, Italy; San Vito al Tagliamento, Italy; Verolanuova, Italy; Salgareda, Italy; Blonie, Poland; Spreitenbach, Switzerland; Cham, Switzerland.		
COMPLIANCE URL: https://my.assets-library.com/m/5ca3578b6bc9370d/original/ISO-Certification-9001.pdf		
COMPLIANCE NOTES: Certificate number FR18/81842815. Although all the plants cited above are covered by the certification, the only plants that manufacture the product covered by this HPD are the plants in Drummondville and Chilliwack.		

MANAGEMENT	ISO 14001:2015 Environmental management systems	
COMPLIANCE TYPE: Third-party certification	ISSUE DATE: 2024-06-11	EXPIRY DATE: 2027-05-07
CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: SGS ICS		
COMPLIANCE DETAILS:		
COMPLIANCE SCOPE: Company-wide		
APPLICABLE FACILITIES: Facilities covered by this certification: St Julien du Sault, France; Strasbourg, France; Val de Reuil, France; Sorgues, France; La Chapelle Saint Luc, France; Saint Rambert, France; Golbey, France; Drummondville, Québec,		

Canada; Chilliwack, British Columbia, Canada; Wadsworth, Ohio, USA; Richmond, Québec, Canada; Beauport, Québec, Canada; Grobbendonk, Belgium; Andenne, Belgium; IJlst, Netherlands; Chignolo d'Isola Bergamo, Italy; Frosinone, Italy; Salgareda, Italy; San Vito al Tagliamento, Italy; Verolanuova, Italy; Blonie, Poland; Spreitenbach, Switzerland; Cham, Switzerland.

COMPLIANCE URL: <https://my.assets-library.com/m/72af61115c92b4fa/original/ISO-Certification-14001.pdf>

COMPLIANCE NOTES: Certificate number FR18/81842816. Although all the plants cited above are covered by the certification, the only plants that manufacture the product covered by this HPD are the plants in Drummondville and Chilliwack.

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

SOPRAFLASH FLAM STICK

MANUFACTURER (OR GENERIC): **SOPREMA**

HPD URL: <https://www.soprema.ca/search-documentation/?label%5B%5D=Health%20Product%20Declaration>

ACCESSORY TYPE: Installation Accessory

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: ELASTOCOL STICK ZERO is one option for surface preparation before installing self-adhesive roofing membranes such as SOPRAFLASH FLAM STICK.

Section 5: General Notes

VOC Content has been established after consideration of exempt compounds for VOC calculations.

MANUFACTURER INFORMATION

MANUFACTURER: SOPREMA	WEBSITE: www.soprema.ca
ADDRESS: 1688 Jean-Berchmans-Michaud St. Drummondville, QC J2C8E9	CONTACT NAME: Jean-François Côté
COUNTRY: Canada	TITLE: Director, Standards and Scientific Affairs
	PHONE: 877-626-6688 x114211
	EMAIL: jfcote@soprema.ca

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.