

Name

CEG-Lite™ 100% Solids Commercial Epoxy Grout

Product ID**Classification**

03 63 00.00 Concrete (footing): Epoxy Grouting

Website

www.custombuildingproducts.com/products/grout-materials/epoxy-grout/ceg-lite.aspx

Manufacturer

Custom Building Products

Address

10400 Pioneer Blvd Unit 3
Santa Fe Springs, California 90670
United States

Contact Name

Tim Kennedy

Title


Compliance Steward

Phone

5629682980

Email

timk@cbpmail.net

**Description**

CEG-Lite™ 100% Solids Commercial Epoxy Grout provides chemical and stain resistance with a fast cure time for a quick return to service. Its lightweight formula makes it easier to spread than typical epoxy grouts and is water-cleanable. CEG-Lite exceeds ANSI A118.3 performance requirements, is suitable for use on vertical joints without an additive, and can also be used as a mortar. Its two-component formula combines a Part A pigmented hardener with a Part B consisting of resins and lightweight aggregates. CEG-Lite is compatible with both CEG-Lite Part A and CEG Part A epoxy grout color pigment and hardener products. Formula is patent-pending.

Release Date

2016-06-09

Expiry Date

2019-06-09

HPD URL

<https://builder.hpd-collaborative.org/uploads/files/hpds/713/4351-20160609133533.pdf>

☒ Self-declared

☐ Second Party ☐ Third Party

Certifier**Certificate #****SUMMARY DISCLOSURE**

The content of this product was assessed for health hazard warnings as required using Pharos

Residuals Disclosure

☐ Measured 100 ppm (ideal) ☐ Measured 1000 ppm ☐ Predicted by process chemistry ☒ As per MSDS (1,000 & 10,000 ppm) ☐ Not disclosed ☐ Other

Full Disclosure of Intentional Ingredients

☐ Yes

☒ No

Full Disclosure of Known Hazards

☒ Yes

☐ No

Disclosure Notes**Contents in Descending Order of Quantity**

QUARTZ , Undisclosed (Epoxy Resin) , GLASS / MINERAL FIBER , Undisclosed (Reactive Resin) , Titanium dioxide , Undisclosed (Amine Hardener) , Undisclosed (Amine Hardener) , BENZYL ALCOHOL , Undisclosed (Co-Reactant) , Undisclosed (Amine Hardener)

Hazards

Highest concern GreenScreen score - Benchmark 1

- ☐ PBT (Persistent Bioaccumulative Toxic)

☒ Cancer

☐ Gene Mutation
- ☒ Development

☒ Reproductive

☒ Endocrine

☐ Respiratory
- ☐ Neurotoxicity

☒ Mammal

☒ Skin or Eye

☒ Aquatic toxicity
- ☐ Land toxicity

☐ Physical hazard

☐ Global warming

☐ Ozone depletion
- ☒ Multiple

☐ Unknown

Total VOC Content

Material (g/L)

23.00

Regulatory (g/L)

23.00

Does the product contain exempt VOCs?

- ☐ N/A
- ☐ Yes
- ☒ No

Are there VOC-free tints available?

- ☒ N/A
- ☐ Yes
- ☐ No

Notes

Certifications + Compliance

VOC Emissions

Not tested

VOC Content

Not tested

The HPD Standard is solely a declaration of product content and direct health hazards associated with exposure to its individual contents. It is not a full assessment of environmental impacts from the life cycle of this product. It is not an assessment of risks associated with actual use of the product. It does not address the potential health impacts of substances used or created during manufacture that do not appear in the final product as residuals, nor substances created during combustion or other degradation processes.

This Health Product Declaration was generated following the requirements of the noted Standard version and is valid for a total of three years after date of issue or three months after a substantive change of product contents occurs. Users should verify that this Health Product Declaration is compliant with the most current version of the HPD Standard. Accuracy of claims made in this Health Product Declaration is the sole responsibility of the listed manufacturer and certifier (if applicable). The HPD Collaborative does not warrant any claim made herein, explicit or implicit. The HPD Standard is an “open standard” developed and managed by the HPD Collaborative, a nonprofit organization. For more information, visit hpdcollaborative.org.

CONTENT IN DESCENDING ORDER OF QUANTITY

All ingredients must be assessed for health warnings against Priority Hazard Lists, regardless of disclosure level. Priority Hazard Lists and information on the GreenScreen Benchmarks can be found at www.hpdcollaborative.org/hazardlists. **GS:** GreenScreen Benchmark; **RC:** Recycled Content, **PC:** Post Consumer, **PI:** Post Industrial (Pre-consumer), **BO:** Both; **Nano:** comprised of nanoscale particles or nanotechnology

Name	CAS RN	% weight	GS	RC	Nano	Role
Hazard A				Warning A		
Hazard B				Warning B		
Hazard C				Warning C		
Hazard D				Warning D		
Hazard E				Warning E		
Notes						
QUARTZ	14808-60-7	40 - 70 %	LT-1	N	N	Aggregate
CANCER	IARC: Group 1: Agent is carcinogenic to humans - inhaled from occupational sources (also in NIOSH-C, MAK, NTP-RoC, Prop 65)					
Range given due to batch to batch variability.						
Undisclosed (Epoxy Resin)	Undisclosed	15 - 20 %	LT-P1	N	N	Resin
ENDOCRINE	EU ED: Category 2 - In vitro evidence of biological activity related to endocrine disruption					
DEVELOPMENTAL	EPA Action: Developmental Effects					
REPRODUCTIVE	EPA Action: Reproductive effects					
MULTIPLE	EPA Action: EPA Chemical of Concern - Action Plan published					
Range given due to batch to batch variability.						
GLASS / MINERAL FIBER	65997-17-3	7 - 13 %	LT-U	PC	N	Recycled Glass Aggregate
None found	No warnings found on HPD Priority lists					
Range given due to batch to batch variability.						
Undisclosed (Reactive Resin)	Undisclosed	0.1 - 4 %	LT-P1	N	N	Resin
SKIN IRRITATION	EU R-Phrases: R38: Irritating to skin. (also in EU H-Statements)					
SKIN SENSITIZE	EU R-Phrases: R43: May cause sensitization by skin contact.					
MULTIPLE	VwVwS: Class 2 Hazard to Waters					
Range given due to batch to batch variability.						
Titanium dioxide	13463-67-7	0.1 - 4 %	LT-1	N	N	Pigment
CANCER	NIOSH-C: Occupational carcinogen (also in Prop 65, IARC, MAK)					
Range given due to batch to batch variability.						
Undisclosed (Amine Hardener)	Undisclosed	0.1 - 3 %	LT-P1	N	N	Hardener
MAMMALIAN	EU R-Phrases: R22: Harmful if swallowed.					
SKIN IRRITATION	EU H-Statements: H317 May cause an allergic skin reaction (also in EU R-Phrases)					
SKIN SENSITIZE	EU R-Phrases: R43: May cause sensitization by skin contact. (also in MAK)					
MULTIPLE	VwVwS: Class 2 Hazard to Waters					
Range given due to batch to batch variability.						
Undisclosed (Amine Hardener)	Undisclosed	0.1 - 2 %	LT-P1	N	N	Hardener
MAMMALIAN	EU R-Phrases: R22: Harmful if swallowed.					
SKIN IRRITATION	EU H-Statements: H317 May cause an allergic skin reaction (also in EU R-Phrases)					
SKIN SENSITIZE	EU R-Phrases: R43: May cause sensitization by skin contact. (also in MAK)					
ACUTE AQUATIC	EU R-Phrases: R52: Harmful to aquatic organisms.					

MULTIPLE	VwVwS: Class 2 Hazard to Waters					
Range given due to batch to batch variability.						
BENZYL ALCOHOL	100-51-6	0.1 - 1 %	LT-U	N	N	Diluent
MAMMALIAN	EU R-Phrases: R22: Harmful if swallowed.					
Range given due to batch to batch variability.						
Undisclosed (Co-Reactant)	Undisclosed	0.1 - 1 %	1	N	N	Hardener
DEVELOPMENTAL	NTP-OHAaT: A-Clear evidence of adverse developmental toxicant effects (also in EPA Action)					
REPRODUCTIVE	NTP-OHAaT: B-Some evidence of adverse reproductive toxicant effects (also in EU R-Phrases, EU H-Statements, EPA Action)					
ENDOCRINE	EU ED: Category 1 - In vivo evidence of endocrine disruption activity (also in OSPAR, SIN, TEDX)					
EYE IRRITATION	EU H-Statements: H318 Causes serious eye damage (also in EU R-Phrases)					
SKIN IRRITATION	EU H-Statements: H317 May cause an allergic skin reaction					
SKIN SENSITIZE	EU R-Phrases: R43: May cause sensitization by skin contact. (also in MAK)					
ACUTE AQUATIC	EU R-Phrases: R52: Harmful to aquatic organisms.					
MULTIPLE	VwVwS: Class 2 Hazard to Waters (also in EPA Action)					
Range given due to batch to batch variability.						
Undisclosed (Amine Hardener)	Undisclosed	0.1 - 0.25 %	LT-P1	N	N	Hardener
MAMMALIAN	EU R-Phrases: R22: Harmful if swallowed.					
SKIN IRRITATION	EU H-Statements: H317 May cause an allergic skin reaction (also in EU R-Phrases)					
SKIN SENSITIZE	EU R-Phrases: R43: May cause sensitization by skin contact.					
ACUTE AQUATIC	EU R-Phrases: R51: Toxic to aquatic organisms.					
CHRON AQUATIC	EU H-Statements: H411 - Aquatic Chronic 2 - Toxic to aquatic life with long lasting effects					
MULTIPLE	VwVwS: Class 2 Hazard to Waters					
Range given due to batch to batch variability.						

CERTIFICATIONS AND COMPLIANCE

Certifying Party = First: Manufacturer's self-declaration; Second: Verification by trade association or other interested party; Third: Verification by independent certifier (ideal).
Applicable facilities = Manufacturing sites to which testing applies.

Type	Standard or Certification		Certifier or Laboratory	
	Certifying Party	Issue Date	Expiry Date	Certificate URL
	Applicable Facilities			
	Notes			
	N/A			
VOC Emissions				
	Not tested			
VOC Content				
	Not tested			
Recycled Content				
Other				

ACCESSORY MATERIALS

This section is for additional products required by warranty or recommended by the manufacturer for installation (such as adhesives, fasteners, or factory coatings) or for maintenance, cleaning, or operations. Refer to Health Product Declarations, published separately, for a complete view of these products. Note: This declaration is not intended to address hazards of the installation process.

Required or Recommended Product URL for Companion Health Product Declaration
Condition when required or recommended and/or other notes

NOTES