

HPD UNIQUE IDENTIFIER: 24915

CLASSIFICATION: 23 07 00 HVAC Insulation

PRODUCT DESCRIPTION: CHIL-SEAL® CP-50A MV1 Coating is a white coating which is also an excellent adhesive. It brushes easily, forming a tough film even over surfaces such as glass cloth or canvas. Being a water-based material, it is safe to use; it does not attack plastic foams or other adhesives. Brushes and tools are easily cleaned with water. CHIL-SEAL® CP-50A MV1 Coating is fire-resistive. It is also available in Marine Grade (CP-50A HV2 Coating), which meets MIL-A-3316 specification and USCG 164.012.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold level	Residuals/Impurities	
☐ Nested Materials Method	☐ 100 ppm	☒ Considered	<i>All Substances Above the Threshold Indicated Are:</i>
☒ Basic Method	☒ 1,000 ppm	☐ Partially Considered	Characterized ☐ Yes Ex/SC ☒ Yes ☐ No
Threshold Disclosed Per	☐ Per GHS SDS	☐ Not Considered	% weight and role provided for all substances.
☐ Material	☐ Other	Explanation(s) provided for Residuals/Impurities?	Screened ☐ Yes Ex/SC ☒ Yes ☐ No
☒ Product		☒ Yes ☐ No	<i>All substances screened using Priority Hazard Lists with results disclosed.</i>
			Identified ☐ Yes Ex/SC ☐ Yes ☒ No
			<i>One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

CHIL-SEAL® CP-50A MV1 COATING [UNDISCLOSED BM-4

CALCIUM CARBONATE BM-3 UNDISCLOSED LT-UNK

CHLORINATED PARAFFINS LT-P1 | CAN | END | AQU | PBT ALKANES, CHLORO LT-P1 | CAN | AQU | PBT TITANIUM DIOXIDE LT-1 | CAN | END ETHYLENE GLYCOL BM-1 | END | DEV QUARTZ LT-1 | CAN UNDISCLOSED LT-P1 | MUL UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED BM-1tp | END | MUL | REP | AQU | DEV UNDISCLOSED LT-P1 | CAN]

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Composition is disclosed by H.B. Fuller Company for all ingredients by name and Chemical Abstract Service (CAS) registry number or Proprietary Ingredients hazards associated with LT-1 / LT-P1 down to 0.1% (1000ppm).

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 48 Regulatory (g/l): 48

Does the product contain exempt VOCs: No

Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: MAS Certified Green - VOC Emissions

VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?	PREPARER: Self-Prepared	SCREENING DATE: 2021-05-27
☐ Yes	VERIFIER:	PUBLISHED DATE: 2021-05-27
☒ No	VERIFICATION #:	EXPIRY DATE: 2024-05-27

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

CHIL-SEAL® CP-50A MV1 COATING

PRODUCT THRESHOLD: 1000 ppm		RESIDUALS AND IMPURITIES CONSIDERED: Yes		
RESIDUALS AND IMPURITIES NOTES: Impurities above the reporting threshold have been included in this HPD.				
OTHER PRODUCT NOTES:				
UNDISCLOSED		ID: Undisclosed		
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-05-27 10:42:28		
%: 50.0000 - 80.0000	GS: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: Components listed as undisclosed are proprietary to formulation but have been screened by their CAS number and hazards are listed. All GHS Hazardous components are disclosed by CAS and chemical name				

CALCIUM CARBONATEID: 471-34-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-05-27 10:31:38		
%: 20.0000 - 30.0000	GS: BM-3	RC: UNK	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: Used as intended, this component is encapsulated and not respirable. During normal handling of the product, this substance is encapsulated within the product and will not present a cancer exposure risk. Components listed as undisclosed are proprietary to formulation but have been screened by their CAS number and hazards are listed. All GHS Hazardous components are disclosed by CAS and chemical name.				

UNDISCLOSEDID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-05-27 10:42:58		
%: 10.0000 - 20.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: Components listed as undisclosed are proprietary to formulation but have been screened by their CAS number and hazards are listed. All GHS Hazardous components are disclosed by CAS and chemical name				

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-05-27 10:34:14	
%: 5.0000 - 10.0000		GS: LT-P1	RC: None NANO: No SUBSTANCE ROLE: Flame retardant
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification	
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor	
END	ChemSec - SIN List	Endocrine Disruption	
AQU	US EPA - PPT Chemical Action Plans	Highly toxic to aquatic organisms	
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTE) to the Environment (based on aquatic organisms)	
PBT	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Substance of Possible Concern	
SUBSTANCE NOTES: Components listed as undisclosed are proprietary to formulation but have been screened by their CAS number and hazards are listed. All GHS Hazardous components are disclosed by CAS and chemical name.			

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-05-27 10:36:04			
%: 5.0000 - 10.0000		GS: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Flame retardant
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
CAN	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		
AQU	US EPA - PPT Chemical Action Plans		Highly toxic to aquatic organisms		
PBT	EC - CEPA DSL		Persistent, Bioaccumulative and inherently Toxic (PBiTE) to the Environment (based on aquatic organisms)		
SUBSTANCE NOTES: Components listed as undisclosed are proprietary to formulation but have been screened by their CAS number and hazards are listed. All GHS Hazardous components are disclosed by CAS and chemical name.					

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-05-27 10:36:44			
%: 1.0000 - 5.0000		GS: LT-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
SUBSTANCE NOTES: Used as intended, this component is encapsulated and not respirable. During normal handling of the product, this substance is encapsulated within the product and will not present a cancer exposure risk. Components listed as undisclosed are proprietary to formulation but have been screened by their CAS number and hazards are listed. All GHS Hazardous components are disclosed by CAS and chemical name.		

ETHYLENE GLYCOL

ID: 107-21-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-05-27 10:37:31		
%: 1.0000 - 5.0000	GS: BM-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Humectant
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
DEV	CA EPA - Prop 65	Developmental toxicity		
DEV	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity		
SUBSTANCE NOTES: Components listed as undisclosed are proprietary to formulation but have been screened by their CAS number and hazards are listed. All GHS Hazardous components are disclosed by CAS and chemical name.				

QUARTZ

ID: 14808-60-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-05-27 10:37:57		
?: 0.1000 - 1.0000	GS: LT-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	GHS - Australia	H350i - May cause cancer by inhalation
CAN	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CAN	GHS - Japan	Carcinogenicity - Category 1A [H350]
SUBSTANCE NOTES: Used as intended, this component is encapsulated and not respirable. During normal handling of the product, this substance is encapsulated within the product and will not present a cancer exposure risk. Components listed as undisclosed are proprietary to formulation but have been screened by their CAS number and hazards are listed. All GHS Hazardous components are disclosed by CAS and chemical name.		

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-05-27 10:41:28		
%: 0.1000 - 1.0000	GS: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Plasticizer
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
MUL	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters	
SUBSTANCE NOTES: Components listed as undisclosed are proprietary to formulation but have been screened by their CAS number and hazards are listed. All GHS Hazardous components are disclosed by CAS and chemical name				

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-05-27 10:43:26		
%: 0.1000 - 1.0000	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found	No warnings found on HPD Priority Hazard Lists			
SUBSTANCE NOTES: Components listed as undisclosed are proprietary to formulation but have been screened by their CAS number and hazards are listed. All GHS Hazardous components are disclosed by CAS and chemical name				

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-05-27 10:44:11		
%: 0.1000 - 1.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: Components listed as undisclosed are proprietary to formulation but have been screened by their CAS number and hazards are listed. All GHS Hazardous components are disclosed by CAS and chemical name		

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-05-27 10:45:53		
%: 0.1000 - 1.0000	GS: BM-1tp	RC: UNK	NANO: No	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
END	OSPAR - Priority PBTs & EDs & equivalent concern	Endocrine Disruptor - Chemical for Priority Action		
MUL	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published		
MUL	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - Action Plan in development		
END	ChemSec - SIN List	Endocrine Disruption		
REP	US EPA - PPT Chemical Action Plans	Reproductive effects		
AQU	US EPA - PPT Chemical Action Plans	Highly toxic to aquatic organisms		
DEV	US EPA - PPT Chemical Action Plans	Developmental Effects		
SUBSTANCE NOTES: Components listed as undisclosed are proprietary to formulation but have been screened by their CAS number and hazards are listed. All GHS Hazardous components are disclosed by CAS and chemical name				

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-05-27 10:46:21		
%: 0.1000 - 1.0000	GS: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CAN	GHS - Australia	H350 - May cause cancer		
SUBSTANCE NOTES: Components listed as undisclosed are proprietary to formulation but have been screened by their CAS number and hazards are listed. All GHS Hazardous components are disclosed by CAS and chemical name				

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	MAS Certified Green - VOC Emissions		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All H.B. Fuller facilities CERTIFICATE URL: https://mascertifiedgreen.com/wp-content/uploads/2020/11/2021-7_HB-Fuller_Group-3_Lagging-Adhesive-and-Coatings_2000414R2-3.pdf CERTIFICATION AND COMPLIANCE NOTES:	ISSUE DATE: 2020-07-01	EXPIRY DATE:	CERTIFIER OR LAB: Materials Analytical Services, LLC
VOC CONTENT	EPA Method 24 - Volatile Matter Content (EPA 24)		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All H.B. Fuller facilities CERTIFICATE URL: CERTIFICATION AND COMPLIANCE NOTES:	ISSUE DATE: 2021-05-27	EXPIRY DATE:	CERTIFIER OR LAB: H.B. Fuller

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

For more information about CHIL-SEAL® CP-50A MV1 Coating, please visit our website: <https://fosterproducts.com>

MANUFACTURER INFORMATION

MANUFACTURER: H.B. Fuller Company
ADDRESS: H.B. Fuller Construction Products
 1105 S Frontenac St
 Aurora Illinois 60504, United States
WEBSITE: <https://fosterproducts.com>

CONTACT NAME: Regulatory Group
TITLE: Regulatory
PHONE: 651-236-5153
EMAIL: reg.request@hbfuller.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.